

Europäisches Patentamt

European Patent Office

Office européen des brevets



EP 1 022 286 A1

(12)

#### **EUROPEAN PATENT APPLICATION**

published in accordance with Art. 158(3) EPC

(43) Date of publication: 26.07,2000 Bulletin 2000/30

(21) Application number: 98945638.9

(22) Date of filing: 06.10.1998

(51) Int. Cl.7: **C07K 14/47**, C12N 15/12, C12P 21/02, C12P 21/08, C07K 16/18, A61K 39/395, A61K 38/17, A61K 48/00

(86) International application number: PCT/JP98/04514

(11)

(87) International publication number: WO 99/18126 (15.04.1999 Gazette 1999/15)

- (84) Designated Contracting States:

  AT BE CH DE DK ES FI FR GB GR IE IT LI LU NL
  PT SE
- (30) Priority: 07.10.1997 JP 27467497
- (71) Applicant:
  ONO PHARMACEUTICAL CO., LTD.
  Osaka-shi, Osaka 541-8526 (JP)
- (72) Inventors:
  - FUKUSHIMA, Daikichi;
     Minase Res. Inst., Ono Phar.
     Mishima-gun Osaka 618-8585 (JP)

- SHIBAYAMA, Shiro; Minase Res. Inst., Ono Pharm. Mishima-gun Osaka 618-8585 (JP)
- TADA, Hideaki;
   Minase Res. Inst., Ono Pharm. Co.,
   Mishima-gun Osaka 618-8585 (JP)
- (74) Representative: Henkel, Feiler, Hänzel Möhlstrasse 37 81675 München (DE)

# (54) POLYPEPTIDE, cDNA ENCODING THE POLYPEPTIDE, AND USE OF THE BOTH

(57) A novel polypeptide obtained from a human library by the SST technique; a process for producing the polypeptide; a cDNA encoding the polypeptide; a fragment selectively hybridizing with the sequence of the cDNA; a replication or expression plasmid having the cDNA integrated thereinto; a host cell transformed with the plasmid; an antibody against the polypeptide; and a pharmaceutical composition containing the polypeptide or the antibody.

#### Description

10

#### **Technical Field**

[0001] The present invention relates to novel polypeptides, a method for preparation of them, a cDNA encoding it, a vector containing it, a host cell transformed with the vector, an antibody against the peptide, and a pharmaceutical composition containing the polypeptide or the antibody.

#### Technical Background

[0002] Until now, when a man skilled in the art intends to obtain a particular polypeptide or a cDNA encoding it, he generally utilizes methods by confirming an aimed biological activity in a tissue or in a cell medium, isolating and purifying the polypeptide and then cloning a gene or methods by "expression-cloning" with the guidance of the said biological activity. However, physiologically active polypeptides in living body have often many kinds of activities. Therefore, it happens increasingly that after cloning a gene, the isolated gene is found to be identical to that encoding a polypeptide already known. In addition, some factors could be generated in only a very slight amount and/or under specific conditions and it makes difficult to isolate and to purity the factor and to confirm its biological activity.

[0003] Recent rapid developments in techniques for constructing cDNAs and sequencing techniques have made it possible to quickly sequence a large amount of cDNAs. By utilizing these techniques, a process, which comprises constructing cDNAs library using various cells or tissues, cloning the cDNA at random, identifying the nucleotide sequences thereof, expressing novel polypeptides encoded by them, is now in progress. Although this process is advantageous in that a gene can be cloned and information regarding its nucleotide sequence can be obtained without any biochemical or genetic analysis, the target gene can be discovered thereby only accidentally in many cases.

[0004] The present inventors have studied cloning method to isolate genes encoding proliferation and/or differentiation factors functioning in hematopoietic systems and immune systems. Focusing their attention on the fact that most of the secretory proteins such as proliferation and/or differentiation factors (for example various cytokines) and membrane proteins such as receptors thereof (hereafter these proteins will be referred to generally as secretory proteins and the like) have sequences called signal peptides in the N-termini, the inventors have conducted extensive studies on a process for efficiently and selectively cloning a gene encoding for a signal peptide. Finally, we have successfully developed a screening method for the signal peptides (signal sequence trap (SST)) by using mammalian cells (See Japanese Patent Application No. Hei 6-13951). We also developed yeast SST method on the same concept By the method based on the same conception using yeast (yeast SST method), genes including sequence encoding signal peptide can be identified more easily and efficiently (See USP No. 5,536, 637).

#### 35 Disclosure of the present invention

[0005] The present inventors et al. have diligently performed certain investigation in order to isolate novel factors (polypeptides) useful for treatment, diagnosis and/or study, particularly, secretory proteins containing secretory signal and membrane protein.

[0006] From the result, the present inventors achieved to find novel secretory proteins and membrane proteins produced from cell lines and tissue, for example, human placenta, human adult brain tissue, cell lines derived from human brain tissue, human bone, cell line derived from human bone marrow, and endothelial cell line of vein derived from human umbilical cord and cDNAs encoding them, and then completed the present invention.

[0007] The present invention provides the cDNA sequences identified as done ON056, ON034; OX003 which were isolated by the said yeast SST method using cDNA libraries prepared from human placenta tissue. Clone ON056, ON034, OX003 were full-length cDNA including full cDNA sequences encoding secretory proteins (Each protein is represented as ON056, ON034, OX003 protein, respectively).

[0008] It was indicated from the results of homology search for the public database of the nucleic acid sequences by using BLASTN and FASTA, and for the public database of the amino acid sequences by using BLASTX, BLASTP and FASTA, that there was no sequence identical to the polypeptide sequence and the nucleotide sequence of ON056, ON034, OX003 of the present invention. From the above, it was proved that polypeptides of the present invention were new secretary proteins.

[0009] The present invention provides the cDNA sequences identified as clone OA052, OC004, OM017, OM101, OM126, OM160, OMA016a, OMA016b, OMB130, OMB142, OVB100 which were isolated by the said yeast SST method using cDNA libraries prepared from human adult brain tissue and cell lines derived from human brain tissue (T98G, IMR-32, and CCF-STTG1). Clone OA052, OC004, OM017, OM101, OM126, OM160, OMA016a, OMA016b, OMB130, OMB142, OVB100003 were full-length cDNA including full cDNA sequences encoding secretory protein (Each protein is represented as OA052, OC004, OM017, OM101, OM126, OM160, OMA016a, OMA016b, OMB130,

OMB142, OVB100 protein, respectively).

It was indicated from the results of homology search for the public database of the nucleic acid sequences by using BLASTN and FASTA, and for the public database of the amino acid sequences by using BLASTX, BLASTP and FASTA, that there was no sequence identical to the polypeptide sequence and the nucleotide sequence of OA052, OC004, OM017, OM101, OM126, OM160, OMA016a, OMA016b, OMB130, OMB142, OVB100 of the present invention. From these results, it was proved that polypeptides of the present invention were new secretary proteins.

The present invention provides the cDNA sequences identified as done OAF062, OAF075, OAG119 which [0011] were isolated by the said yeast SST method using cDNA libraries prepared from human bone and bone marrow cell line (HAS303, LP101. Clone OAF062, OAF075, OAG119003 were full-length cDNA including full cDNA sequences encoding secretory protein (Each protein is represented as OAF062, OAF075, OAG119 protein, respectively).

It was indicated from the results of homology search for the public database of the nucleic acid sequences [0012] by using BLASTN and FASTA, and for the public database of the amino acid sequences by using BLASTX, BLASTP and FASTA, that there was no sequence identical to the polypeptide sequence and the nucleotide sequence of OAF062, OAF075, OAG119 of the present invention. From these results, it was proved that polypeptides of the present invention were new secretary proteins.

The present invention provides the cDNA sequences identified as clone OAH040, OAH058 which were isolated by the said yeast SST method using cDNA libraries prepared from epithelial cell line of human umbilical vein (HUV-EC-C) . Clone OAH040, OAH058003 were full-length cDNA including full cDNA sequences encoding secretory protein (Each protein is represented as OAH040, OAH058 protein, respectively).

It was indicated from the results of homology search for the public database of the nucleic acid sequences by using BLASTN and FASTA, and for the public database of the amino acid sequences by using BLASTX, BLASTP and FASTA, that there was no sequence identical to the polypeptide sequence and the nucleotide sequence of OAH040, OAH058 of the present invention. From these results, it was proved that polypeptides of the present invention were new secretary proteins.

The present invention provides the cDNA sequences identified as clone OM011, OM028, OMB092, OMB108, OT007 which were isolated by the said yeast SST method using cDNA libraries prepared from human adult brain tissue and cell lines derived from human brain tissue (IMR-32). Clone OM011, OM028, OMB092, OMB108,

## OT007は

30

55

membrane protein (Each protein is represented as OM011, OM028, OMB092, OMB108, OT007 protein, respectively). It was indicated from the results of homology search for the public database of the nucleic acid sequences by using BLASTN and FASTA, and for the public database of the amino acid sequences by using BLASTX, BLASTP and FASTA, that there was no sequence identical to the polypeptide sequence and the nucleotide sequence of OM011, OM028, OMB092, OMB108, OT007 of the present invention. From these results, it was proved that polypeptides of the present invention were new secretary proteins.

The present invention provides the cDNA sequences identified as done OAG051, OUB068 which were isolated by the said yeast SST method using cDNA libraries prepared from human bone and bone marrow cell line (LP101 and U-2OS). Clone OAG051,

## OUB068は

membrane protein (Each protein is represented as OAG051, OUB068 protein, respectively).

It was indicated from the results of homology search for the public database of the nucleic acid sequences by using BLASTN and FASTA, and for the public database of the amino acid sequences by using BLASTX, BLASTP and FASTA, that there was no sequence identical to the polypeptide sequence and the nucleotide sequence of OAG051, OUB068 of the present invention. From these results, it was proved that polypeptides of the present invention were new secretary proteins.

That is to say, the present invention relates to

- (1) a polypeptide comprising an amino acid sequence of SEQ ID NOS. 1, 4, 7, 10, 13, 16, 19, 22, 25, 28, 31, 34,
- 37, 40, 43, 46, 49, 52, 55, 58, 61, 64, 67, 70, 73, 76 or 79,
- (2) a cDNA encoding the polypeptide described in (1), (3) a cDNA comprising a nucleotide sequence of SEQ ID NOS. 2, 5, 8, 11, 14, 17, 20, 23, 26, 29, 32, 35, 38, 41,
- 44, 47, 50, 53, 56, 59, 62, 65, 68, 71, 74, 77 or 80, and (4) a cDNA comprising a nucleotide sequence of SEQ ID NOS. 3, 6, 9, 12, 15, 18, 21, 24, 27, 30, 33, 36, 39, 42,

45, 48, 51, 54, 57, 60, 63, 66, 69, 72, 75, 78 or 81.

#### **Brief Description of the Drawing**

#### 5 [0020]

10

Fig. 1 is a printed data of electrophoresis (SDS-PAGE). Each prepared fraction and the solubilized fraction obtained from insolble fraction by urea described in Example 1 were subjected to SDS-PAGE. The proteins on the gel were detected by image analyzer (BAS2000) as shown in the Fig. 1. The expression of ON056 in E. coli is shown at the arrowhead in the figure.

## Detailed Description of the present invention

[0021] The present invention relates to a substantially purified form of the polypeptide comprising the amino acid sequence shown in SEQ ID NOS. 1, 4, 7, 10, 13, 16, 19, 22, 25, 28, 31, 34, 37, 40, 43, 46, 49, 52, 55, 58, 61, 64, 67, 70, 73, 76 or 79, homologue thereof, fragment thereof or homologue of the fragment.

[0022] Further, the present invention relates to cDNAs encoding the above peptides. More particularly the invention is provided cDNAs comprising nucleotide sequence shown in SEQ ID NOS. 2, 5, 8, 11, 14, 17, 20, 23, 26, 29, 32, 35, 38, 41, 44, 47, 50, 53, 56, 59, 62, 65, 68, 71, 74, 77, 80, 3, 6, 9, 12, 15, 18, 21, 24, 27, 30, 33, 36, 39, 42, 45, 48, 51, 54, 57, 60, 63, 66, 69, 72, 75, 78 or 81, and cDNA containing a fragment which is selectively hybridizing to the cDNA comprising nucleotide sequence shown in SEQ ID NOS. 2, 5, 8, 11, 14, 17, 20, 23, 26, 29, 32, 35, 38, 41, 44, 47, 50, 53, 56, 59, 62, 65, 68, 71, 74, 77, 80, 3, 6, 9, 12, 15, 18, 21, 24, 27, 30, 33, 36, 39, 42, 45, 46, 51, 54, 57, 60, 63, 66, 69, 72, 75, 78 or 81. A said cDNA capable for hybridizing to the cDNA includes the contemporary sequence of the above sequence.

25 [0023] A polypeptide comprising amino add sequence shown in SEQ ID NOS. 1, 4, 7, 10, 13, 16, 19, 22, 25, 28, 31, 34, 37, 40, 43, 46, 49, 52, 55, 58, 61, 64, 67, 70, 73, 76 or 79 in substantially purified form will generally comprise the polypeptide in a preparation in which more than 90%, e.g. 95%, 98% or 99% of the polypeptide in the preparation is that of the SEQ ID NOS. 1, 4, 7, 10, 13, 16, 19, 22, 25, 28, 31, 34, 37, 40, 43, 46, 49, 52, 55, 58, 61, 64, 67, 70, 73, 76 or 79.

30 [0024] A homologue of polypeptide comprising amino add sequence shown in SEQ ID NOS. 1, 4, 7, 10, 13, 16, 19, 22, 25, 28, 31, 34, 37, 40, 43, 46, 49, 52, 55, 58, 61, 64, 67, 70, 73, 76 or 79 will be generally at least 70%, preferably at least 80 or 90% and more preferably at least 95% homologous to the polypeptide comprising the said amino add sequence over a region of at least 20, preferably at least 30, for instance 40, 60 or 100 more contiguous amino acids. Such a polypeptide homologue will be referred to a polypeptide of the present invention.

[0025] Generally, a fragment of polypeptide comprising amino acid sequence shown in SEQ ID NOS. 1, 4, 7, 10, 13, 16, 19, 22, 25, 28, 31, 34, 37, 40, 43, 46, 49, 52, 55, 58, 61, 64, 67, 70, 73, 76 or 79 or its homologues will be at least 10, preferably at least 15, for example 20, 25, 30, 40, 50 or 60 amino acids in length.

[0026] A cDNA capable of selectively hybridizing to the cDNA comprising nucleotide sequence shown in SEQ ID NOS. 2, 5, 8, 11, 14, 17, 20, 23, 26, 29, 32, 35, 38, 41, 44, 47, 50, 53, 56, 59, 62, 65, 68, 71, 74, 77, 80, 3, 6, 9, 12, 15, 18, 21, 24, 27, 30, 33, 36, 39, 42, 45, 48, 51, 54, 57, 60, 63, 66, 69, 72, 75, 78 or 81 will be generally at least 70%, preferably at least 80 or 90% and more preferably at least 95% homologous to the cDNA comprising the said nucleotide sequence over a region of at least 20, preferably at least 30, for instance 40, 60 or 100 or more contiguous nucleotides. Such a cDNA will be referred to "a cDNA of the present invention".

[0027] Fragments of the cDNA comprising nucleotide sequence shown in SEQ ID NOS. 2, 5, 8, 11, 14, 17, 20, 23, 26, 29, 32, 35, 38, 41, 44, 47, 50, 53, 56, 59, 62, 65, 68, 71, 74, 77, 80, 3, 6, 9, 12, 15, 18, 21, 24, 27, 30, 33, 36, 39, 42, 45, 48, 51, 54, 57, 60, 63, 66, 69, 72, 75, 78 or 81 will be at least 10, preferably at least 15, for example 20, 25, 30 or 40 nucleotides in length, and will be also referred to "a cDNA of the present invention" as used herein.

[0028] A further embodiment of the present invention provides replication and expression vectors carrying cDNA of the present invention. The vectors may be, for example, plasmid, virus or phage vectors provided with an origin of replication, optionally a promoter for the expression of the said cDNA and optionally a regulator of the promoter. The vector may contain one or more selectable marker genes, for example ampicillin resistance gene. The vector may be used in vitro, for example of the production of RNA corresponding to the cDNA, or used to transfect a host cell.

[0029] A further embodiment of the present invention provides host cells transformed, with the vectors for the replication and expression of the cDNA of the present invention, including the cDNA comprising nucleotide sequence shown in SEQ ID NOS. 2, 5, 8, 11, 14, 17, 20, 23, 26, 29, 32, 35, 38, 41, 44, 47, 50, 53, 56, 59, 62, 65, 68, 71, 74, 77, 80, 3, 6, 9, 12, 15, 18, 21, 24, 27, 30, 33, 36, 39, 42, 45, 48, 51, 54, 57, 60, 63, 66, 69, 72, 75, 78 or 81 or the open reading frame thereof. The cells will be chosen to be compatible with the vector and may for example be bacterial, yeast, insect cells or mammalian cells.

[0030] A further embodiment of the present invention provides a method of producing a polypeptide which comprises culturing host cells of the present invention under conditions effective to express a polypeptide of the present invention. Preferably, in addition, such a method is carried out under conditions in which the polypeptide of the present invention is expressed and then produced from the host cells.

[0031] cDNA of the present invention may also be inserted into the vectors described above in an antisense orientation in order to prove for the production of antisense RNA. Such antisense RNA may be used in a method of controlling the levels of a polypeptide of the present invention in a cell.

[0032] The invention also provides monoclonal or polyclonal antibodies against a polypeptide of the present invention. The invention further provides a process for the production of monoclonal or polyclonal antibodies to the polypeptides of the present invention. Monoclonal antibodies may be prepared by common hybridoma technology using polypeptides of the present invention or fragments thereof, as an immunogen. Polyclonal antibodies may also be prepared by common means which comprise inoculating host animals, (for example a rat or a rabbit etc.), with polypeptides of the present invention and recovering immune serum.

[0033] The present invention also provides pharmaceutical compositions containing a polypeptide of the present invention, or an antibody thereof, in association with a pharmaceutically acceptable diluent and/or carrier.

[0034] The polypeptide of the present invention specified in (1) includes that which a part of their amino acid sequence is lacking (e.g., a polypeptide comprised of the only essential sequence for revealing a biological activity in an amino add sequence shown in SEQ ID NO. 1), that which a part of their amino acid sequence is replaced by other amino adds (e.g., those replaced by an amino acid having a similar property) and that which other amino acids are added or inserted into a part of their amino acid sequence, as well as those comprising the amino acid sequence shown in SEQ ID NOS. 1, 4, 7, 10, 13, 16, 19, 22, 25, 28, 31, 34, 37, 40, 43, 46, 49, 52, 55, 58, 61, 64, 67, 70, 73, 76 or 79.

[0035] As known well, there are one to six kinds of codon as that encoding one amino acid (for example, one kind of codon for Methionine (Met), and six kinds of codon for Leucine (Leu) are known). Accordingly, the nucleotide sequence of cDNA can be changed in order to encode the polypeptide having the same amino acid sequence.

[0036] The cDNA of the present invention, specified in (2) includes a group of every nucleotide sequence encoding polypeptides (1) shown in SEQ ID NOS. 1, 4, 7, 10, 13, 16, 19, 22, 25, 28, 31, 34, 37, 40, 43, 46, 49, 52, 55, 58, 61, 64, 67, 70, 73, 76 or 79. There is a probability that yield of a polypeptide is improved by changing a nucleotide sequence.

[0037] The cDNA specified in (3) is the embodiment of the cDNA shown in (2), and indicate the sequence of natural form.

30 [0038] The cDNA shown in (4) indicates the sequence of the cDNA specified in (3) with natural non-translational region.

[0039] cDNA carrying nucleotide sequence shown in SEQ ID NOS. 3 is prepared by the following method:

[0040] Brief description of Yeast SST method (see USP No. 5, 536, 637) is as follows.

Yeast such as Saccharomyces cerevisiae should secrete invertase into the medium in order to take sucrose [0041] or raffinose as a source of energy or carbon. (Invertase is an enzyme to cleave raffinose into sucrose and melibiose, sucrose into fructose and glucose.). It is known that many known mammalian signal sequence make yeast secrete its invertase. From these knowledge, SST method was developed as a screening method to find novel signal peptide which make it possible can to secrete yeast invertase from mammalian cDNA library. SST method uses yeast growth on raffinose medium as a marker. Non-secretory type invertase gene SUC2 (GENBANK Accession No. V 01311) lacking initiation codon ATG was inserted to yeast expression vector to prepare yeast SST vector pSUC2. In this expression vector, ADH promoter, ADH terminator (both were derived from AAH5 plasmid (Gammerer, Methods in Enzymol. 101, 192-201, 1983)), 2m ori (as a yeast replication origin), TRP1 (as a yeast selective marker), ColE1 ori (as a E. Coli replication origin) and ampicillin resistance gene (as a drug resistance marker) were inserted. Mammalian cDNA was inserted into the upstream of SUC2 gene to prepare yeast SST cDNA library. Yeast lacking secretory type invertase, was transformed with this library. If inserted mammalian cDNA encodes a signal peptide, yeast could survive in raffinose medium as a result of restoring secretion of invertase. Only to culture yeast colonies, prepare plasmids and determine the nucleotide sequence of the insert cDNAs, it is possible to identify novel signal peptide rapidly and easily. Preparation of yeast SST cDNA library is as follows: [0042]

(1) mRNA is isolated from the targeted cells, double-strand synthesis is performed by using random primer with certain restriction enzyme (enzyme I) recognition site,

(2) obtained double-strand cDNA is ligated to adapter containing certain restriction endonuclease (enzyme II) recognition site, differ from enzyme I, digested with enzyme I and fractionated in a appropriate size,

(3) obtained cDNA fragment is inserted into yeast expression vector on the upstream region of invertase gene which signal peptide is deleted and the library was transformed.

[0043] Detailed description of each step is as follows:

50

(1) mRNA is isolated from mammalian organs and cell lines stimulate them with appropriate stimulator if necessary) by known methods (Molecular Cloning (Sambrook, J., Fritsch, E. F. and Maniatis, T., Cold Spring Harbor Laboratory Press, 1989) or Current Protocol in Molecular Biology (F. M. Ausubel et al, John Wiley & Sons, Inc.) if not remark especially).

5

10

15

20

25

TG98G (human glioblastoma cell line: ATCC No. CRL-1690), IMR-32 (human neuroblastoma cell line: ATCC No. CCL-127), U-2OS (human osteosarcoma cell line: ATCC No. HTB-96), CCF-STTG1 (human astrocytoma cell line: ATCC No. CRL-1718), HAS303 (human bone marrow stroma cell line: provide from Professor Keisuke Sotoyama, Dr. Makoto Aizawa of First Medicine, Tokyo Medical College; see J. Cell. Physiol., 148, 245-251, 1991 and Experimental Hematol., 22, 482-487, 1994), LP101 (human bone marrow stroma cell line: provide from Professor Keisuke Sotoyama, Dr. Makoto Aizawa of First Medicine, Tokyo Medical College; see J. Cell. Physiol., 148, 245-251, 1991 and Experimental Hematol., 22, 482-487, 1994) and HUV-EC-C (endothelial cell of vein derived from human umbilical cord: ATCC No. CRL-1730) are chosen as a cell line. Human placenta and human adult brain are chosen as a tissue source. Double-strand cDNA synthesis using random primer is performed by known methods.

Any sites may be used as restriction endonuclease recognition site I which is linked to adapter and restriction endonuclease recognition site II which is used in step (2), if both sites are different each other. Preferably, XhoI is used as enzyme I and EcoRI as enzyme II.

In step (2), cDNA is created blunt-ends with T4 DNA polymerase, ligated enzyme II adapter and digested with enzyme I. Fragment cDNA is analyzed with agarose-gel electrophoresis (AGE) and is selected cDNA fraction ranging in size from 300 to 800 bp. As mentioned above, any enzyme may be used as enzyme II if it is not same the enzyme I.

In step (3), cDNA fragment obtained in step (2) is inserted into yeast expression vector on the upstream region of invertase gene which signal peptide is deleted. E. Coli was transformed with the expression vector. Many vectors are known as yeast expression plasmid vector. For example, YEp24 is also functioned in E. Coli. Preferably pSUC2 as described above is used.

[0044] Many host E. Coli strains are known for transformation, preferably DH10B competent cell is used. Any known transformation method is available, preferably it is performed by electropolation method. Transformant is cultured by conventional methods to obtain cDNA library for yeast SST method.

[0045] However not every all of the clones do not contain cDNA fragment Further all of the gene fragments do not encode unknown signal peptides. It is therefore necessary to screen a gene fragment encoding for an unknown signal peptide from the library.

[0046] Therefore, screening of fragments containing a sequence encoding an appropriate signal peptide is performed by transformation of the cDNA library into Saccharomyces cerevisiae (e.g. YT455 strain) which lack invertase (it may be prepared by known methods.). Transformation of yeast is performed by known methods, e.g. lithium acetate method. Transformant is cultured in a selective medium, then transferred to a medium containing raffinose as a carbon source. Survival colonies are selected and then prepared plasmid. Survival colonies on a raffinose-medium indicates that some signal peptide of secretory protein was inserted to this done.

[0047] As for isolated positive clones, the nucleotide sequence is determined. As to a cDNA encodes unknown protein, full-length clone may be isolated by using cDNA fragment as a probe and then determined to obtain full-length nucleotide sequence. These manipulation is performed by known methods.

[0048] Once the nucleotide sequences shown in SEQ ID NO. 2, 5, 8, 11, 14, 17, 20, 23, 26, 29, 32, 35, 38, 41, 44, 47, 50, 53, 56, 59, 62, 65, 68, 71, 74, 77, 80, 3, 6, 9, 12, 15, 18, 21, 24, 27, 30, 33, 36, 39, 42, 45, 48, 51, 54, 57, 60, 63, 66, 69, 72, 75, 78 or 81 are determined partially or preferably fully, it is possible to obtain DNA encode mammalian protein itself, homologue or subset. cDNA library or mRNA derived from mammals was screened by PCR with any synthesized oligonucleotide primers or by hybridization with any fragment as a probe. It is possible to obtain DNA encodes other mammalian homologue protein from other mammalian cDNA or genome library.

[0049] If a cDNA obtained above contains a nucleotide sequence of cDNA fragment obtained by SST (or consensus sequence thereof), it will be thought that the cDNA encodes signal peptide. So it is dear that the cDNA will be full-length or almost full. (All signal peptides exist at N-termini of a protein and are encoded at 5'-temini of open reading frame of cDNA.)

[0050] The confirmation may be carried out by Northern analysis with the said cDNA as a probe. It is thought that the cDNA is almost complete length, if length of the cDNA is almost the same length of the mRNA obtained in the hybridizing band.

[0051] Once the nucleotide sequences shown in SEQ ID NOS. 2, 5, 8, 11, 14, 17, 20, 23, 26, 29, 32, 35, 38, 41, 44, 47, 50, 53, 56, 59, 62, 65, 68, 71, 74, 77, 80, 3, 6, 9, 12, 15, 18, 21, 24, 27, 30, 33, 36, 39, 42, 45, 48, 51, 54, 57, 60, 63, 66, 69, 72, 75, 78 or 81 are determined, DNAs of the invention are obtained by chemical synthesis, or by hybridization making use of nucleotide fragments which are chemically synthesized as a probe. Furthermore, DNAs of the

invention are obtained in desired amount by transforming a vector that contains the DNA into a proper host, and culturing the transformant.

[0052] The polypeptides of the present invention may be prepared by:

- (1) isolating and purifying from an organism or a cultured cell,
- (2) chemically synthesizing, or

5

(3) using recombinant cDNA technology,

preferably, by the method described in (3) in an industrial production.

[0053] Examples of expression system (host-vector system) for producing a polypeptide by using recombinant cDNA technology are the expression systems of bacteria, yeast, insect cells and mammalian cells.

[0054] In the expression of the polypeptide, for example, in E. Coli, the expression vector is prepared by adding the initiation codon (ATG) to 5' end of a cDNA encoding mature peptide, connecting the cDNA thus obtained to the downstream of a proper promoter (e.g., trp promoter, lac promoter, λPL promoter, T7 promoter etc.), and then inserting it into a vector (e.g., pBR322, pUC18, pUC19 etc.) which functions in an E. coli strain.

[0055] Then, an E. coli strain (e.g., E. coli DH1 strain, E. coli JM109 strain, E. coli HB101 strain, etc.) which is transformed with the expression vector described above may be cultured in a appropriate medium to obtain the desired polypeptide. When a signal sequence of bacteria (e.g., signal sequence of pel B) is utilized, the desired polypeptide may be also released in periplasm. Furthermore, a fusion protein with other polypeptide may be also produced readily.

[0056] In the expression of the polypeptide, for example, in a mammalian cells, for example, the expression vector is prepared by inserting the cDNA encoding nucleotide shown in SEQ ID NOS. 3, 6, 9, 12, 15, 18, 21, 24, 27, 30, 33, 36, 39, 42, 45, 48, 51, 54, 57, 60, 63, 66, 69, 72, 75, 78 or 81 into the downstream of a proper promoter (e.g., SV40 promoter, LTR promoter, metallothionein promoter etc.) in a proper vector (e.g., retrovirus vector, papilloma virus vector, vaccinia virus vector, SV40 vector, etc.). A proper mammalian cell (e.g., monkey COS-7 cell, Chinese hamster CHO cell, mouse L cell etc.) is transformed with the expression vector thus obtained, and then the transformant is cultured in a proper medium to express the aimed secretory protein and membrane protein of the present invention by the following method.

[0057] In case of secretory protein as for the present invention, the aimed polypeptide was expressed in the supernatant of the cells. In addition, fusion protein may be prepared by conjugating cDNA fragment encoding the other polypeptide, for example, Fc portion of antibody.

[0058] On the other hand, in case of membrane protein as for the present invention, the aimed polypeptide was expressed on the cell membrane. A cDNA encoding the nucleotide sequence of SEQ ID NOS. 3, 6, 9, 12, 15, 18, 21, 24, 27, 30, 33, 36, 39, 42, 45, 48, 51, 54, 57, 60, 63, 66, 69, 72, 75, 78 or 81 with deletion of extracellular region was inserted into the said vector, transfected into the an adequate mammalian cells to secret the aimed soluble polypeptide in the culture medium. In addition, fusion protein may be prepared by conjugating cDNA fragment encoding the said mutant with deletion of extracellular region and other polypeptide, for example, Fc portion of antibody.

[0059] The polypeptide available by the way described above can be isolated and purified by conventional biochemical method.

#### 40 Industrial Applicability

[0060] It is considered that the polypeptide of the present invention and a cDNA which encodes the polypeptide will show one or more of the effects or biological activities (including those which relates to the assays cited below) The effects or biological activities described in relation to the polypeptide of the present invention are provided by administration or use of the polypeptide or by administration or use of a cDNA molecule which encodes the polypeptide (e.g., vector suitable for gene therapy or cDNA introduction).

[Cytokine activity and cell proliferation/differentiation activity]

[0061] The protein of the present invention may exhibit cytokine, cell proliferation (either inducing or inhibiting) or cell differentiation (either inducing or inhibiting) activity or may induce production of other cytokines in certain cell populations. Many protein factors discovered to date, including all known cytokines, have exhibited activity in one or more factor dependent cell proliferation assays, and hence the assays serve as a convenient confirmation of cytokine activity. The activity of a polypeptide of the present invention is evidenced by any one of a number of routine factor dependent cell proliferation assays for cell lines.

[Immune stimulating/suppressing activity]

[0062] The protein of the present invention may also exhibit immune stimulating or immune suppressing activity. The protein of the present invention may be useful in the treatment of various immune deficiencies and disorders (inducing severe combined immunodeficiency (SCID)), e.g., in regulating (up or down) growth and proliferation of T and/or B lymphocytes, as well as effecting the cytolytic activity of NK cells and other cell populations. These immune deficiencies may be genetic or be caused by viral infection such as HIV as well as bacterial or fungal infections, or may result from autoimmune disorders. More specifically, infectious diseases causes by viral, bacterial, fungal or other infection may be treatable using the polypeptide of the present invention, including infections by HIV, hepatitis viruses, herpes viruses, mycobacteria, leshmania, malaria and various fungal infections such as candida. Of course, in this regard, the protein of the present invention may also be useful where a boost to the immune system generally would be indicated, i.e., in the treatment of cancer.

[0063] The protein of the present invention may be useful in the treatment of allergic reactions and conditions, such as asthma or other respiratory problems. The protein of the present invention may also be useful in the treatment of the other conditions required to suppress the immuno system (for example, asthma or respiratory disease.)

[0064] The protein of the present invention may also suppress chronic or acute inflammation, such as, for example, that associated with infection such as septic shock or systemic inflammatory response syndrome (SiRS), inflammatory bowel disease, Crohn's disease or resulting from over production of cytokines such as TNF or IL-I wherein the effect was demonstrated by IL-11.

[Hematopoiesis regulating activity]

20

The protein of the present invention may be useful in regulation of hematopoiesis and, consequently, in the treatment of myeloid or lymphoid cell deficiencies. Even marginal biological activity in support of colony forming cells or of factor-dependent cell lines indicates involvement in regulating hematopoiesis. The said biological activities are concerned with the following all or some example(s). e.g. in supporting the growth and proliferation of erythroid progenitor cells alone or in combination with other cytokines, thereby indicating utility, for example, in treating various anemia or for use in conjunction with irradiation/chemotherapy to stimulate the production of erythroid precursors and/or erythroid cells; in supporting the growth and proliferation of myeloid cells such as granulocytes and monocytes/macrophages (i.e., traditional CSF activity) useful, for example, in conjunction with chemotherapy to prevent or treat consequent myelo-suppression; in supporting the growth and proliferation of megakaryocytes and consequently of platelets thereby allowing prevention or treatment of various platelet disorders such as thrombocytopenia, and generally for use in place of or complimentary to platelet transfusions; and/or in supporting the growth and proliferation of hematopoietic stem cells which are capable of maturing to any and all of the above-mentioned hematopoietic cells and therefore find therapeutic utility in various stem cell disorders (such as those usually titated with transplantation, including, without limitation, aplastic anemia and paroxysmal nocturnal hemoglobinuria), as well as in repopulating the stem cell compartment post irradiation/chemotherapy, either in-vitro or ex-vivo (i.e. in conjunction with bone marrow transplantation) as normal cells or genetically manipulated for gene therapy.

[0066] The activity of the protein of the present invention may, among other means, be measured by the following methods:

[Tissue generation/regeneration activity]

[0067] The protein of the present invention also may have utility in compositions used for bone, cartilage, tendon, Ligament and/or nerve tissue growth or regeneration, as well as for wound healing and tissue repair, and in the treatment of burns, incisions and ulcers.

[0068] The protein of the present invention, which induces cartilage and/or bone growth in circumstances where bone is not normally formed, may be applied to the healing of bone fractures and cartilage damage or defects in humans and other animals. Such a preparation employing the protein of the present invention may have prophylactic use in dosed as well as open fracture reduction and also in the improved fixation of artificial joints. De novo bone formation induced by an osteogenic agent contributes to the repair of congenital, trauma induced, or oncologic resection induced craniofacial defects, and also is useful in cosmetic plastic surgery.

[0069] The protein of the present invention may also be used in the treatment of periodontal disease, and in other tooth repair processes. Such agents may provide an environment to attract bone-forming cells, stimulate growth of bone-forming cells or induce differentiation of progenitors of bone-forming cells. The protein of the present invention may also be useful in the treatment of osteoporosis or osteoarthritis, such as through stimulation of bone and/or cartilage repair or by blocking inflammation or processes of tissue destruction (collagenase activity, osteodast activity, etc.) mediated by inflammatory processes.

[0070] Another category of tissue regeneration activity that may be attributable to the protein of the present invention is tendon/ligament formation. The protein of the present invention, which induces tendon/ligament-like tissue or other tissue formation in circumstances where such tissue is not normally formed, may be applied to the healing of tendon or ligament tears, deformities and other tendon or ligament defects in humans and other animals. Such a preparation employing the protein inducing a tendon/Ligament-like tissue may have prophylactic use in preventing damage to tendon or ligament tissue, as well as use in the improved fixation of tendon or ligament to bone or other tissues, and in repairing defects to tendon or ligament tissue. De novo tendon/ligament-like tissue formation induced by a composition of the present invention contributes to the repair of congenital, trauma induced, or other tendon or ligament defects of other origin, and is also useful in cosmetic plastic surgery for attachment or repair of tendons or ligaments. The compositions of the present invention may provide an environment to attract tendon- or ligament-forming cells, stimulate growth of tendon- or ligament-forming cells, induce differentiation of progenitors of tendon- or ligament-forming cells, or induce growth of tendon Ligament cells or progenitors ex vivo for return in vivo to effect tissue repair. The compositions of the present invention may also be useful in the treatment of tendinitis, Carnal tunnel syndrome and other tendon or ligament defects. The compositions may also include an appropriate matrix and/or sequestering agent as a carrier as is well known in the art.

[0071] The protein of the present invention may also be useful for proliferation of neural cells and for regeneration of nerve and brain tissue. i.e. for the treatment of central and peripheral nervous system diseases and neuropathies. as well as mechanical and traumatic disorders, which involve degeneration, death or trauma to neural cells or nerve tissue. More specifically, the protein of the présent invention may be used in the treatment of diseases of the peripheral nervous system, such as peripheral nerve injuries, peripheral neuropathy and localized neuropathies, and central nervous system diseases, such as Alzheimer's, Parkinson's disease, Huntington's disease, amyotrophic lateral sclerosis, and Shy-Drager syndrome. Further conditions which may be treated in accordance with the invention include mechanical and traumatic disorders, such as spinal cord disorders, head trauma and cerebrovascular diseases such as stroke. Peripheral neuropathies resulting from chemotherapy or other medical therapies may also be treatable using the polypeptide of the present invention.

[0072] It is expected that the protein of the present invention may also exhibit activity for generation of other tissues, such as organs (including, for example, pancreas, liver, intestine, kidney, skin, endothelium), muscle (smooth, skeletal or cardiac) and vascular (including vascular endothelium) tissue, or for promoting the proliferation of cells comprising such tissues. Part of the desired effects may be by inhibition of fibrotic scarring to allow normal tissue to regenerate.

[0073] The protein of the present invention may also be useful for gut protection or regeneration and treatment of lung or liver fibrosis, reperfusion injury in various tissues, and conditions resulting from systemic cytokine damage.

#### [Activin/Inhibin activity]

[0074] The protein of the present invention may also exhibit activin- or inhibin-related activities. Inhibins are characterized by their ability to inhibit the release of follicle stimulating hormone (FSH), while activins are characterized by their ability to stimulate the release of follicle stimulating hormone (FSH). Thus, the protein of the present invention alone or in heterodimers with a member of the inhibin \*a family, may be useful as a contraceptive based on the ability of inhibins to decrease fertility in female mammals and decrease spermatogenesis in male mammals. Administration of sufficient amounts of other inhibins can induce infertility in these mammals.

Alternatively, the protein of the present invention, as a homodimer or as a heterodimer with other protein subunits of the inhibin-\*b group, may be useful as a fertility inducing therapeutic, based upon the ability of activin molecules in stimulating FSH release from cells of the anterior pituitary (See USP 4,798,885). The protein of the present invention may

also be useful for advancement of the onset of fertility in sexually immature mammals, so as to increase the lifetime

reproductive performance of domestic animals such as cows, sheep and pigs.

#### [Chemotactic/chemokinetic activity]

[0075] The protein of the present invention may have chemotactic or chemokinetic activity e.g., functioning as a chemokine, for mammalian cells, including, for example, monocytes, neutrophils, T-cells, mast cells, eosinophils and/or endothelial cells. Chemotactic and chemokinetic proteins can be used to mobilize or attract a desired cell population to a desired site of action. Chemotactic or chemokinetic proteins provide particular advantages in treatment of wounds and other trauma to tissues, as well as in treatment of localized infections. For example, attraction of lymphocytes, monocytes or neutrophils to tumors or sites of infection may result in improved immune responses against the tumor or infection page.

[0076] If a protein or peptide can stimulate, directly or indirectly, the directed orientation or movement of such cell population, it has chemotactic activity for a particular cell population. Preferably, the protein or peptide has the ability to directly stimulate directed movement of cells. Whether a particular protein has chemotactic activity for a population of

cells can be readily determined by employing such protein or peptide in any known assay for cell chemotaxis.

[Hemostatic and thrombolytic activity]

[0077] The protein of the present invention may also exhibit hemostatic or thrombolyic activity. As a result, such a protein is expected to be useful in treatment of various coagulation disorders (including hereditary disorders, such as hemophilias) or to enhance coagulation and other hemostatic events in treating wounds resulting from trauma, surgery or other causes. A protein of the present invention may also be useful for dissolving or inhibiting formation of thromboses and for treatment and prevention of conditions resulting therefrom such as, for example, infarction or stroke.

[Receptor/ligand activity]

[0078] The protein of the present invention may also demonstrate activity as receptors, receptor ligands or inhibitors or agonists of receptor/ligand interactions. Examples of such receptors and ligands include, without limitation, cytokine receptors and their ligands, receptor kinases and their ligands, receptor phosphatases and their ligands, receptors involved in cell-cell interactions and their ligands (including cellular adhesion molecules such as Selectins, Integrins and their ligands) and receptor/ligand pairs involved in antigen presentation, antigen recognition and development of cellular and humoral immune responses. Receptors and ligands are also useful for screening of potential peptide or small molecule inhibitors of the relevant receptor/ligand interaction. The protein of the present invention (including, without limitation, fragments of receptors and ligands) may themselves be useful as inhibitors of receptor/ligand interactions.

[Other activity]

[0079] The protein of the present invention may also exhibit one or more of the following additional activities or effects: inhibiting growth of or killing the infecting agents including bacteria, viruses, fungi and other parasites; effecting (suppressing or enhancing) body characteristics including height, weight, hair color, eye color, skin, other tissue pigmentation, or organ or body part size or shape such as, for example, breast augmentation or diminution etc.; effecting elimination of dietary fat, protein, carbohydrate; effecting behavioral characteristics including appetite, libido, stress, cognition (including cognitive disorders), depression and violent behaviors; providing analgesic effects or other pain reducing effects; promoting differentiation and growth of embryonic stem cells in lineages other than hematopoietic lineages; in the case of enzymes, correcting deficiencies of the enzyme and treating deficiency-related diseases.

The protein with above activities, is suspected to have following functions by itself or interaction with its ligands or receptors or association with other molecules. For example, proliferation or cell death of B cells, T cells and/or mast cells; specific induction by promotion of class switch of immunoglobulin genes; differentiation of B cells to antibody-forming cells; proliferation, differentiation, or cell death of precursors of granulocytes; proliferation, differentiation, or cell death of precursors of monocytes-macrophages; proliferation, or up regulation or cell death of neutrophils, monocytes-macrophages, eosinophils and/or basophils; proliferation, or cell death of precursors of megakaryocytes; proliferation, differentiation, or cell death of precursors of T cells and B cells; promotion of production of erythrocytes; sustainment of proliferation of erythrocytes, neutrophils, eosinophils, basophils, monocytes-macrophages, mast cells, precursors of megakaryocyte; promotion of migration of neutrophils, monocytes-macrophages, B cells and/or T cells; proliferation or cell death of thymocytes; suppression of differentiation of adipocytes; proliferation or cell death of neutrophils, reculs; suppression of proliferation of stem cells and each hematopoietic precursor cells; promotion of differentiation from mesenchymal stem cells to osteoblasts or chondrocytes, proliferation or cell death of mesenchymal stem cells, osteoblasts or chondrocytes and promotion of bone absorption by activation of osteoclasts and promotion of differentiation from monocytes to osteoclasts.

[0081] The polypeptide of the present invention is also suspected to function to nervous system, so expected to have functions below; differentiation to kinds of neurotransmitter-responsive neurons, survival or cell death of these cells; promotion of proliferation or cell death of glial cells; spread of neural dendrites; survival or cell death of gangriocytes; proliferation, promotion of differentiation, or cell death of astrocytes; proliferation, survival or cell death of peripheral neurons; proliferation or cell death of Schwann cells; proliferation, survival or cell death of motoneurons.

[0082] Furthermore, in the process of development of early embryonic, the polypeptide of the present invention is expected to promote or inhibit the organogenesis of epidermis, brain, backbone, and nervous system by induction of ectoderm, that of notochord connective tissues (bone, muscle, tendon), hemocytes, heart, kidney, and genital organs by induction of mesoderm, and that of digestive apparatus (stomach, intestine, liver, pancreas), respiratory apparatus (lung, trachea) by induction of endoderm. In adult, also, this polypeptide is thought to proliferate or inhibit the above organs.

[0083] Therefore, the polypeptide of the present invention itself is expected to be used as an agent for the prevention or treatment of disease of progression or suppression of immune, nervous, or bone metabolic function, hypoplasia or overgrowth of hematopoletic cells: for example, inflammatory disease (rheumatism, ulcerative colitis, etc.), decrease of hematopoletic stem cells after bone marrow transplantation, decrease of leukocytes, platelets, B-cells, or T-cells after radiation exposure or chemotherapeutic dosage against cancer or leukemia, anemia, infectious disease, cancer, leukemia, AIDS, bone metabolic disease (osteoporosis etc.), various degenerative disease (Alzheimer's disease, multiple sclerosis, etc.), or nervous lesion.

[0084] In addition, since the polypeptide of the present invention is thought to induce the differentiation or growth of organs derived from ectoderm, mesoderm, and endoderm, this polypeptide is expected to be an agent for tissue repair (epidermis, bone, muscle, tendon, heart, kidney, stomach, intestine, liver, pancreas, lung, and trachea, etc.).

[0085] By using polyclonal or monoclonal antibodies against the polypeptide of the present invention, quantitation of the said polypeptide in the body can be performed. It can be used in the study of relationship between this polypeptide and disease or diagnosis of disease, and so on. Polyclonal and monoclonal antibodies can be prepared using this polypeptide or its fragment as an antigen by conventional methods.

[0086] Identification, purification or molecular cloning of known or unknown proteins which bind the polypeptide of the present invention (preferably polypeptide of extracellular domain) can be performed using the polypeptide of the present invention by, for example, preparation of the affinity-column.

[0087] Identification of the downstream signal transmission molecules which interact with the polypeptide of the present invention in cytoplasma and molecular cloning of the gene can be performed by west-western method using the polypeptide of the present invention (preferably polypeptide of transmembrane region or intracellular domain), or by yeast two-hybrid system using the cDNA (preferably cDNA encoding transmembrane region or cytoplasmic domain of the polypeptide).

[0088] Agonists/antagonists of this receptor polypeptide and inhibitors between receptor and signal transduction molecules can be screened using the polypeptide of the present invention.

[0089] cDNAs of the present invention are useful not only the important and essential template for the production of the polypeptide of the present invention which is expected to be largely useful, but also be useful for diagnosis or therapy (for example, treatment of gene lacking, treatment to stop the expression of the polypeptide by antisense cDNA (mRNA)). Genomic cDNA may be isolated with the cDNA of the present invention, as a probe. As the same manner, a human gene encoding which can be highly homologous to the cDNA of the present invention, that is, which encodes a polypeptide highly homologous to the polypeptide of the present invention and a gene of animals excluding mouse which can be highly homologous to the cDNA of the present invention, also may be isolated.

#### [Application to Medicaments]

25

[0090] The polypeptide of the present invention or the antibody specific for the polypeptide of the present invention is administered systemically or topically and in general orally or parenterally, preferably parenterally, intravenously and intraventricularly, for preventing or treating the said diseases.

[0091] The doses to be administered depend upon age, body weight, symptom, desired therapeutic effect, route of administration, and duration of the treatment etc. In human adults, one dose per person is generally between 100  $\mu$ g and 100 mg, by oral administration, up to several times per day, and between 10  $\mu$ g and 100 mg, by parental administration up to several times per day.

[0092] As mentioned above, the doses to be used depend upon various conditions. Therefore, there are cases in which doses lower than or greater than the ranges specified above may be used.

[0093] The compounds of the present invention, may be administered as solid compositions, liquid compositions or other compositions for oral administration, as injections, liniments or suppositories etc. for parental administration.

[0094] Solid compositions for oral administration include compressed tablets, pills, capsules, dispersible powders, and granules. Capsules include soft or hard capsules.

[0095] In such compositions, one or more of the active compound(s) is or are admixed with at least one inert diluent (such as lactose, mannitol, glucose, hydroxypropyl cellulose, microcrystalline cellulose, starch, polyvinylpyrrolidone, magnesium metasilicate aluminate, etc.). The compositions may also comprise, as is normal practice, additional substances other than inert diluents: e.g. lubricating agents (such as magnesium stearate etc.), disintegrating agents (such as cellulose calcium glycolate, etc.), stabilizing agents (such as human serum albumin, lactose etc.), and assisting agents for dissolving (such as arginine, asparaginic add etc.).

[0096] The tablets or pills may, if desired, be coated with a film of gastric or enteric materials (such as sugar, gelatin, hydroxypropyl cellulose or hydroxypropylmethyl cellulose phthalate, etc.), or be coated with more than two films. And then, coating may include containment within capsules of absorbable materials such as gelatin.

[0097] Liquid compositions for oral administration include pharmaceutically-acceptable emulsions, solutions, syrups and elixirs. In such compositions, one or more of the active compound(s) is or are contained in inert diluent(s) com-

monly used (purified water, ethanol etc.). Besides inert diluents, such compositions may also comprise adjuvants (such as wetting agents, suspending agents, etc.), sweetening agents, flavoring agents, perfuming agents, and preserving agents.

[0098] Other compositions for oral administration include spray compositions which may be prepared by known methods and which comprise one or more of the active compound(s). Spray compositions may comprise additional substances other than inert diluents: e.g. stabilizing agents (sodium sulfite etc.), isotonic buffer (sodium chloride, sodium citrate, citric acid, etc.). For preparation of such spray compositions, for example, the method described in the United States Patent No. 2,868,691 or 3,095,355 (herein incorporated in their entireties by reference) may be used.

[0099] Injections for parental administration include sterile aqueous or non-aqueous solutions, suspensions and emulsions. In such compositions, one or more active compound(s) is or are admixed with at least one inert aqueous diluent(s) (distilled water for injection, physiological salt solution, etc.) or inert non-aqueous diluents(s)(propylene glycol, polyethylene glycol, olive oil, ethanol, POLYSOLBATE 80 (Trade mark) etc.).

[0100] Injections may comprise additional compound other than inert diluents: e.g. preserving agents, wetting agents, emulsifying agents, dispersing agents, stabilizing agent (such as human serum albumin, lactose, etc.), and assisting agents such as assisting agents for dissolving (arginine, asparaginic acid, etc.).

#### Best Mode carrying out the Invention

[0101] The invention is illustrated by the following examples, but not limit the invention.

Example 1: Clone ON056

20

30

(1) Preparation of Poly(A)\*RNA

[0102] Total RNA was prepared from human placenta tissue by TRIzol reagent (Trade Mark, marketed by GIBCO BRL Co.). Poly(A)\*RNA was purified from the total RNA by mRNA Purification Kit (Trade name, marketed by Pharmacia Co.).

(2) Preparation of yeast SST cDNA library

[0103] Double strand cDNA was synthesized by Super Script Plasmid System for cDNA Synthesis and Plasmid Cloning (Trade name, marketed by GIBCO BRL Co.) with above poly(A)\*RNA as template and random 9mer as primer which was containing Xhol site:

5'-CGA TTG AAT TCT AGA CCT GCC TCG AGN NNN NNN NN-3' (SEQ ID NO. 82). cDNA was ligated EcoRI adapter by DNA ligation kit ver. 2 (Trade name, marketed by Takara Shuzo Co.; this kit was used in all ligating steps hereafter.) and digested by XhoI. cDNAs were separated by agarose-gel electrophoresis. 300~800 bp cDNAs were isolated and were ligated to EcoRI/NotI site of pSUC2 (see US Patent No. 5, 536, 637). E. Coli DH10B strains were transformed by pSUC2 with electropolation to obtain yeast SST cDNA library.

40 (3) Screening by SST method and determination of nucleotide sequence of SST positive clone

[0104] Plasmids of the said cDNA library were prepared. Yeast YTK12 strains were transformed by the plasmids with lithium acetate method (Current Frotocols In Molecular Biology 13.7.1). The transformed yeast were plated on triptphan-free medium (CMD-Trp medium) for selection. The plate was incubated for 48 hour at 30°C. Replica of the colony (transformant) which was obtained by Accutran Replica Plater (Trade name, marketed by Schleicher & Schuell) were placed onto YPR plate containing raffinose for carbon source, and the plate was incubated for 14 days at 30°C. After 3 days, each colony appeared was streaked on YPR plate again. The plates were incubated for 48 hours at 30°C. Single colony was inoculated to YPD medium and was incubated for 48 hours at 30°C. Then plasmids were prepared. Insert cDNA was amplified by PCR with two kind primers which exist end side of cloning site on pSUC2 (sense strand primers were biotinylated). Biotinylated single strand of cDNAs were purified with Dynabeads (Trade name, marketed by DYNAL Co.) and the nucleotide sequences were determined. Sequencing was performed by Dye Terminator Cycle Sequencing Ready Reaction with DNA Sequencing kit (Trade name, marketed by Applied Biosystems Inc.) and sequence was determined by DNA sequencer 373 (Applied Biosystems Inc.) (All sequencing hereafter was carried out with this method.).

[0105] We tried to carry out cloning of full-length cDNA which was proved to be new one according to the homology search for the obtained nucleotide sequences and deduced amino add sequences in data base. We also confirmed that each cDNA contains signal peptide in view of function and structure, by comparison with known peptide which has signal peptide and deduced amino acid sequence.

(4) Cloning of a full-length cDNA and determination of nucleotide sequence

[0106] A full-length cDNA was cloned using GENETRAPPER cDNA Positive Selection System (marketed by GIBCO BRL Co.). First, dT-primed cDNA library was prepared from poly (A)\*RNA in human placenta tissue using pSPORT1 plasmid (marketed by GIBCO BRL Co.), as a vector, by Super Script Plasmid System for cDNA Synthesis and Plasmid Cloning. Next, after preparing biotinylated primer ON056-F1 (27mer):

5' biotin-AACATGAATCTTTCGCTCGTCCTGGCT-3' (SEQ ID NO. 83)
based on the information of nucleotide sequence obtained by SST, plasmid hybridized specifically with the biotinylated primer were recovered from the cDNA library according to the method of Gene Trapper Kit and then transfected into E. Coli DH10B. Colony hybridization with ON056 SST cDNA which was labeled with <sup>32</sup>P-dCTP, as a probe, was performed by using Random Primer DNA Labeling kit (Trade name, marketed by Takara Shuzo Co.) according to known method to isolate the positive done and to prepare the plasmid. Nucleotide sequences of 5'-end were determined, and the existence of nucleotide sequence ON056 SST cDNA was confirmed. Nucleotide sequence of full-length ON056 SST cDNA was determined and then sequence shown in SEQ ID NO. 3 was obtained. An open reading frame was determined and deduced amino acid sequence and nucleotide sequence shown in SEQ ID NOS. 1 and 2, respectively, were obtained. [0107] It was indicated from the results of homology search for the public database of the nucleic add sequences by using BLASTN and FASTA, and for the public database of the amino acid sequences by using BLASTX, BLASTP and FASTA, that there was no sequence identical to the polypeptide sequence and the nucleotide sequence of ON056 of the present invention. From these results, it was proved that polypeptide of the present invention was new secretary protein.

[0108] However, the search using BLASTX, BLASTP and FASTA revealed a significant homology between clone ON056 (region of 1st~334th amino add in SEQ ID NO. 1) and Human Cathepsin L (Swiss Prot Accession P07711) (region of 1st~334th amino acid) or between done ON056 (region of 22nd~ 334th amino add in SEQ ID NO. 1) and Human Cathepsin K (Swiss Prot Accession P43235) (region of 19th~329th amino add). Based on these homologies, clone ON0566 and Human Cathepsin L family were expected to share at least some activity.

- (5) Expression of protein using E. Coli
- [0109] The coding region cDNA fragments without sequence encoding signal peptide were amplified by PCR and inserted into the downstream of initiation codon ATG in pET expression vector (marketed by Novagen Co.) for E. Coli inframe to construct the plasmid for expression. The obtained plasmids were transfected into E. Coli BL21 (DE3) and the transformant was cultured with IPTG to induce the expression of protein. The obtained E. Coli was harvested and lysed with ultra-sonication or detergent The insoluble fraction was solubilized with urea and subjected to SDS-PAGE. The expression of ON056 protein was confirmed by Coomassie staining (arrow in Fig. 1).
  - (6) Expression of the protein using mammalian cell
  - [0110] Thus obtained full-length cDNA was conjugated into XhoI (or EcoRI)-NotI site of the pED6 expression vector of mammalian cells (See Kaufman et al., Nucleic Adds Res. 19, 4485-4490 (1991)) to construct plasmid to express the secretory protein or membrane protein. The obtained plasmids were transfected into Cos 7 cells using Lypofectine (Trade name, marketed by GIBCO BRL Co.). After 24 hours, the transfection mixture was removed. The cells were cultured in the Met and Cys-free medium with <sup>35</sup>S-labeled Met and <sup>35</sup>S-labeled Cys for 5 hours. The supernatants were harvested and 10-fold concentrated with Centricon-10 (Trade name, marketed by Amicon Co.). The samples were separated on SDS-PAGE gels. After drying the acrylamidogel, the expression of <sup>35</sup>S-labeled protein was detected using BAS2000 (marketed by Fuji Film Co.).

#### Example 2: Clone ON034

- [0111] In Example relating to clone ON034 of the present invention, the same procedure as in Example of ON056 was used except for the following points.
- (1) Preparation of Poly(A)\*RNA
- [0112] Total RNA was prepared from human placenta tissue by TRIzol reagent. Poly(A)\*RNA was purified from the total RNA by mRNA Purification Kit.

(2) Cloning of a full-length cDNA and determination of nucleotide sequence

[0113] A full-length cDNA was cloned using GENETRAPPER cDNA Positive Selection System. First, dT-primed cDNA library was prepared from poly (A)+RNA in human placenta tissue using pSPORT1 plasmid, as a vector, by Super Script Plasmid System for cDNA Synthesis and Plasmid Cloning. Next, after preparing biotinylated primer ON034-F1 (28mer):

5' biotin-TGAAGCCCATCACTACATCGCCATTACG-3' (SEQ ID NO.: 84)
based on the information of nucleotide sequence obtained by SST, plasmid hybridized specifically with the biotinylated primer were recovered from the cDNA library according to the method of Gene Trapper Kit and then transfected into E. Coli DH10B. Colony hybridization with ON034 SST cDNA which was labeled with 32P-dCTP, as a probe, was performed by using Random Primer DNA Labeling kit according to known method to isolate the positive done and to prepare the plasmid. Nucleotide sequence of full-length ON034 SST cDNA was determined by the same procedure as ON056 and then sequence shown in SEQ ID NO. 6 was obtained. An open reading frame was determined and deduced amino acid sequence and nucleotide sequence shown in SEQ ID NOS. 4 and 5, respectively, were obtained.

[0114] It was indicated from the results of homology search for the public database of the nucleic add sequences by using BLASTN and FASTA, and for the public database of the amino add sequences by using BLASTX, BLASTP and FASTA, that there was no sequence identical to the polypeptide sequence and the nucleotide sequence of ON034 of the present invention. From these results, it was proved that polypeptide of the present invention was new secretary protein.

20

25

30

40

Example 3: Clone OX003

[0115] In Example relating to clone OX003 of the present invention, the same procedure as in Example of ON056 was used except for the following points.

(1) Preparation of Poly(A)\*RNA

[0116] Total RNA was prepared from human placenta tissue by TRIzol reagent. Poly(A)\*RNA was purified from the total RNA by mRNA Purification Kit.

(2) Cloning of a full-length cDNA and determination of nucleotide sequence

[0117] A full-length cDNA was cloned using Marathon cDNA Amplification Kit (Trade name, marketed by Clontech Co.) according to 3' RACE (Rapid Amplification of cDNA End) method. Double strand cDNA was prepared from the origin of each clone, i.e., poly (A)\*RNA in human placenta tissue. 27mer primer OX003-F1:

5'-CAAAACCCACAAGAAATTCACCAAGGC-3' (SEQ ID NOS. 85) containing the deduced initiation ATG codon region based on the information of nucleotide sequence obtained by SST, was prepared. PCR was performed with the said primer and adapter primer attached in the kit. Due to insufficient amplification of cDNA by only one-time PCR, 23mer primer OX003-F2:

5'-TCACCAAGGCTAACATGGTGGCC-3' (SEQ ID NOS. 86) was prepared additionally at 3' end of OX003-F1 primer and then nested PCR was performed. cDNA which was amplified with done OX003 specifically was separated with agarose-gel electrophoresis, ligated to pT7 Blue-2 T-Vector (Trade name, marketed by Novagen Co.) and transfected into E. Coli DH5a to prepare the plasmid. First, Nucleotide sequences of 5'-end were determined, and the existence of nucleotide sequence OX003 SST cDNA was confirmed. Nucleotide sequence of full-length OX003 SST cDNA was determined and then sequence shown in SEQ ID NO. 9 was obtained. An open reading frame was determined and deduced amino acid sequence and nucleotide sequence shown in SEQ ID NOS. 7 and 8, respectively, were obtained.

[0118] It was indicated from the results of homology search for the public database of the nucleic acid sequences by using BLASTN and FASTA, and for the public database of the amino add sequences by using BLASTX, BLASTP and FASTA, that there was no sequence identical to the polypeptide sequence and the nucleotide sequence of OX003 of the present invention. From these results, it was proved that polypeptide of the present invention was new secretary protein.

Example 4: Clone OA052

55

[0119] In Example relating to done OA052 of the present invention, the same procedure as in Example of ON056 was used except for the following points.

- (1) Preparation of Poly(A)<sup>+</sup>RNA
- [0120] Total RNA was prepared from human glioblastoma cell line T98G (ATCC No. CRL-1690) by TRIzol reagent Poly(A)\*RNA was purified from the total RNA by mRNA Purification Kit.
- (2) Cloning of a full-length cDNA and determination of nucleotide sequence
- [0121] A full-length cDNA was cloned using Marathon cDNA Amplification Kit according to 3' RACE method as described in Example of OX003. Double strand cDNA conjugating adapter was prepared from the origin of each clone, i.e., poly (A)\*RNA in human glioblastoma cell line T98G according to the method of the said kit 27mer primer OA052-F1:
  - 5'-ATGCCTAGAAGAGGACTGATTCTTCAC-3' (SEQ ID NO. 87) containing the deduced initiation ATG codon region based on the information of nucleotide sequence obtained by SST, was prepared. PCR was performed with the said primer and adapter primer attached in the kit. cDNA which was amplified with done OA052 specifically was separated with recloning by the same method as Example of OX003. Full nucleotide sequence was determined and then sequence shown in SEQ ID NO. 12 was obtained. An open reading frame was determined and deduced amino acid sequence and nucleotide sequence shown in SEQ ID NOS. 10 and 11, respectively, were obtained.
- [0122] It was indicated from the results of homology search for the public database of the nucleic acid sequences by using BLASTN and FASTA, and for the public database of the amino add sequences by using BLASTX, BLASTP and FASTA, that there was no sequence identical to the polypeptide sequence and the nucleotide sequence of OA052 of the present invention. From these results, it was proved that polypeptide of the present invention was new secretary protein.
- 25 Example 5: Clone OC004
  - [0123] In Example relating to clone OC004 of the present invention, the same procedure as in Example of ON056 was used except for the following points.
- 30 (1) Preparation of Poly(A)\*RNA
  - [0124] Total RNA was prepared from human adult brain tissue by TRIzol reagent Poly(A)\*RNA was purified from the total RNA by mRNA Purification Kit.
- (2) Cloning of a full-length cDNA and determination of nucleotide sequence
  - [0125] A full-length cDNA was cloned using Marathon cDNA Amplification Kit according to 3' RACE method as described in Example of OX003. Double strand cDNA was prepared from the origin of each done, i.e., poly (A)\*RNA in human adult brain tissue. 27mer primer OC004-F1:
  - 5'-ATGAGGAAAGGGAACCTTCTGCTGAGC-3' (SEQ ID NOS. 88) containing the deduced initiation ATG codon region based on the information of nucleotide sequence obtained by SST, was prepared. PCR was performed with the said primer and adapter primer attached in the kit. Due to insufficient amplification of cDNA by only one-time PCR, 18mer primer OC004-F2:
- 5'-TGAGCTTCCAGAGCTGTC-3' (SEQ ID NOS. 89)

  was prepared additionally at 3' end of OC004-F1 primer and then nested PCR was performed, cDNA which was amplified with done OC004 specifically was separated with recloning by the same method as Example of OX003. Full nucleotide sequence was determined and then sequence shown in SEQ ID NO. 15 was obtained. An open reading frame was determined and deduced amino acid sequence and nucleotide sequence shown in SEQ ID NOS. 13 and 14, respectively, were obtained.
- [0126] It was indicated from the results of homology search for the public database of the nucleic add sequences by using BLASTN and FASTA, and for the public database of the amino acid sequences by using BLASTX, BLASTP and FASTA, that there was no sequence identical to the polypeptide sequence and the nucleotide sequence of OC004 of the present invention. From these results, it was proved that polypeptide of the present invention was new secretary protein.
  - Example 6: Clone OM017

55

[0127] In Example relating to clone OM017 of the present invention, the same procedure as in Example of ON056

was used except for the following points.

- (1) Preparation of Poly(A)\*RNA
- [0128] Total RNA was prepared from human adult brain tissue by TRIzol reagent Poly(A)<sup>+</sup>RNA was purified from the total RNA by mRNA Purification Kit.
  - (2) Cloning of a full-length cDNA and determination of nucleotide sequence
- [0129] A full-length cDNA was cloned using Marathon cDNA Amplification Kit according to 3' RACE method as described in Example of OX003. Double strand cDNA was prepared from the origin of each done, i.e., poly (A)\*RNA in human adult brain tissue. 27mer primer OM017-F3:
  - 5'-GGGAAATGAAACATTTCTGTAACCTGC-3' (SEQ ID NOS. 90) containing the deduced initiation ATG codon region based on the information of nucleotide sequence obtained by SST, was prepared. PCR was performed with the said primer and adapter primer attached in the kit. Due to insufficient amplification of cDNA by only one-time PCR, 27mer primer OM017-F1:
  - 5'-ATGAAACATTCTGTAACCTGCTTTGT-3' (SEQ ID NOS. 91) was prepared additionally at 3' end of OM017-F3 primer and then nested PCR was performed. cDNA which was amplified with done OM017 specifically was separated with recloning by the same method as Example of OX003. Full nucleotide sequence was determined and then sequence shown in SEQ ID NO. 18 was obtained. An open reading frame was determined and deduced amino acid sequence and nucleotide sequence shown in SEQ ID NOS. 16 and 17, respectively, were obtained.
  - [0130] It was indicated from the results of homology search for the public database of the nucleic acid sequences by using BLASTN and FASTA, and for the public database of the amino acid sequences by using BLASTX, BLASTP and FASTA, that there was no sequence identical to the polypeptide sequence and the nucleotide sequence of OM017 of the present invention. From these results, it was proved that polypeptide of the present invention was new secretary protein.
  - [0131] However, the search using BLASTX, BLASTP and FASTA revealed a significant homology between clone OM017 (region of 433th~709th, 42nd~ 225th, 170th~399th and 1st~224th amino add in SEQ ID NO. 16) and Human DXS6673E (Candidate gene for Mental Retardation) (PRF Code 2218282A (Genbarik Accession X95808)) (region of 1083rd~1358th, 758th~ 932nd, 850th~1081st and 739th~965th amino add) Based on these homologies, clone OM017 and Human DXS6673E were expected to share at least some activity.

Example 7: Clone OM101

35

- [0132] In Example relating to done OM101 of the present invention, the same procedure as in Example of ON056 was used except for the following points.
- (1) Preparation of Poly(A)\*RNA
- [0133] Total RNA was prepared from human adult brain tissue by TRIzol reagent. Poly(A)\*RNA was purified from the total RNA by mRNA Purification Kit.
- (2) Cloning of a full-length cDNA and determination of nucleotide sequence
- [0134] A full-length cDNA was cloned using Marathon cDNA Amplification Kit according to 3' RACE method as described in Example of OX003. Double strand cDNA was prepared from the origin of each clone, i.e., poly (A)<sup>+</sup>RNA in human adult brain tissue. 27mer primer OM101-F3:
- 5'-TGAAGTTGCAGATAATGAGGACTTACC-3' (SEQ ID NOS. 92) containing the deduced initiation ATG codon region based on the information of nucleotide sequence obtained by SST, was prepared. PCR was performed with the said primer and adapter primer attached in the kit. Due to insufficient amplification of cDNA by only one-time PCR, 27mer primer OM101-F1:
  - 5'-ATGAGGACTTACCATTATACCATTA-3' (SEQ ID NOS. 93) was prepared additionally at 3' end of OM0101-F3 primer and then nested PCR was performed. cDNA which was amplified with done OM101 specifically was separated with redoning by the same method as Example of OX003. Full nucleotide sequence, was determined and then sequence shown in SEQ ID NO. 21 was obtained. An open reading frame was determined and deduced amino acid sequence and nucleotide sequence shown in SEQ ID NOS. 19 and 20, respectively, were obtained.

[0135] It was indicated from the results of homology search for the public database of the nucleic acid sequences by using BLASTN and FASTA, and for the public database of the amino acid sequences by using BLASTX, BLASTP and FASTA, that there was no sequence identical to the polypeptide sequence and the nucleotide sequence of OM101 of the present invention. From these results, it was proved that polypeptide of the present invention was new secretary protein.

[0136] However, the search using BLASTX, BLASTP and FASTA revealed a significant homology between done OM101 (region of 1st~77th amino acid in SEQ ID NO. 19), and a lot of Cadherin family such as Human Cadherin-6 (Swiss Prot Accession P55285) (region of 1st~77th amino acid) and Human Brain-Cadherin (Swiss Prot Accession P55289) (region of 1st~78th amino acid). Based on these homologies, done OM101 and Human Cadherin-6 and the other Cadherin family were expected to share at least some activity.

Example 8: Clone OM126

- [0137] In Example relating to clone OM126 of the present invention, the same procedure as in Example of ON056 was used except for the following points.
  - (1) Preparation of Poly(A)\*RNA
- [0138] Total RNA was prepared from human adult brain tissue by TRIzol reagent Poly(A)\*RNA was purified from the total RNA by mRNA Purification Kit.
  - (2) Cloning of a full-length cDNA and determination of nucleotide sequence
- [0139] Double strand cDNA was prepared from the origin of each clone, i.e., poly (A)\*RNA in human adult brain tissue. 27mer primer OM126-F3:

5'-AGGAAGGATGAGGAAGACCAGGCTCTG-3' (SEQ ID NOS. 94) containing the deduced initiation ATG codon region based on the information of nucleotide sequence obtained by SST, was prepared. cDNA which was amplified with done OM126 specifically was separated with recloning by the same method as Example of OX003. Full nucleotide sequence was determined and then sequence shown in SEQ ID NO. 24 was obtained. An open reading frame was determined and deduced amino acid sequence and nucleotide sequence shown in SEQ ID NOS. 22 and 23, respectively, were obtained.

[0140] It was indicated from the results of homology search for the public database of the nucleic add sequences by using BLASTN and FASTA, and for the public database of the amino acid sequences by using BLASTX, BLASTP and FASTA, that there was no sequence identical to the polypeptide sequence and the nucleotide sequence of OM126 of the present invention. From these results, it was proved that polypeptide of the present invention was new secretary protein.

[0141] However, the search using BLASTX, BLASTP and FASTA revealed a significant homology between clone OM126 (region of 25th~115th amino acid in SEQ ID NO. 22), and immunoglobulin domain. Based on these homologies, clone OM126 and immunoglobulin superfamily were expected to share at least some activity.

Example 9: Clone OM160

- [0142] In Example relating to clone OM160 of the present invention, the same procedure as in Example of ON056 was used except for the following points.
- (1) Preparation of Poly(A)\*RNA
- [0143] Total RNA was prepared from human adult brain tissue by TRIzol reagent Poly(A)\*RNA was purified from the total RNA by mRNA Purification Kit.
- (2) Cloning of a full-length cDNA and determination of nucleotide sequence
- [0144] A full-length cDNA was cloned using GENETRAPPER cDNA Positive Selection System. First, dT-primed cDNA library was prepared from poly (A)+RNA in human adult brain tissue using pSPORT1 plasmid, as a vector, by Super Script Plasmid System for cDNA Synthesis and Plasmid Cloning. Next, after preparing biotinylated primer ON160-F1 (27mer):
- 5' biotin-ATGCTTCAGTGGAGGAGAAGACACTGC-3' (SEQ ID NO. 95) based on the information of nucleotide sequence obtained by SST, plasmid hybridized specifically with the biotinylated

primer were recovered from the cDNA library according to the method of Gene Trapper Kit and then transfected into E. Coli DH10B. Colony hybridization with OM160 SST cDNA which was labeled with 32P-dCTP, as a probe, was performed by using Random Primer DNA Labeling kit according to known method to isolate the positive clone and to prepare the plasmid. Nucleotide sequence of full-length OM160 SST cDNA was determined by the same procedure as ON056 and then sequence shown in SEQ ID NO. 27 was obtained. An open reading frame was determined and deduced amino acid sequence and nucleotide sequence shown in SEQ ID NOS. 25 and 26, respectively, were obtained.

[0145] It was indicated from the results of homology search for the public database of the nucleic acid sequences by using BLASTN and FASTA, and for the public database of the amino acid sequences by using BLASTX, BLASTP and FASTA, that there was no sequence identical to the polypeptide sequence and the nucleotide sequence of OM160 of the present invention. From these results, it was proved that polypeptide of the present invention was new secretary protein.

[0146] However, the search using BLASTX, BLASTP and FASTA revealed a significant homology between clone OM160 (region of 153rd~395th amino acid in SEQ ID NO. 25) and Drosophila neurogenic secreted signaling protein (Genepept Accession U41449) (region of 80th~317th amino acid). Based on these homologies, done OM160 and Drosophila neurogenic secreted signaling protein were expected to share at least some activity.

Example 10: Clone OMA016

- 20 [0147] In Example relating to clone OMA016 of the present invention, the same procedure as in Example of ON056 was used except for the following points.
  - (1) Preparation of Poly(A)\*RNA
- 25 [0148] Total RNA was prepared from human adult brain tissue by TRIzol reagent Poly(A)\*RNA was purified from the total RNA by mRNA Purification Kit.
  - (2) Cloning of a full-length cDNA and determination of nucleotide sequence
- [0149] A full-length cDNA was cloned using Marathon cDNA Amplification Kit according to 3' RACE method as described in Example of OX003. Double strand cDNA was prepared from the origin of each clone, i.e., poly (A)\*RNA in human adult brain tissue. 27mer primer OMA016-F1:
  - 5'-AGAAATGGTGAATGCCTGCTGGTGTGG-3' (SEQ ID NOS. 96) containing the deduced initiation ATG codon region based on the information of nucleotide sequence obtained by SST, was prepared. PCR was performed with the said primer and adapter primer attached in the kit. There existed two kinds of cDNAs which were amplified with clone OMA016 specifically and which were named OMA016a and OMA016b. These two were separated with rectoning by the same method as Example of OX003. Full nucleotide sequences were determined and then sequences shown in SEQ ID NOS. 30 and 33 were obtained. Each open reading frame was determined and reduced amino acid sequences and nucleotide sequences shown in SEQ ID NOS. 28, 31 and SEQ ID NOS. 29, 32, respectively, were obtained.

[0150] It was indicated from the results of homology search for the public database of the nucleic acid sequences by using BLASTN and FASTA, and for the public database of the amino acid sequences by using BLASTX, BLASTP and FASTA, that there was no sequence identical to the polypeptide sequence and the nucleotide sequence of OMA016a and OMA016b of the present invention. From these results, it was proved that polypeptide of the present invention was new secretary protein.

Example 11: Clone OMB130-

- [0151] In Example relating to clone OMB130 of the present invention, the same procedure as in Example of ON056 was used except for the following points.
  - (1) Preparation of Poly(A)+RNA
- [0152] Total RNA was prepared from human adult brain tissue by TRIzol reagent Poly(A)\*RNA was purified from the total RNA by mRNA Purification Kit.

- (2) Cloning of a full-length cDNA and determination of nucleotide sequence
- [0153] Double strand cDNA was prepared from the origin of each clone, i.e., poly (A)\*RNA in human adult brain tissue. 27mer primer OMB130-F1:
  - 5'-TCCTCTGACTTTTCTTCTGCAAGCTCC-3' (SEQ ID NOS. 97)

containing the deduced initiation ATG codon region based on the information of nucleotide sequence obtained by SST, was prepared. cDNA which was amplified with done OMB130 specifically was separated with recloning by the same method as Example of OX003. Full nucleotide sequence was determined and then sequence shown in SEQ ID NO. 36 was obtained. An open reading frame was determined and deduced amino add sequence and nucleotide sequence shown in SEQ ID NOS. 34 and 35, respectively, were obtained.

[0154] It was indicated from the results of homology search for the public database of the nucleic acid sequences by using BLASTN and FASTA, and for the public database of the amino acid sequences by using BLASTX, BLASTP and FASTA, that there was no sequence identical to the polypeptide sequence and the nucleotide sequence of OMB130 of the present invention. From these results, it was proved that polypeptide of the present invention was new secretary protein.

[0155] However, the search using BLASTX, BLASTP and FASTA revealed a significant homology between clone OMB130 (region of 10th~177th amino acid in SEQ ID NO. 34), and Monkey Hepatitis A virus receptor (PRF Code 2220266A (Genbank Accession X98252) (region of 6th~173rd amino acid. Based on these homologies, clone OMB130 and Monkey Hepatitis A virus receptor were expected to share at least some activity.

Example 12: Clone OMB142

20

25

30

- [0156] In Example relating to clone OMB142 of the present invention, the same procedure as in Example of ON056 was used except for the following points.
- (1) Preparation of Poly(A)\*RNA
- [0157] Total RNA was prepared from human adult brain tissue by TRIzol reagent Poly(A)\*RNA was purified from the total RNA by mRNA Purification Kit.
- (2) Cloning of a full-length cDNA and determination of nucleotide sequence
- [0158] A full-length cDNA was cloned using Marathon cDNA Amplification Kit according to 3' RACE method as described in Example of OX003. Double strand cDNA was prepared from the origin of each done, i.e., poly (A)<sup>+</sup>RNA in human adult brain tissue. 27mer primer OMB142-F2:
- 5'-GCCCAAGGTCAAGGAGATGGTACGGAT-3' (SEQ ID NOS. 98) containing the deduced initiation ATG codon region based on the information of nucleotide sequence obtained by SST, was prepared. PCR was performed with the said primer and adapter primer attached in the kit. Due to insufficient amplification of cDNA by only one-time PCR, 28mer primer OMB142-F1:
- 5'-GGAGATGGTACGGATCTTAAGGACTGTG-3' (SEQ ID NOS. 99) was prepared additionally at 3' end of OMB142-F2 primer and then nested PCR was performed. cDNA which was amplified with done OMB142 specifically was separated with recloning by the same method as Example of OX003. Full nucleotide sequence was determined and then sequence shown in SEQ ID NO. 39 was obtained. An open reading frame was determined and deduced amino acid sequence and nucleotide sequence shown in SEQ ID NOS. 37 and 38, respectively, were obtained.
- [0159] It was indicated from the results of homology search for the public database of the nucleic acid sequences by using BLASTN and FASTA, and for the public database of the amino acid sequences by using BLASTX, BLASTP and FASTA, that there was no sequence identical to the polypeptide sequence and the nucleotide sequence of OMB142 of the present invention. From these results, it was proved that polypeptide of the present invention was new secretary protein.

Example 13: Clone OTB033

[0160] In Example relating to clone OTB033 of the present invention, the same procedure as in Example of ON056 was used except for the following points.

- (1) Preparation of Poly(A)\*RNA
- Total RNA was prepared from human neuroblastoma cell line IMR-32 (ATCC No. CCL-127) by TRIzol reagent Poly(A)\*RNA was purified from the total RNA by mRNA Purification Kit.
- (2) Cloning of a full-length cDNA and determination of nucleotide sequence
- A full-length cDNA was cloned using Marathon cDNA Amplification Kit according to 3' RACE method as described in Example of OX003. Double strand cDNA was prepared from the origin of each clone, i.e., poly (A)\*RNA of IMR-32, 27mer primer OTB033-F1:
- 5'-TGCACTATCCAAAAGCTCCATGTACAC-3' (SEQ ID NOS. 100) containing the deduced initiation ATG codon region based on the information of nucleotide sequence obtained by SST, was prepared. PCR was performed with the said primer and adapter primer attached in the kit. Due to insufficient amplification of cDNA by only one-time PCR, 19mer primer OTB003-F2:
- 5'-CCATGTACACAGTGGGGGC-3' (SEQ ID NOS. 101) was prepared additionally at 3' end of OTB033-F1 primer and then nested PCR was performed. cDNA which was amplified with clone OTB033 specifically was separated with recloning by the same method as Example of OX003. Full nucleotide sequence was determined and then sequence shown in SEQ ID NO. 42 was obtained. An open reading frame was determined and deduced amino acid sequence and nucleotide sequence shown in SEQ ID NOS. 40 and 41, 20 respectively, were obtained.
  - It was indicated from the results of homology search for the public database of the nucleic acid sequences [0163] by using BLASTN and FASTA, and for the public database of the amino acid sequences by using BLASTX, BLASTP and FASTA, that there was no sequence identical to the polypeptide sequence and the nucleotide sequence of OTB033 of the present invention. From these results, it was proved that polypeptide of the present invention was new secretary protein.

Example 14: Clone OVB100

15

- In Example relating to done OVB100 of the present invention, the same procedure as in Example of ON056 was used except for the following points.
- (1) Preparation of Poly(A)+RNA
- Total RNA was prepared from human astrocytoma cell line CCF-STTG1 (ATCC No. CRL-1718) by TRIzol reagent Poly(A)\*RNA was purified from the total RNA by mRNA Purification Kit.
  - (2) Cloning of a full-length cDNA and determination of nucleotide sequence
- A full-length cDNA was cloned using Marathon cDNA Amplification Kit according to 3' RACE method as described in Example of OX003. Double strand cDNA was prepared from the origin of each clone, i.e., poly (A)\*RNA of CCF-STTG1, 27mer primer OVB100-F1:
  - 5'-CACTTGGTGTTTGATTTACCTAAGCAC-3' (SEQ ID NOS. 102) containing the deduced initiation ATG codon region based on the information of nucleotide sequence obtained by SST, was prepared. cDNA which was amplified with done OVB100 specifically was separated with recloning by the same method as Example of OX003. Full nucleotide sequence was determined and then sequence shown in SEQ ID NO. 45 was obtained. An open reading frame was determined and deduced amino acid sequence and nucleotide sequence shown in SEQ ID NOS. 43 and 44, respectively, were obtained.
  - It was indicated from the results of homology search for the public database of the nucleic acid sequences by using BLASTN and FASTA, and for the public database of the amino acid sequences by using BLASTX, BLASTP and FASTA, that there was no sequence identical to the polypeptide sequence and the nucleotide sequence of OVB100 of the present invention. From these results, it was proved that polypeptide of the present invention was new secretary protein.

Example 15: Clone OAF062

In Example relating to clone OAF062 of the present invention, the same procedure as in Example of ON056 was used except for the following points.

#### (1) Preparation of Poly(A)<sup>+</sup>RNA

[0169] Total RNA was prepared from human bone marrow stroma cell line HAS303 (provided from Prof. Keisuke Sotoyama, Dr. Makoto Aizawa, First Medicine, Tokyo Medical College) by TRIzol reagent Poly(A)\*RNA was purified from the total RNA by mRNA Purification Kit.

(2) Cloning of a full-length cDNA and determination of nucleotide sequence

[0170] A full-length cDNA was cloned using Marathon cDNA Amplification Kit according to 3' RACE method as described in Example of OX003. A full-length cDNA was cloned using Marathon cDNA Amplification Kit according to 3' RACE method as described in Example of OX003. Double strand cDNA was prepared from the origin of each clone, i.e., poly (A)\*RNA of HAS303. 27mer primer OAF062-F2:

5'-GAGTTTCGTAAGCAAAATAGAGGACAG-3' (SEQ ID NOS. 103) containing the deduced initiation ATG codon region based on the information of nucleotide sequence obtained by SST, was prepared. PCR was performed with the said primer and adapter primer attached in the kit. Due to insufficient amplification of cDNA by only one-time PCR, 27mer primer OAF062-F3:

5'-TAGAGGACAGAAATGCAGTTCATGAAC-3' (SEQ ID NOS. 104) was prepared additionally at 3' end of OAF062-F2 primer and then nested PCR was performed. cDNA which was amplified with clone OAF062 specifically was separated with recloning by the same method as Example of OX003. Full nucleotide sequence was determined and then sequence shown in SEQ ID NO. 48 was obtained. An open reading frame was determined and deduced amino acid sequence and nucleotide sequence shown in SEQ ID NOS. 46 and 47, respectively, were obtained.

[0171] It was indicated from the results of homology search for the public database of the nucleic acid sequences by using BLASTN and FASTA, and for the public database of the amino acid sequences by using BLASTX, BLASTP and FASTA, that there was no sequence identical to the polypeptide sequence and the nucleotide sequence of OAF062 of the present invention. From these results, it was proved that polypeptide of the present invention was new secretary protein.

#### Example 16: Clone OAF075

30

35

[0172] In Example relating to clone OAF075 of the present invention, the same procedure as in Example of ON056 was used except for the following points.

#### (1) Preparation of Poly(A)+RNA

[0173] Total RNA was prepared from human bone marrow stroma cell line HAS303 (provided from Prof. Keisuke Sotoyama, Dr. Makoto Aizawa, First Medicine, Tokyo Medical College) by TRIzol reagent Poly(A)\*RNA was purified from the total RNA by mRNA Purification Kit

(2) Cloning of a full-length cDNA and determination of nucleotide sequence

[0174] A full-tength cDNA was cloned using Marathon cDNA Amplification Kit according to 3' RACE method as described in Example of OX003. Double strand cDNA was prepared from the origin of each clone, i.e., poly (A)\*RNA of HAS303. 28mer primer OAF075-F1:

5'-GACATGAGGTGGATACTGTTCATTGGGG-3' (SEQ ID NOS. 105) containing the deduced initiation ATG codon region based on the information of nucleotide sequence obtained by SST, was prepared. cDNA which was amplified with clone OAF075 specifically was separated with recloning by the same method as Example of OX003. Full nucleotide sequence was determined and then sequence shown in SEQ ID NO. 51 was obtained. An open reading frame was determined and deduced amino acid sequence and nucleotide sequence shown in SEQ ID NOS. 49 and 50, respectively, were obtained.

[0175] It was indicated from the results of homology search for the public database of the nucleic acid sequences by using BLASTN and FASTA, and for the public database of the amino acid sequences by using BLASTX, BLASTP and FASTA, that there was no sequence identical to the polypeptide sequence and the nucleotide sequence of OAF075 of the present invention. From these results, it was proved that polypeptide of the present invention was new secretary

[0176] However, the search using BLASTX, BLASTP and FASTA revealed a significant homology between clone OAF075 (region of 1st~421st amino acid in SEQ ID NO. 49), and Human Carboxypeptidase A2 (Swiss Prot Accession P48052) (region of 1st~417th amino acid), Human Carboxypeptidase A1 (Swiss Prot Accession P15085) (region of

1st~417th amino acid), Human Carboxypeptidase B (Swiss Prot Accession P15086) (region of 5th~416th amino acid) and Human Mast Cell Carboxypeptidase A (Swiss Prot Accession P15088) (region of 1st~412th amino acid). Based on these homologies, clone OAF075 and Carboxypeptidase family were expected to share at least some activity.

- 5 Example 17: Clone OAG119
  - [0177] In Example relating to clone OAG119 of the present invention, the same procedure as in Example of ON056 was used except for the following points.
- 10 (1) Preparation of Poly(A)\*RNA

15

- [0178] Total RNA was prepared from human bone marrow stroma cell line LP101 (provided from Prof. Keisuke Sotoyama, Dr. Makoto Aizawa, First Medicine, Tokyo Medical College) by TRIzol reagent Poly(A)\*RNA was purified from the total RNA by mRNA Purification Kit.
- (2) Cloning of a full-length cDNA and determination of nucleotide sequence
- [0179] A full-length cDNA was cloned using Marathon cDNA Amplification Kit according to 3' RACE method as described in Example of OX003. Double strand cDNA was prepared from the origin of each clone, i.e., poly (A)<sup>+</sup>RNA of LP101. 28mer primer OAG119-F1:

5'-TGGCGTGTAACTATGCTCATCATTGTTC-3' (SEQ ID NOS. 106) containing the deduced initiation ATG codon region based on the information of nucleotide sequence obtained by SST, was prepared. cDNA which was amplified with done OAG119 specifically was separated with recloning by the same method as Example of OX003. Full nucleotide sequence was determined and then sequence shown in SEQ ID NO. 54 was obtained. An open reading frame was determined and deduced amino acid sequence and nucleotide sequence shown in SEQ ID NOS. 52 and 53, respectively, were obtained.

[0180] It was indicated from the results of homology search for the public database of the nucleic add sequences by using BLASTN and FASTA, and for the public database of the amino acid sequences by using BLASTX, BLASTP and FASTA, that there was no sequence identical to the polypeptide sequence and the nucleotide sequence of OAG119 of the present invention. From these results, it was proved that polypeptide of the present invention was new secretary protein.

Example 18: Clone OAH040

- 35 [0181] In Example relating to clone OAH040 of the present invention, the same procedure as in Example of ON056 was used except for the following points.
  - (1) Preparation of Poly(A)\*RNA
- [0182] Total RNA was prepared from endothelial cell line of vein derived from human umbilical cord UV-EC-C (ATCC No. CRL-1730) by TRIzol reagent Poly(A)<sup>†</sup>RNA was purified from the total RNA by mRNA Purification Kit.
  - (2) Cloning of a full-length cDNA and determination of nucleotide sequence
- [0183] A full-length cDNA was cloned using Marathon cDNA Amplification Kit according to 3' RACE method as described in Example of OX003. Double strand cDNA was prepared from the origin of each clone, i.e., poly (A)\*RNA of HUV-EC-C. 28mer primer OAH040-F1:
  - 5'-TTAGCCCACCCATGTTGATAGAACACCC-3' (SEQ ID NOS. 107) containing the deduced initiation ATG codon region based on the information of nucleotide sequence obtained by SST, was prepared. cDNA which was amplified with clone OAH040 specifically was separated with recloning by the same method as Example of OX003. Full nucleotide sequence was determined and then sequence shown in SEQ ID NO. 57 was obtained. An open reading frame was determined and deduced amino acid sequence and nucleotide sequence shown in SEQ ID NOS. 55 and 56, respectively, were obtained.
  - [0184] It was indicated from the results of homology search for the public database of the nucleic acid sequences by using BLASTN and FASTA, and for the public database of the amino acid sequences by using BLASTX, BLASTP and FASTA, that there was no sequence identical to the polypeptide sequence and the nucleotide sequence of OAH040 of the present invention. From these results, it was proved that polypeptide of the present invention was new secretary protein.

Example 19: Clone OAH058

- [0185] In Example relating to clone OAH058 of the present invention, the same procedure as in Example of OAH056 was used except for the following points.
- (1) Preparation of Poly(A)+RNA

10

- [0186] Total RNA was prepared from endothelial cell line of vein derived from human umbilical cord HUV-EC-C (ATCC No. CRL-1730) by TRIzol reagent Poly(A)\*RNA was purified from the total RNA by mRNA Purification Kit.
- (2) Cloning of a full-length cDNA and determination of nucleotide sequence
- [0187] A full-length cDNA was cloned using Marathon cDNA Amplification Kit according to 3' RACE method as described in Example of OX003. Double strand cDNA was prepared from the origin of each clone, i.e., poly (A)\*RNA of HUV-EC-C. 28mer primer OAH058-F1:
- 5'-ACAATGTTGGCCTGTC TGCAAGCTTGTG-3' (SEQ ID NOS. 108) containing the deduced initiation ATG codon region based on the information of nucleotide sequence obtained by SST, was prepared. cDNA which was amplified with done OAH058 specifically was separated with rectoning by the same method as Example of OX003. Full nucleotide sequence was determined and then sequence shown in SEQ ID NO. 60 was obtained. An open reading frame was determined and deduced amino acid sequence and nucleotide sequence shown in SEQ ID NOS. 58 and 59, respectively, were obtained.
- [0188] It was indicated from the results of homology search for the public database of the nucleic acid sequences by using BLASTN and FASTA, and for the public database of the amino acid sequences by using BLASTX, BLASTP and FASTA, that there was no sequence identical to the polypeptide sequence and the nucleotide sequence of OAH058 of the present invention. From these results, it was proved that polypeptide of the present invention was new secretary protein.

Example 20: Clone OM011

- [0189] In Example relating to clone OM011 of the present invention, the same procedure as in Example of ON056 was used except for the following points.
  - (1) Preparation of Poly(A)<sup>+</sup>RNA
- 5 [0190] Total RNA was prepared from human adult brain tissue by TRIzol reagent Poly(A)\*RNA was purified from the total RNA by mRNA Purification Kit.
  - (2) Cloning of a full-length cDNA and determination of nucleotide sequence
- [0191] A full-length cDNA was cloned using GENETRAPPER cDNA Positive Selection System. First, dT-primed cDNA library was prepared from poly (A)+RNA in human adult brain tissue using pSPORT1 plasmid, as a vector, by Super Script Plasmid System for cDNA Synthesis and Plasmid Cloning. Next, after preparing biotinylated primer OM011-F1 (27mer):
- 5' biotin-GAAGTGACTCTTCCTCTAGTTTGCCAC-3' (SEQ ID NOS. 109)

  based on the information of nucleotide sequence obtained by SST, plasmid hybridized specifically with the biotinylated primer were recovered from the cDNA library according to the method of Gene Trapper Kit and then transfected into E. Coli DH10B. Colony hybridization with OM011 SST cDNA which was labeled with 32P-dCTP, as a probe, was performed by using Random Primer DNA Labeling kit according to known method to isolate the positive clone and to prepare the plasmid. Nucleotide sequence of full-length OM011 SST cDNA was determined by the same procedure as ON056 and then sequence shown in SEQ ID NO. 63 was obtained. An open reading frame was determined and deduced amino acid sequence and nucleotide sequence shown in SEQ ID NOS. 61 and 62, respectively, were obtained.
  - [0192] It was indicated from the results of homology search for the public database of the nucleic acid sequences by using BLASTN and FASTA, and for the public database of the amino acid sequences by using BLASTX, BLASTP and FASTA, that there was no sequence identical to the polypeptide sequence and the nucleotide sequence of OM011 of the present invention. From these results, it was proved that polypeptide of the present invention was new secretary protein.
  - [0193] However, the search using BLASTX, BLASTP and FASTA revealed a significant homology between clone

OM011 (region of 26th~396th amino acid in SEQ ID NO. 61) and Human Plasma-cell Glycoprotein PC-1 (Alkaline Phosphodiesterase I) (Swiss Prot Accession P22413) (region of 158th~543rd amino acid). Based on these homologies, done OM011 and Human Plasma-cell Glycoprotein PC-1 were expected to share at least some activity.

5 Example 21: Clone OM028

[0194] In Example relating to done OM028 of the present invention, the same procedure as in Example of ON056 was used except for the following points.

(1) Preparation of Poly(A)<sup>+</sup>RNA

[0195] Total RNA was prepared from human adult brain tissue by TRIzol reagent Poly(A)\*RNA was purified from the total RNA by mRNA Purification Kit.

15 (2) Cloning of a full-length cDNA and determination of nucleotide sequence

[0196] A full-length cDNA was cloned using GENETRAPPER cDNA Positive Selection System. First, dT-primed cDNA library was prepared from poly (A)+RNA in human adult brain tissue using pSPORT1 plasmid, as a vector, by Super Script Plasmid System for cDNA Synthesis and Plasmid Cloning. Next, after preparing biotinylated primer OM028-F1 (27mer):

5' biotin-ATGAAGGACATGCCACTCCGAATTCAT-3' (SEQ ID NOS. 110) based on the information of nucleotide sequence obtained by SST, plasmid hybridized specifically with the biotinylated primer were recovered from the cDNA library according to the method of Gene Trapper Kit and then transfected into E. Coli DH10B. Colony hybridization with OM028 SST cDNA which was labeled with 32P-dCTP, as a probe, was performed by using Random Primer DNA Labeling kit according to known method to isolate the positive done and to prepare the plasmid. Nucleotide sequence of full-length OM028 SST cDNA was determined by the same procedure as ON056 and then sequence shown in SEQ ID NO. 66 was obtained. An open reading frame was determined and deduced amino acid sequence and nucleotide sequence shown in SEQ ID NOS. 64 and 65, respectively, were obtained.

[0197] It was indicated from the results of homology search for the public database of the nucleic acid sequences by using BLASTN and FASTA, and for the public database of the amino acid sequences by using BLASTX, BLASTP and FASTA, that there was no sequence identical to the polypeptide sequence and the nucleotide sequence of OM028 of the present invention. From these results, it was proved that polypeptide of the present invention was new secretary protein.

[0198] However, the search using BLASTX, BLASTP and FASTA revealed a significant homology between clone OM028 (region of 1st~708th amino acid in SEQ ID NO. 64) and many proteins containing Leu-rich repeat such as Mouse Leu-rich repeat protein (PRF Code 2212307A (GENBANK Accession D49802) (region of 1st~707th amino acid). Based on these homologies, clone OM028 and certain proteins containing Leu-rich repeat were expected to share at least some activity.

Example 22: Clone OMB092

[0199] In Example relating to clone OMB092 of the present invention, the same procedure as in Example of ON056 was used except for the following points.

(1) Preparation of Poly(A)\*RNA

[0200] Total RNA was prepared from human adult brain tissue by TRIzol reagent Poly(A)\*RNA was purified from the total RNA by mRNA Purification Kit.

(2) Cloning of a full-length cDNA and determination of nucleotide sequence

[0201] A full-length cDNA was cloned using Marathon cDNA Amplification Kit according to 3' RACE method as described in Example of OX003. Double strand cDNA was prepared from the origin of each clone, i.e., poly (A)\*RNA in human adult brain tissue. 27mer primer OMB092-F1:

5'-ACTCACCTGGATCCCTAAGGGCACAGC-3' (SEQ ID NOS. 111) containing the deduced initiation ATG codon region based on the information of nucleotide sequence obtained by SST, was prepared. PCR was performed with the said primer and adapter primer attached in the kit. Due to insufficient ampli-

fication of cDNA by only one-time PCR, 28mer primer OMB092-F2:

5'-AGAATGAGCTATTACGGCAGCAGCTATC-3' (SEQ ID NOS. 112)

was prepared additionally at 3' end of OMB092-F1 primer and then nested PCR was performed. cDNA which was amplified with clone OMB092 specifically was separated with recloning by the same method as Example of OX003. Full nucleotide sequence was determined and then sequence shown in SEQ ID NO. 69 was obtained. An open reading frame was determined and deduced amino acid sequence and nucleotide sequence shown in SEQ ID NOS. 67 and 68, respectively, were obtained.

[0202] It was indicated from the results of homology search for the public database of the nucleic acid sequences by using BLASTN and FASTA, and for the public database of the amino acid sequences by using BLASTX, BLASTP and FASTA, that there was no sequence identical to the polypeptide sequence and the nucleotide sequence of OMB092 of the present invention. From these results, it was proved that polypeptide of the present invention was new secretary protein.

[0203] However, the search using BLASTX, BLASTP and FASTA revealed a significant homology between clone OMB092 (region of 1st~254th amino acid in SEQ ID NO. 67) and many Potassium Channels family such as Rat Inward Rectifier Potassium Channel BIR9 (Swiss Prot Accession P52191) (region of 1st~254th amino acid). Based on these homologies, clone OMB092 and Potassium Channel were expected to share at least some activity.

Example 23: Clone OMB108

- [0204] In Example relating to clone OMB108 of the present invention, the same procedure as in Example of ON056 was used except for the following points.
  - (1) Preparation of Poly(A)\*RNA
- 5 [0205] Total RNA was prepared from human adult brain tissue by TRIzol reagent Poly(A)\*RNA was purified from the total RNA by mRNA Purification Kit.
  - (2) Cloning of a full-length cDNA and determination of nucleotide sequence
- [0206] A full-length cDNA was cloned using Marathon cDNA Amplification Kit according to 3' RACE method as described in Example of OX003. Double strand cDNA was prepared from the origin of each clone, i.e., poly (A)\*RNA in human adult brain tissue. 27mer primer OMB108-F1:
- 5'-CTCTCTCATCTGCTGGTTATGGCC-3' (SEQ ID NOS. 113) containing the deduced initiation ATG codon region based on the information of nucleotide sequence obtained by SST, was prepared. PCR was performed with the said primer and adapter primer attached in the kit. Due to insufficient amplification of cDNA by only one-time PCR, 22mer primer OMB108-F2:
- 5'-TGGTTATGGCCTGTCGCTGAG-3' (SEQ ID NOS. 114) was prepared additionally at 3' end of OMB108-F1 primer and then nested PCR was performed. cDNA which was amplified with done OMB108 specifically was separated with recloning by the same method as Example of OX003. Full nucleotide sequence was determined and then sequence shown in SEQ ID NO. 72 was obtained. An open reading frame was determined and deduced amino acid sequence and nucleotide sequence shown in SEQ ID NOS. 70 and 71, respectively, were obtained.
- [0207] It was indicated from the results of homology search for the public database of the nucleic acid sequences by using BLASTN and FASTA, and for the public database of the amino acid sequences by using BLASTX, BLASTP and FASTA, that there was no sequence identical to the polypeptide sequence and the nucleotide sequence of OMB108 of the present invention. From these results, it was proved that polypeptide of the present invention was new secretary protein.
- [0208] However, the search using BLASTX, BLASTP and FASTA revealed a significant homology between clone OMB108 (region of 164th~256th and 374th~487th amino add in SEQ ID NO. 70) and LDL-repeat region of many LDL receptors family such as Human Low-Density Lipoprotein Receptor Related Protein 10 (Swiss Prot Accession Q07954) or OMB108 (region of 47th ~158th and 259th~370th amino add in SEQ ID NO. 70) and CUB domain included in Human Bone Morphogenetic Protein 1 (Swiss Prot Accession P13497). That is to say, clone OMB108 proved to possess the common sequences of two parts of CUB domain and five parts of LDL-repeat at the extracell domain. Based on these homologies, clone OMB108, protein including LDL-repeat and protein including CUB domain were expected to share at least some activity.

Example 24: Clone OT007

[0209] In Example relating to clone OT007 of the present invention, the same procedure as in Example of ON056 was used except for the following points.

- (1) Preparation of Poly(A)\*RNA
- [0210] Total RNA was prepared from human neuroblastoma cell line IMR-32 (ATCC No. CCL-127) by TRIzol reagent. Polý(A)\*RNA was purified from the total RNA by mRNA Purification Kit.
- (2) Cloning of a full-length cDNA and determination of nucleotide sequence
- [0211] A full-length cDNA was cloned using GENETRAPPER cDNA Positive Selection System. First, dT-primed cDNA library was prepared from poly (A)+RNA in IMR-32 using pSPORT1 plasmid, as a vector, by Super Script Plasmid System for cDNA Synthesis and Plasmid Cloning. Next, after preparing biotinylated primer OT007-F1 (27mer):
- 5' biotin-AAAATGACTCCCCAGTCGCTGCAG-3' (SEQ ID NOS. 115)
  based on the information of nucleotide sequence obtained by SST, plasmid hybridized specifically with the biotinylated primer were recovered from the cDNA library according to the method of Gene Trapper Kit and then transfected into E. Coli DH10B. Colony hybridization with OT007 SST cDNA which was labeled with 32P-dCTP, as a probe, was performed by using Random Primer DNA Labeling kit according to known method to isolate the positive clone and to prepare the plasmid. Nucleotide sequence of full-length OT007 SST cDNA was determined by the same procedure as ON056 and then sequence shown in SEQ ID NO. 75 was obtained. An open reading frame was determined and deduced amino acid sequence and nucleotide sequence shown in SEQ ID NOS. 73 and 74, respectively, were obtained.
- [0212] It was indicated from the results of homology search for the public database of the nucleic acid sequences by using BLASTN and FASTA, and for the public database of the amino acid sequences by using BLASTX, BLASTP and FASTA, that there was no sequence identical to the polypeptide sequence and the nucleotide sequence of OT007 of the present invention. From these results, it was proved that polypeptide of the present invention was new secretary protein.
- [0213] However, the search using BLASTX, BLASTP and FASTA revealed a significant homology between clone OT007 (region of 217th~660th amino acid in SEQ ID NO. 73) and transmembrane region of Secretin/Vasoactive Intestinal Peptide receptor superfamily such as Human Seven Transmembrane-domain receptor (Genepept Accession X82892), Rat Latrophilin-related protein 1 (Genepept Accession U78105), Human CD97 (Swiss Prot Accession P48960) etc. Based on these homologies, clone OT007 and certain proteins containing seven transmembrane region type of Secretin/Vasoactive Intestinal Peptide were expected to share at least some activity.

Example 25: Clone OAG051

- [0214] In Example relating to clone OAG051 of the present invention, the same procedure as in Example of ON056 was used except for the following points.
- (1) Preparation of Poly(A)<sup>+</sup>RNA
- [0215] Total RNA was prepared from human bone marrow stroma cell line LP101 (provided from Prof. Keisuke Sotoyama, Dr. Makoto Aizawa, First Medicine, Tokyo Medical College) by TRIzol reagent. Poly(A)<sup>†</sup>RNA was purified from the total RNA by mRNA Purification Kit.
- (2) Cloning of a full-length cDNA and determination of nucleotide sequence
- [0216] A full-length cDNA was cloned using Marathon cDNA Amplification Kit according to 3' RACE method as described in Example of OX003. Double strand cDNA was prepared from the origin of each clone, i.e., poly (A)<sup>+</sup>RNA of LP101. 27mer primer OAG051-F1:
- 5-GGAAATGTTTACATTTTT GTTGACGTG-3' (SEQ ID NOS. 116) containing the deduced initiation ATG codon region based on the information of nucleotide sequence obtained by SST, was prepared. cDNA which was amplified with clone OAG051 specifically was separated with recloning by the same method as Example of OX003. Full nucleotide sequence was determined and then sequence shown in SEQ ID NO. 78 was obtained. An open reading frame was determined and deduced amino acid sequence and nucleotide sequence shown in SEQ ID NOS. 76 and 77, respectively, were obtained.
- [0217] It was indicated from the results of homology search for the public database of the nucleic acid sequences

by using BLASTN and FASTA, and for the public database of the amino acid sequences by using BLASTX, BLASTP and FASTA, that there was no sequence identical to the polypeptide sequence and the nucleotide sequence of OAG051 of the present invention. From these results, it was proved that polypeptide of the present invention was new secretary protein.

[0218] However, the search using BLASTX, BLASTP and FASTA revealed a significant homology between clone OAG051 and many Frizzled family, for example, clone OAG051 (region of 4th~703rd amino acid in SEQ ID NO. 76) and Mouse Frizzled-6 (PRF Code2208383E (Genebank Accession U43319) (region of 6th~708th amino acid) or clone OAG051 (region of 1st~627th amino acid in SEQ ID NO. 76) and Mouse Frizzled-3 (PRF Code 2208383E (Genebank Accession U43205) (region of 7th~618th amino acid). Based on these homologies, clone clone OAG051 and Frizzled family were expected to share at least some activity.

Example 26: Clone OUB068

[0219] In Example relating to clone OUB068 of the present invention, the same procedure as in Example of ON056 was used except for the following points.

(1) Preparation of Poly(A)\*RNA

[0220] Total RNA was prepared from human osteosarcoma cell line U-2OS (ATCC No. HTB-96) by TRizol reagent. Poly(A)\*RNA was purified from the total RNA by mRNA Purification Kit.

(2) Cloning of a full-length cDNA and determination of nucleotide sequence

[0221] A full-length cDNA was cloned using GENETRAPPER cDNA Positive Selection System. First, dT-primed cDNA library was prepared from poly (A)+RNA in U-2OS using pSPORT1 plasmid, as a vector, by Super Script Plasmid System for cDNA Synthesis and Plasmid Cloning. Next, after preparing biotinylated primer OUB068-F1 (27mer):

5' biotin-CACTCATGAAGGAAATTCCAGCGCTGC-3' (SEQ ID NOS. 117) based on the information of nucleotide sequence obtained by SST, plasmid hybridized specifically with the biotinylated primer were recovered from the cDNA library according to the method of Gene Trapper Kit and then transfected into E. Coli DH10B. Colony hybridization with OUB068 SST cDNA which was labeled with 32P-dCTP, as a probe, was performed by using Random Primer DNA Labeling kit according to known method to isolate the positive clone and to prepare the plasmid. Nucleotide sequence of full-length OUB068 SST cDNA was determined by the same procedure as ON056 and then sequence shown in SEQ ID NO. 81 was obtained. An open reading frame was determined and deduced amino acid sequence and nucleotide sequence shown in SEQ ID NOS. 79 and 80, respectively, were obtained.

[0222] It was indicated from the results of homology search for the public database of the nucleic acid sequences by using BLASTN and FASTA, and for the public database of the amino acid sequences by using BLASTX, BLASTP and FASTA, that there was no sequence identical to the polypeptide sequence and the nucleotide sequence of OUB068 of the present invention. From these results, it was proved that polypeptide of the present invention was new secretary protein.

[0223] However, the search using BLASTX, BLASTP and FASTA revealed a significant homology between clone OUB068 (region of 5th~386th amino acid in SEQ ID NO. 79) and Xenopus Unknown Transmembrane Protein (Genepept Accession X92871) (region of 3rd~407th amino acid). Based on these homologies, clone OUB068 and Xenopus Unknown Transmembrane Protein were expected to share at least some activity.

50

45

# Sequence Listing (110) ONO Pharmaceutical Co., Ltd.

(120) Novel polypeptide, cDNA coding the polypeptide and use thereof

<130> ONF-2794PCT

<150> JP 9-274674

<151> 1997-10-7

<160> 117

20

30

35

15

<210> 1 <211> 334 <212> PRT

(213) Homo sapiens

400> 1
Het Asn Leu Ser Leu Val Leu Ala Ala Phe Cys Leu Gly Ile Ala Ser
-17 -15 -10 -5
Ala Val Pro Lys Phe Asp Gla Asn Leu Asp Thr Lys Trp Tyr Gla Trp

1 5 10 15

Lys Ala Thr His Arg Arg Leu Tyr Gly Ala Asn Glu Glu Gly Trp Arg 20 25 30

Arg Ala Val Trp Glu Lys Asn Mct Lys Met Ile Glu Leu His Asn Gly 35 40 45

Glu Tyr Ser Gin Gly Lys His Gly Phe Thr Met Ala Met Asn Ala Phe
50 55 60

Gly Asp Met Thr Ash Glu Glu Phe Arg Gln Met Met Gly Cys Phe Arg
65 70 75

Ash Gln Lys Phe Arg Lys Gly Lys Val Phe Arg Glu Pro Leu Phe Leu 80 85 90 95

Asp Leu Pro Lys Ser Val Asp Trp Arg Lys Lys Gly Tyr Val Thr Pro
100 105 110

Val Lys Asn Gln Lys Gln Cys Gly Ser Cys Trp Ala Phe Ser Ala Thr

55

		115	120		125
_	Gly Ala Leu	Glu Gly Gln	Met Phe Arg	Lys Thr Gly Ly	s Leu Val Ser
•	130		135	14	0
	Leu Ser Glu	Gln Asn Leu	ı Val Asp Cys	Ser Arg Pro Gl	n Gly Asn Gln
	145		150	155	
10	Gly Cys Asn	Gly Gly Phe	e Met Ala Arg	Ala Phe Gin Ty	r Val Lys Glu
	160	165		170	175
	Asn Gly Gly	Leu Asp Sei	r Glu Glu Ser	Tyr Pro Tyr Va	l Ala Val Asp
15		180		185	190
15	Glu Ile Cys	Lys Tyr Am	g Pro Glu Asn	Ser Val Ala As	
		195	200		205
•	Phe Thr Val	Val Ala Pr	o Gly Lys Glu	ı Lys Ala Leu Me	
20	- 210		215		20
	Ala Thr Va	l Gly Pro Il		Met Asp Ala G	ly His Ser Ser
	225		230	235	Cua Can Can
25	Phe Gln Ph			r Phe Glu Pro A	
	240	24		250 1. Val. Clu. Tuz. C	255
	Lys Asn Le		iy vai Leu va	l Val Gly Tyr G	270
		260	I.u.a. Tona To	265 • Lau Val Luc A	
30	Ala Asn Se		er t.ys 1yr 11 28	p Leu Val Lys A n	285
	Des Clas Te	275 - Cly Son A		o I Lys IIe Ala L	
	29		295		300
35				a Ser Tyr Pro A	ısn Val
	305	3 01)	310	315	
	000				
	<210> 2				
40	(211) 100	2	•		
•	(212> DNA				
	(213) Hos	sapiens			
45					
	<400> 2				
					eteege tgiteeaana 60
50					acacag aagattatat 120
55					tatgaa aatgattgaa 180
	ctgeneant	g gggantaca	д сснадджая	entggetten cant	ggeent gantgetttt 240

	ggigacatga ccaatgaaga attcaggcag atgatgggtt gctttcgaaa ccagaaattt	300
	aggaagggga aagtgilccg tgagcctctg tttcttgatc ttcccaaatc tgtggattgg	360
5	agaaagaaag gctacgtgac gccagtgaag aatcagaaac agtgtggttc ttgttgggct	420
	tttagtgcga ctggtgctct tgaaggacag atgttccgga aaactgggaa acttgtctca	480
	ctgagcgagc agaatctggt ggactgttcg cgtcctcaag gcaatcaggg ctgcaatggt	540
10	ggetteatgg ctagggeett ceagtatgte aaggagaaeg gaggeetgga etetgaggaa	600
10	tcctatccat atgtagcagt ggalgaaatc tgtaagtaca gacctgagaa ttctgttgct	660
	aatgacactg gcttcacagt ggtcgcacct ggaaaggaga aggccctgat gaaagcagtc	720
,	gcaactgtgg ggcccatcic cgttgctatg gatgcaggcc attcgtcctt ccagttctac	780
15	anatcaggea titattitga accagacige ageageanna acciggaten iggigiteig	840
	gtggttggct acggctttga aggagcasat tcgmataaca gcaagtattg gctcgtcaaa	900
	aacagciggg giccagaaig gggcicgaai ggciaigtaa aaaiagccaa agacaagaac	960
20	aaccactgtg gaatcgccac agcagccage taccccaatg tg	1002
	⟨210⟩ 3	
	<211> 1370	
25	<212> DNA .	
	<213> Homo sapiens	
	<b>&lt;220&gt;</b>	
30	(221) CDS	
	<b>&lt;222&gt; (60) (1061)</b>	
	⟨220⟩	
35	<pre>&lt;221&gt; sig peptide</pre>	
	(222) (60)(110)	
40	(220)	
	(221) mat peptide	
	<222> (111) (1061)	
•	Z (00) 2	
45	<400> 3 And the second section of the second second section of the section of the second section of the section of the second section of the second section of the sectio	59
	cleagagget ightigeign gggigeeige geageigegn eggelgeigg ittigname nig ant cit ieg ete gie eig get gee til ige tig ggm min gee tee	107
	Met Asn Leu Ser Leu Val Leu Ala Ala Phe Cys Leu Gly He Ala Ser	•
50	-17 -15 -10 -5	
	get git cen ann tit gae can ant tig gat ach ang igg the cag igg	ไว้จึ
	Her Ber cett tette ere bire eine tete bie eine tete bie tiet eine eine eine eine	• • •

	Ala	Val	Pro	Lys	Phe	Asp	Gln	Asn	Leu	Asp	Thr	Lys	Trp	Tyr	Gln	Trp	
		ı				5					10					15	
5	_	-													tgg		203
	Lys	Ala	Thr	His	Arg	Arg	Leu	Туг	Gly	Ala	Asn	Glu	Glu	Gly	Trp	Arg	
					20					25					30		
10	-														aat		251
	Arg	Ala	Val	Trp	Glu	Lys	Asn	Met	Lys	Met	Ile	Glu	Leu	His	Asn	Gly	
				35					40		•			45			
	-														gct		299
15	Glu	Tyr	Ser	G1n	Gly	Lys	His	Gly	Phe	Thr	Met	Ala		Asn	Ala	Phe	
			50					55					60				
		-													ttt		347
20	Gly		Met	Thr	Asn	Glu		Phe	Arg	Gln	Met		Gly	Cys	Phe	Arg	
		65					70					75					205
															ttt		395
05			Lys	Phe	Arg		Gly	Lys	vai	rne		GIU	rro	ren	Phe	95	
25	80					85					. 90		***				443
															acg		773
	Asp	Leu	Pro	Lys			ASP	Пр	AIR	105		GIY	1 9 1	721	Thr 110		
30	- 4 -				100				• • •			901	***	901			491
															gcg Ala		431
•	vaı	Lys	ASI	115		0111	i Uys	Uly	120		, ,,,	, A C		125		••••	
25						can	nta				act	999	888			Lca	539
<b>35</b>																Ser	
•	01)	, Mre	130		,	• • • •		135		,, .		,	140				
	cto	7 980			z aat	cts	z szts			LCI	z cgt	cct	caa	a ggo	: aat	. cag	587
40																Gln	
	-	145					150					155					
	RR			L gg	t ggo	: tt	c at	g gc i	t ags	g gc	c tto	: cas	ta	t gt	c aas	gag	635
45																s Glu	
	160					16		•			170					l75	
	220	c gga	a gge	c ct	g ga	c ic	l ga	K Kili	a te	c ta	L CC	ı ta	gu	a gc	a gt	g gat	683
																l Asp	
50					18	0				18	5				19	0	
	gn	ล ลเ	c tg	เกล	g ta	c ag	a cc	t gay	g na	l lc	ι αι	t gc	t aa	t ga	c ac	t ggc	.731

	Glu	He	Cys	Lys	Tyr	Arg	Pro	Glu	Asn	Ser	Val	Ala	Asn	Asp	Thr	Gly	
				195					200					205			
5	ttc	aca	gtg	gtc	gca	cct	gga	aag	gag	aag	Bcc	ctg	atg	aaa	gca	gıc	779
	Phe	Thr	Val	Val	Ala	Pro	Gly	Lys	Glu	Lys	Ala	l.eu	Met	Lys	Ala	Val	
			210					215					220				
10	gca	act	gtg	ggg	ccc	atc	tcc	gtt	gct	atg	gat	gca	RKC	cat	tcg	tcc .	827
,,,	Ala	Thr	Val	Gly	Pro	Ile	Ser	Val	Ala	Met	Asp	۸la	Gly	His	Ser	Ser	
		225					230				•	235					
	ttc	cag	ttc	tac	888	tca	ggc	att	tat	ttt	gaa	cca	gac	tgc	agc	agc	875
15	Phe	Gln	Phe	Tyr	Lys	Ser	Gly	lle	Tyr	Phe	Glu	Pro	Asp	Cys	Ser	Ser	
•	240					245					250					255	
	aaa	аас	ctg	gat	cat	ggt	gtt	ctg	gtg	gtt	ggc	tac	ggc	ttt	gaa	gga	923
20	Lys	Asn	Leu	Asp	His	Gly	Val	Leu	Val	Val	Gly	Tyr	Gly	Phe	Glu	Gly	
					260					265					270		
	gca	aat	tcg	aat	880	agc	aag	tat	tgg	ctc	gtc	888	aac	agc	tgg	ggı	971
	Ala	Asn	Ser	Asn	Asn	Ser	Lys	Туг	Trp	Leu	Val	l.ys	Asn	Ser	Trp	Gly	
25				275					280					285			
	cca	gaa	tgg	ggc	tcg	aat	ggc	tat	gta	888	ata	gcc	aaa	gac	aag	aac	1019
	Pro	Glu	Trp	Gly	Ser	Asn	Gly	Tyr	Val	Lys	lle	Ala	Lys	Asp	Lys	Asn	
30			290					295	;				300	ı			
	аас	CRC	tgt	gga	atc	gcc	aca	gca	gcc	ago	tac	ccc	8at	gtg			1061
	Asn	His	Cys	Gly	Ile	Ala	Thr	Ala	Λla	Ser	Tyr	Pro	Asn	Val			
		305	5				310	)				315					
35	t ga	gctg	gatg	gatg	gtga	gg a	egga	gga	t ta	agga	acago	alg	teta	RER	aaat	tttatc	1121
	ttg	anac	tga	ccaa	acgo	tt a	ttgl	gta	ıg at	aaac	cagt	. tga	atca	ilgg	agga	tccaag	1181
	ttg	gagat	ıtı	aatt	ctgt	ga	atti	tta	a ag	ggu	naaal	gtt	acca	icta	ctt	aattat	1241
40	igt	tate	acac	agct	ttal	ga 1	tatca	anaga	ac to	att	getta	att	c t aa	ıgac	tti	gantti	1301
	tca	itti	ııa	8888	gate	gta d	aaaa	acag	t t	380a	taaat		aati	cgt	atai	.อลลถถล	1361
•	ลลล	าลลถล	าลล														1370
45	<21	(0> -	4														
	<2	11>	ш														
	<21	(2>	PRT														•
50	<2	13> 1	llomo	sap	iens									•			
															`		
	×40	DO:	-1						•								

	Met Leu Pro Leu Cys Scr Leu Phe Leu Phe Gly Ser Ser Val Gly
5	-14 -10 -5 1
3	Val Lys Gln Tyr Gln Ala Leu Glu Leu Pro Leu Val Val Phe Val Thr
	5 10 15
	Tyr Leu Lys Met Ala Ala Cys Phe Leu Arg Ile Ser Gly Ser Ala Leu
10	20 25 30
	Pro Val Phe Ile Cys Thr Phe Phe Ser His Cys Ala Ser Cys Thr His
	35 40 45 50
15	Thr Pro Leu Pro His His Leu Pro Asn Leu Arg Leu Phe Gln Gln Phe
	55 60 65
	Leu Phe Arg Ala Gly Pro Cys Trp Asp Met Ile Ser Ile Lys Ser Glu
	70 75 80
20	Gly Pro Asn Cys Ser Cys Pro Cys Ser Pro Tyr His Arg Pro Leu
	85 90 95
	(2)(2) =
25	<210> 5 <211> 333
	<212> DNA
•	(213) Homo sapiens
30	2107 House Suprema
30	<400> 5
	atgitaccae tilgitelli alleetilli ggateatett eagigggggt aanacagiat 60
	caagetelag ageleeciel ggiggillit gigacalatt tgaagatgge ageltgelli 120
35	tigagnatit elggeletge telecelgit titatetgia ettititile teatigigee 18
	tetigeacae acaeaeceet teccenceat claeceaatt tgegeetgit eeageagtit 24
	cicticaggg cagggeegig tigggacaly atticiatta agagtgaggg eccaaatige 30
40	teligeecet geageecita teacagaece elg 33
	(210) 6
	<211> 1086
45	(212> DNA
	(213) Homo sapiens
50	<220>
	<221> CDS
•	C222> (151) (483)

	<220	>															
_	<221	> si	g pe	ptid	е												
•	<222	> (1	51).	. (19	2)												
	<220	<b>.</b> >															
10	<221		t na	ntid	۵												
•	(222				_						•						
	(222	·/ (1	73/.	. (40	<b>J</b> )												
15	<400	-															
	ttaa	ttt	aa a	cttt	gaca	c ct	ttac	cctg	cta	8868	ata	cagt	acag	tg a	cctt	сааас	60
	attt	cago	ag c	cttc	gggt	t gt	taca	tatt	tat	tctt	ttt	tgaa	gccc	at c	acta	catcg	120
	ccat	tace	tt t	taca	ctgt	g ta	tgta	acaa	atg	tta	cca	ctt	tgt	tct	tta	ttc	174
20									Met	Leu	Pro	Leu	Cys	Ser	Leu	Phe	
									-14	l			-10	)			
	ctt	ttt	gga	tca	tct	tca	gtg	888	gta	888	cag	tat	caa	gct	cta	gag	222
25	Leu	Phe	Gly	Ser	Ser	Ser	Val	Gly	Val	Lys	Ģln	Tyr	Gln	Ala	Leu	Glu	
		<del>-5</del>					i				5					10	
	ctc	cct	ctg	gtg	gtt	ttι	gtg	aca	tat	ttg	aag	atg	gca	gct	tgc	ttt	270
	Leu	Pro	Leu	Val	Val	Phe	Val	Thr	Tyr	Leu	Lys	Met	Ala	Ala	Cys	Phe	
30	•				15					20					25		
	ttg	aga	alt	ιcι	ggc	ιςι	gcı	ctc	cct	gtt	ttt	atc	ıgı	act	ιιι	ttt	318
	Leu	Arg	lle	Ser	Gly	Ser	Λla	Leu	Pro	Val	Phe	lle	Cys	Thr	Phe	Phe	
35				30					35					40			
	tct	cat	tgt	gcc	tct	tgc	aca	cac	aca	ccc	ctt	ccc	cac	cat	cta	CCC	366
	Ser	His	Cys	Ala	Ser	Cys	Thr	llis	Thr	Pro	Leu	Pro	llis	llis	Leu	Pro	
			45					50					55	,			
40	aat	ttg	cgc	ctg	tic	cag	cag	ttt	ctc	LLC	agg	gca	ggg	ccg	igt	tgg	414
	Asn	Leu	Λrg	Leu	Phe	Gln	Gln	Phe	l.eu	Phe	Arg	Ala	Gly	Рго	Cys	Trp	
		60					65					70					
45	gac	atg	att	tcl	att	aag	agt	gak	ggc	cca	aat	tgc	tct	Lgc	ccc	tgc	462
	Asp	Met	He	Ser	He	Lys	Ser	Glu	Gly	Pro	Asn	Cys	Ser	Cys	Pro	Cys	
	.75	i				80	ı				85					90	•
50	ago	cct	tat	cac	: शक्र	CCC	ctg	tag	teat	tat	t gga	acat	gc t	ggtc	Ltgg	g	513
50	Ser	Pro	Tyr	· His	: Arg	Pro	l.eu	ı									
					95			•									

.34

	cctgctttic i	cagtcactg	gagttct	cca gt	ιtgtaaga	cggctcct	cg cctcccc	tct
	gcticitect g	tacaaaggo	cgtcacc	ctg ca	agccttgt	tgctctca	ac atgggtt	gtc
5	tctacttgtt c	ctatttag	agttact	gca ga	atgccttg	ccatctag	ct tggttgt	agc
	tggtaaccat a	ggtttttgt	tttttg	cta tc	cttattgc	actatgtt	tt atggaac	aat
	tggagaagat t	aaaaattca	ccctgc	cac tg	ggcgtggt	ggctcacg	cc tgtaatc	cca
10	gctctttggg 8	ggccgaggc	aggcaga	itca cg	aggtcagg	agategag	ac categig	gc t
	aatacagiga a	accccgtc	t ctactaa	aaa te	садавава	attagecg	gg catggig	gtg
	ggcgcctgta g	tcccagcta	t cttgggg	agge te	aggcagga	gaatggca	itg aattegg	gag
45	gcggagcttg c	agtgagcc	a agatca	egec ac	tgtactcc	agcctggg	ca acagage	gag
15	actccgtctc 8	18888888	a aaaaaa a	388 886	18			
	<210> 7							
20 .	<211> 111							
	(212) PRT							
	(213> Homo	sapiens						
25	(400) 7							
	<pre>&lt;400&gt; 7 Met Val Ala</pre>	The Sor	The Ala	Val 11.	a Sar Gly	Val Mot	Ser Leu la	Pfl
	-26 -25	inr ser	-20	Val 11	e Jei Gij	-15	Det Len L	
20	Gly Leu Ala	lan Ala		The GI	v Glv Glv	_	Leu Leu S	er
30	-10	Leo Ain	-5	72	, 0., 0.,	1	5	
	Thr Ala Gly	Gin Giv		Thr Al	a Ala Gly	Val Thr	Ser Ile Va	al
		10			5	•	20	
35	Ser Gly Thr	Leu Glu	Arg Ser	Lys As	n Lys Glu	Ala Gln	Ala Arg A	la
	25			30		35		
•	Glu Asp Ile	Leu Pro	Thr Tyr	Asp Gl	n Glu Ası	Arg Glu	Asp Glu G	lu
40	40		45			50		
	Glu Lys Ala	Asp Tyr	Val Thr	Ala Al	a Gly 1.y	s Ile Ile	Tyr Asn L	.eu
	55		60		- 6	5		70
A.E.	Arg Asn The	- l.eu l.ys	Tyr Ala	Lys i.	rs Asn Va	l Arg Ala	Phe Trp	
45		75			80		85	
	(210) 8							
50	(211) 333							
	<212> DNA							
	<213> Homo	Sabiens						

	<400> 8 ·	
	atggtggcca cototactgc tgtcatctot ggagtgatga gcotoctggg tttagccott	60
5	gccccagcaa caggaggagg angcctgctg ctctccaccg ctggtcaagg tttggcaaca	120
	gcagctgggg tcaccagcat cgtgagtggt acgttggaac gctccaaaaa taaagaagcc	180
	caagcacggg cggaagacat actgcccacc tacgaccaag aggacaggga ggatgaggaa	240
10	gagaaggcag actatgtcac agctgctgga aagattatct ataatcttag aaacaccttg	300
	aagtatgcca agaaaaacgt ccgtgcattt tgg	333
15	(210> 9	
15	(211> 2604	
	(212> DNA	
	(213) Homo sapiens	
20	•	
	<220>	
	<221> CDS	
25	<222> (173) (505)	
	<220>	
	<pre>&lt;221&gt; sig peptide</pre>	
30	<222> (173) (250)	
	(2007). (2007)	
•	<220>	
25	<221> mat peptide	
35	(222) (251) (505)	
	<400> 9	
40	egetecteig igigaagaeg iggagetaca agaeggagai eigteeeeeg aagaaaaaai	60
	attitigaga gastitocca gattgaaaga agatotgasa gggascattg acaagotocg	
	tgccclcgca gacgatattg исинвисски снадалаttc ассалддств ас atg	175
45	Net .	
	-26	43430
	gig gee ace let act get gie ate tet gga gig atg age ete eig ggi	223
50	Val Ala The Ser The Ala Val He See Gly Val Met See Leu Leu Gly	
	-25 -20 -15 -10	.,71
	tta gee ett gee een gea nen ggn ggn gge oge etg ete tee ace	271

	Leu	Ala	Leu	Ala	Pro	Ala	Thr	Gly	Gly	Gly	Ser <sup>.</sup>	Leu	Leu	Leu	Ser	Thr	
_					-5					1				5			
5	-										gtc					-0-	319
	Ala	Gly	Gln	Gly	Leu	Ala	Thr	Ala	Ala	Gly	Val	Thr	Ser	Ile	Val	Ser	
			10					15					20				
10											gcc						367
	Gly	Thr	Leu	Glu	Arg	Ser	Lys	Asn	Lys	Glu	Ala	Gln	Ala	Arg	Ala	Glu	
		25				٠	30				•	35					
	-										agg						415
15	Asp	Ile	Leu	Pro	Thr	Tyr	Asp	Gln	Glu	Asp	Arg	Glu	Asp	Glu	Glu	Glu	
	40					45					50					55	
	_										att						463
20	Lys	Ala	Asp	Tyr	Val	Thr	Ala	Ala	Gly	Lys	Ile	lle	Tyr	Asn	Leu	Arg	
					60					65	i				70		
	aac	acc	ttg	gas ;	tat	gcc	888	888	aac	gto	cgt	gca	ttt	tgg			505
	Asn	Thr	Leu	Lys	Туг	Ala	Lys	Lys	Asn	Val	Arg	Ala	Phe	Trp	)		
25				75	i				80	)				85	i		
	taa	ictca	gag	ccaa	ccca	cg c	tegg	ccas	t go	taco	aagc	gto	ttct	gac	cact	ggccaa	565
	gto	ccct	ccc	ggag	ccgc	gtg	cage	gtgce	<b>18</b> 82	ggc	ettig	cgg	gaac	aac	actg	gcgatg	625
30	acc	:8832	atg	ctc	cgtg	jct g	ggga	ggtgt	gat	gtc	gcct	tct	cccı	tgg	ctat	gacttg	685
30	gco	acto	tct	caaa	1gg88	atg g	gaage	cacci	g az	aggaa	aggag	caa	ıggad	:aaa	gtit	gcggaa	745
	ga	ittga	agag	ccaa	ggco	tt (	gage	tgga	ng a	ggaaa	ac Lca	cas	gaac	cac	ccag	ctclac	805
	aaı	gagc	ttgc	agca	gasa	agt (	gagg	tcaag	gg gy	cage	aggge	t g	gga	agya	ttte	actggg	865
35	ac	ctgc	gaaa	ccg	aggc	tia (	ctgg	aagga	ag t	laag	ggago	au	glgl	ggal	gtgg	gctgtgg	925
	ct	gtgt	gtgt	gtc	tgtg	tgt (	cigi	gtgta	at g	taca	gttt	a ca	tgaa	igtt	cct	caggaca	985
																agggtgc	
	ct	gtcc	tgga	cag	acct	cgg	catg	cctt	ct g	ttic	tcct	t ca	atgc	<b>cct</b>	taa	ggcctat	1105
40																tttgaga	
	cg	gggt	ctct	gtt	gcac	tcc	agtc	tggg	tg t	caga	alga	g ac	ccca	tete	aaa	ввавала	1225
	88	8888	нава	ава	agaa	gaa	gaat	acag	tc a	tgta	tctc	t tg	gtga	cagg	gac	gcattct	1285
45	ga	Laaa	lgtg	tca	ttag	gca	attg	catt	gt a	gigt	gatt	a tc	acag	attg	tac	ttataca	1345
	88	actt	agat	ggc	atag	cct	actg	cata	.cc t	aggo	tata	l gg	gaga	gcct	alt	gctccca	1405
																caatggg	
																tggcata	
50	8.8	nga t	aaga	att	ggct	ctc	ctgi	acag	gg	act	tacta	c ga	atgg	age (	tgc	aggge tg	1585
			an : 4					rauld	r <b>o</b> 1 c	za se t c	73131 F W	rt ga	UKEC	ctas	g ggc	attactg	1645

tatactactg taggetttat aaacacagca cacttagggt acacaaaatg catattaaaa 1705 cattitictic citicagiata tiaggicaata ggaattitic aagiccacta tasaictiat 1765 caaaccatgg tigtatatgc agtigaccga aacatigita tiggacacat aactatagti 1825 5 gaaagaataa gcaaaaagto tatctaggtg tgctgtcttg agcaactttt aattattctc 1885 cogtoctgca atatgagtta atottototg atogatgtag attocaggaa ggggtgtoca 1945 ggacaattac cticcticig gagaaactic ccttaatcaa alaagagaac ticaaagaaa 2005 10 atcoctocol gigottigga agggaaggga ggigggcago agigggicag agatagacol 2065 tigitatett attictgagg coetteagte teettiatte aaageactea geatgeesaa 2125 genecetatt tragggrate tittletgag cectanacae igigitgggg atgleaneig 2185 tgacaggaaa atatettggg geeccagaat cactaaggaa aacteaaget tagggaaact 2245 15 tettagggea sacceacete ceactetatt casagttate tetetgetea etgagataga 2305 tacatatotg attgcctcct ttggaaaggc taatcagaaa ctcaaaagaa tgcaactgtt 2365 igigicicae ciaicigiga ceiggaagei cectececae igaaccaaig ticticiiae 2425 20 atatattgat taatgtotta tgtotoocta aaatgtataa aaccaaggta tgccccaacc 2485 ateriggica catgicatea ggacticetg agictgigte acagigigte eteaacetig 2545 gcasastasa ctttctasat taacassasa залазазава азаявавая заявававаа 2604 25 <210> 10 (211) 542 <212> PRT 30 <213> Homo sapiens <400> 10 Met Pro Arg Arg Gly Leu Ile Leu Ilis Thr Arg Thr Ilis Trp Leu Leu -25 -30 Leu Gly Leu Ala Leu Leu Cys Ser Leu Val Leu Phc Met Tyr Leu Leu -10 -5 -15 40 Glu Cys Ala Pro Gin Thr Asp Gly Asn Ala Ser Leu Pro Gly Val Val - 5 Gly Glu Asn Tyr Gly Lys Glu Tyr Tyr Gln Ala Leu Leu Gln Glu Gln 20 25 45 15 Glu Glu His Tyr Gln Thr Arg Ala Thr Ser Leu Lys Arg Gln Ile Ala Gin Leu Lys Gin Glu Leu Gin Glu Net Ser Glu Lys Met Arg Ser Leu 50 Gin Glu Arg Arg Asn Val Gly Ala Asn Gly He Gly Tyr Gin Ser Asn

55

			65					70					75			
	Lys	Glu	Gln	Ala	Pro	Ser	Asp	Leu	Leu	Glu	Phe	Leu	His	Ser	Gln	lle
5		80					85					90				
	Asp	Lys	Ala	Glu	Val	Ser	lle	Gly	Ala	Lys	Leu	Pro	Ser	Glu	Tyr	Gly
	95	-				100					105					110
	Val	Ile	Pro	Phe	Glu	Ser	Phe	Thr	Leu	Met	Lys	Val	Phe	Gln	Leu	Glu
10					115					120					125	
	Met	Gly	Leu	Thr	Arg	His	Pro	Glu	Glu	Lys	Pro	Val	Arg	Lys	Asp	Lys
		•		130					135					140		
15	Arg	Asp	Glu	Leu	Val	Glu	Val	He	Glu	Ala	Gly	Leu	Glu	Val	Tle	Asn
			145					150					155			
	Asn	Pro		Glu	Asp	Asp	Glu	Gln	Glu	Asp	Glu	Glu	Gly	Pro	Leu	Gly
		160					165					170				
20	Glu	Lys	Leu	Ile	Phe	Asn	Glu	Asn	Asp	Phe	Val	Glu	Gly	Тут	Tyr	Arg
	175					180					185					190
	Thr	Glu	Arg	Asp	Lys	Gly	Thr	Gln	Tyr	Glu	Leu	Phe	Phe	Lys	Lys	Ala
25					195					200					205	
	Asp	Lei	Thi	Glu	Tyr	Arg	His	Val	Thr	Leu	Phe	Arg	Pro	Phe	Gly	Pro
				210	•				215					220		
	Leu	. Net	t Lys	. Val	Lys	Ser	Glu	Net	Ile	Asp	Ile	Thr	Arg	Ser	Ile	He
30			223	5				230	)-				235			
	Asr	11e	e Ile	Yal	Рго	Leu	Ala	Glu	Arg	Thr	Glu	Ala	Phe	Vai	Gln	Phe
		24	0				245	5				250	)			
35	Me	t Gl	n Ası	n Phe	Arg	Asp	Val	Cys	H	His	Glr	ı Ası	Lys	l.ys	ile	llis
	25	5				260	)				265	;				270
	Lei	u Th	r Va	l Val	Tyr	• Phe	Gly	r Lys	s Glu	Gly	Leu	Se:	r Lys	: Vai	Lys	Ser
					275	;				280	)				283	5
40	11	e Le	u Gl	u Sei	r Val	Thi	. Sei	r Glu	. Se	r Ası	n Phe	e Hi	s Ası	Ty	Thi	- Leu
				290	)				29	5				300	)	
	٧a	l Se	r Le	u Ası	n Gli	GI1	u Phe	e Asi	n Arı	g Gl	y Ar	3 G1	y Lei	ı Ası	า Vถ	Gly
45		•	30	ว <del>ี</del>				31	0				315	5		
	Al	a Ar	g Al	a Tr	p Ası	p Ly	s Gl	y Gl	u Va	l l.e	u ¥e	t Ph	e Ph	e Cy	s As	p Val
		32	20		•		32	5				33	0			
	٨s	p I l	e Ty	r Ph	e Sé	r Al	a Gl	u Ph	e i.e	u As	n Se	ı- Cy	s Ar	g I.e	u As	n Ala
50	33					34					34					350
	GI	u Pr	ro Gl	y I.y	s Ly	s Va	l Ph	e Ty	r Pr	o Va	l Va	l Ph	e Se	r Le	u Ty	r Asn

,					355					360					365		
	Pro A	la I	le	Val	Туг	Ala	Asn	Gln	Glu	Yal	Pro	Pro	Pro	Val	Glu	Gln	
5				370					375					380			
	Gln L	.eu \	/al	His	Lys	Lys	Asp	Ser	Gly	Phe	Trp	Arg	Asp	Phe	Gly	Phe	
		3	385					390					395				
10	Gly #	let 1	Thr	Cys	Gln	Tyr	Arg	Ser	Asp	Phe	Leu	Thr	Ile	Gly	Gly	Phe	
	4	100					405					410					
	Asp N	let (	Glu	Val	Arg	Gly	Тгр	Gly	Gly	Glu	Àsp	Val	His.	Leu	Tyr	Arg	
	415					420					425					430	
15	Lys 1	Tyr 1	Leu	His	Gly	Asp	Leu	lle	Val	lle	Arg	Thr	Pro	Val	Pro	Gly	
					435					440					445		
	Pro l	Phe	His	Leu	Trp	His	Glu	Lys	Arg	Cys	۸la	Asp	Glu	Leu	Thr	Pro	
20				450					455					460			
	Glu (	Gln	Tyr	Arg	Met	Cys	Ile	Gln	Ser	Lys	Ala	Het	Asn	Glu	Ala	Ser	
			465					470					475				
	His :	Ser	His	Leu	Gly	Met	Leu	Va]	Phe	Arg	Glu	Glu	Ile	G) u	Thr	His	
25	•	480					485					490					
	Leu	His	Lys	Gin	Ala	Tyr	Arg	Thr	Asn	Ser	Glu	Ala	Val	Gly			
	495					5 <b>0</b> 0	1				505						
30																	
	<210	> 11	l						•								
	<211	> 16	526														
	<212	!> D:	Ä														
35	<213	3> Ho	0000	sapi	ens												
		•															
	<400																
40																cttgct	60
								-								tgatgga	120
																agecete	180
																nattgcc	240
45																aagaagg	300
																tgatett	360
		-														actaccc	420 480
50	-															Allggan	540
	_															Lganttg	600
	gtg	Estif	t ta	ttg	iuugc	eke	CLLE	Kiigg	te a	ttaa	Junt	c ci	gatg	aaga	CRS	tgaacua	COU

	Ragarackara c	ARRECCCC C	- 680800000	0.0000000	0		
	ggttattatc g	gcac tgagag	ag taagggc	acacagtatg	aactctttit	taagaaagca	720
5	gaccttacgg 8	aatatagaca	tgtgaccctc	ttccgccctt	ttggacctct	catgaaagtg	780
	aagagtgaga 1	tgattgacat	cactagatca	attattaata	tcatigtgcc	actigcigaa	840
	agaactgaag (	cattigtaca	atttatgcag	aacttcaggg	atgttigtat	tcatcaagac	900
10	aagaagattc a	atctcacagt	ggtgtattit	ggtaaagaag	gactgiciaa	ggtcaagtct	960
	atcctagaat	ctgtcaccag	tgagtctaat	tttcacaett	acaccitggi	ctcattgaat	1020
	gaagaattta	atcgtggacg	aggactaaat	gtgggtgccc	gagcttggga	caagggagag	1080
15	gtcttgatgt	ttttctgtga	tgttgatatc	tatttctcag	ccgaattcct	taacagctgc	1140
	cggttasatg						
	cctgccattg	tttatgccaa	ccaggaagtg	ccaccacctg	tggagcagca	gciggiicac	1260
	assasgatt	ctggcttttg	gcgagatttt	ggctttggaa	tgacttgtca	gtatcgttca	1320
20						agaagatgtt	
						ggttcctggt	
						gcagtaccgc	
25	-					aatgctggtc	
	ttcagggagg	asatagagac	gcatcttcat	aaacaggcat	acaggacaaa	cagigaagci	
•	gttggt		•				1626
20							
30	<210> 12					•	
	<211> 3451						
	<212> DNA						
35	<213> Homo	sapiens	•				
	<220>						
40	<221> CDS						
	<222> (41).	(1666)					
	40.00						
1.2	⟨220⟩						
45	<221> sig		•				
	<222> (41)	(1·12)					
	40.000						
50	<220>						
	<221> mat	•				·	
	<222> (143	),, (1666)					

	<4002	> 12															
	aggc	cţag	cg a	tttt	gtta	g gc	aaat	acac	att	aata	aga i	atg (	cct	aga	aga	gga	55
5											1	Ket !	Pro	Arg	Arg	Gly	
											•	-34				-30	
	ctg	att	ctt	cac	acc	cgg	acc	cac	tgg	ttg	ctg	ttg	ggc	ctt	gct	ttg	103
10	Leu	Ile	Leu	His	Thr	Arg	Thr	His	Trp	Leu	Leu	Leu	Gly	Leu	Ala	Leu	
10					-25					-20					-15		
	ctc	tgc	agt	ttg	gta	tta	ttt	atg	tac	ctc	ctg	gaa	tgt	gcc	ccc	cag	151
	Leu	Cys	Ser	Leu	Val	Leu	Phe	Met	Tyr	Leu	Leu	Glu	Cys	Ala	Рго	Gln	
15				-10					-5					1			
	act	gat	gga	aat	gca	tct	ctt	cct	ggt	gtt	gtt	ggg	gaa	aat	tat	ggt	199
	Thr	Asp	Gly	۸sn	Ala	Ser	Leu	Pro	Gly	Val	Val	Gly	Glu	Asn	Tyr	Gly	
<b></b>		5					10					15					
20	888	gag	tat	tat	caa	gcc	ctc	cta	cag	gaa	caa	gaa	gaa	cat	tat	cag	247
	Lys	Glu	Tyr	Tyr	Gln	Ala	Leu	Leu	Gln	Glu	Gln	Glu	Glυ	His	Tyr	Gln	
	20					25					30					35	
25	acc	agg	gca	acc	agı	ctg	888	cgc	caa	att	gcc	caa	cta	aaa	caa	gaa	295
	Thr	Arg	Ala	Thr	Ser	Leu	Lys	Arg	Gln	Ile	Ala	Gln	Leu	Lys	Gln	Glu	
					40					45					50	ŀ	
20	tta	caa	gaa	atg	agt	gng	aag	atg	cgg	tca	ctg	caa	gaa	aga	agg	aat	343
30	Leu	Gln	Glu	Het	Ser	Glu	l.ys	Met	Arg	Ser	Leu	Gln	Glu	Arg	Arg	Asn	
				55					60					65	i		
	gta	888	gcl	aat	ggc	ata	ggc	tat	cag	agc	aac	aaa	gag	caa	gca	cct	391
35	Val	Gly	Λla	Asn	Gly	He	Gly	Tyr	Gln	Ser	· Asn	Lys	Glu	Glr	n Ala	Pro	
			70	)				75	,				80	)			
	agt	gat	cti	ιta	gag	tu	clt	cat	. LCC	caa	att	gac	aaa	gc	ga:	gtt	439
40	Ser	Asp	l.eu	Leu	Glu	Phe	l.eu	His	Ser	Glr	lle	Asp	Lys	Ala	Gli	ı Val	
40		85	5				90	)				95	i				
																t gan	
	Set	- 11	e Gly	, Ala	Lys	s Lei	Pro	s Sei	r Glu	туз	r Gly	' Val	H	e Pro	o Ph	e Glu	1
45	100	)				10:	5				110	)			•	115	<b>,</b>
	_															t cgo	
	Sei	r Ph	e Thi	r I.eu	; Яе	t Ly:	s Va	l Ph	e Gli	n I.e	u Gli	ı Mei	t Gl	y Le	u Th	r Are	3
50					120					12					1:3		
<b>∞</b>																g gt	
	Hi:	s Pr	o Gl	u Gh	ı l.y	s Pr	o Va	LAr	g Ly	s As	p l.y	s Ar	y As	p Gl	u I.c	u Ya	l

				135					140					145			
	gaa	gtt	att	gaa	gcg	ggc	ttg	gag	gtc	att	aat	aat	cct	gat	gaa	gat	631
5	Glu	Val	lle	Glu .	Ala	Gly	Leu	Glu	Val	lle	Asn	Asn	Pro	Asp	Çlu	Asp	
			150					155					160				
	gat	gaa	саа	gaa	gat	gag	gag	ggt	ccc	ctt	gga	gag	aaa	cig	ata	tti	679
10	Asp	Glu	Gln	Glu	Asp	Glu	Glu	Gly	Pro	Leu	Gly	Glu	Lys	Leu	He	Phe	
		165					170					175					
	aat	gaa	aat	gac	ttc	gta	gaa	ggt	tat	tat	cgc	act	gag	aga	gat	aag	727
	Asn	Glu	Asn	Asp	Phe	Val	Glu	Gly	Tyr	Tyr	Arg	Thr	Glu	Arg	Asp	Lys	
15	180					185					190					195	
	ggc	aca	cag	tat	gaa	ctc	ttt	ttt	aag	888	gca	gac	ctt	acg	gaa	tat	775
	Gly	Thr	Gln	Tyr	Glu	Leu	Phe	Phe	Lys	Lys	Ala	Asp	Leu	Thr	Glu	Tyr	
20					200					205					210		
	aga	cat	gtg	acc	ctc	ttc	cgc	cct	ııı	gga	cct	ctc	atg	888	gtg	aag	823
	Arg	His	Val	Thr	Leu	Phe	Arg	Pro	Phe	Gly	Pro	Leu	Met	Lys	Val	Lys	
				215					220					225			
25											•				gtg		871
	Ser	Glu	Ket	Ile	Asp	Ile	Thr	Arg	Ser	lle	lle	Asn	lle	He	Va]	Pro	
			230					235					240				0.
30															llc		919
	Leu	Ala	Glu	Arg	Thr	Glu	Ala	Phe	Val	Gln	Phe			Asn	Phe	Arg	
		245					250					255					
															gtg		967
35	Asp	Val	Cys	Ile	llis			l.ys	Lys	He			Thr	Val	Val		
-	260					265					270					275	
															ict		1015
40	Phe	Gly	lys	Glu			Ser	Lys	Va!			116	Leu	Glu	Ser		
					280					285					290		1062
																gan	1063
	Thr	Ser	Glu			Phe	His	ASn			. FGA	VAI	Set			Glu	
45				295					300					305			
																gac	HIII
	Gli	ı Phe			Gly	Arg	Gly			ı vai	Gly	Ale			ıırı	) Asp	
50			310					315					320				1150
																c tca	1159
	l.y:	s Gl;	r Gli	ı Val	l.et	ı Vet	l l'ho	2 l'ha	e Cys	s Ast	ya l	ASI	) (I	: 1 yı	T The	: Ser	

			325					3:30					335					
		gcc	gaa	ttc	ctt	aac	agc	tgc	cgg	t ta	aat	gct	gag	cca	ggt	aag	aag	1207
5		Ala	Glu	Phe	Leu	Asn	Ser	Cys	Arg	l.eu	Asn	Ala	Glu	Pro	Gly	Lys	Lys	
		340			·		345					350					355	
		gtg	ttt	tac	cct	gtg	gtg	tlc	agt	ctt	tac	aat	cct	gcc	att	gtt	tat	1255
10	•	Yal	Phe	Tyr	Pro	Val	Val	Phe	Ser	Leu	Tyr	Asn	Pro	Ala	Ile	Val	Tyr	
						360					365					370		
		gcc	авс	cag	gaa	gīg	cca	cca	cct	gtg	gag	cag	cag	ctg	gtt	cac	888	1303
		Ala	Asn	Gln	Glu	Val	Pro	Pro	Pro	Val	Glu	Gln	Gln	Leu	Val	His	Lys	
15					375					380					385			
		aag	gat	tct	ggc	ttt	tgg	cg8	gat	ttt	ggc	ttt	gga	atg	act	tgt	cag	1351
		Lys	Asp	Ser	Gly	Phe	Trp	Arg	Asp	Phe	Gly	Phe	Gly	Met	Thr	Cys	Gln	
20				390					395					400				
							ctg											1399
		Tyr	Arg	Ser	Asp	Phe	Leu	Thr	ile	Gly	Gly	Phe	Asp	Met	Glu	Val	Arg	
			405					410					415					_
25							gat											1447
		Gly	Trp	Gly	Gly	Glu	Asp	Val	His	Leu	Tyr	Arg	Lys	Туг	Leu	His	Gly	
		420					425					430					435	
30																	tgg	1495
		Asp	Leu	Ile	Val	Ile	Arg	Thr	Pro	Val	_		Pro	Phe	His		Тгр	
•						440					445					450		0
																	atg	1543
35		His	Glu	Lys	. Arg	Cys	Λla	Asp	. Glu			Pro	Glu	GIn			Met	
					455					460					465			
	•																gga	1591
40		Cys	He			· l.ys	Λla	Met			Ala	a Ser	- 1115			i.eu	Gly	
				470					-175					480				1639
																	gca	1033
46		.Ve t			Pho	e Arg	g Gli			: GR	ו ונ	r III:		_	s 1.y:	5 611	n Ala	
45			483					-190					495					1686
							t gas					BAHL	Cala	atti	act c K	gı		1000
		-		g in	r ASI	1 26	r Glu		a val		ý							
50		500	•				503		*121	11 6	1610	oces.	1 20	1101:	actt	CCS	gatgeny	17-16
																	tagenat	
		Ege	CCLC	iiii	Egg.	<b>Fill</b>	aca.	CKEE						LECTO			e crB merci (	

-44

tcaacttgat gtgagaagaa aaaacaaatg titcaacaca aaatcicigi titgtgagaa 1866 tactgcacta tggaateatt gacaaattga aatctcatat ttgtcccaaa agttgttttg 1926 agitagitet acciggigee catgitetga tigigigigg gatigeatgg igicelgati 1986 5 gentetaggt ggageggatg gantgtgetg ggeenetgtt gggtggagag engenente 2046 ttacagagga gatggagcgt tatgagcata gtatgtggat aggtatette acctgecege 2106 ccctgagtca gcctccttga cttgatagct tgaagaatcc ttttccactg asatagagga 2166 10 taattaattg acacatciga aatccccaat caatcaatca agagaaaggt agaactaaaa 2226 actectiane tracigitge tracacecet ganagicigi tittangena arggginara 2286 gtagaaaata ggttagaatc tatggcttga ttaaaaatat gitattacat tatcaigtic 2346 aggattagga ttagtagtca gttgctgtaa actattttga acaaacagaa aagaacacgg 2406 15 aaacattttt aacagagcat ttaattatgt tggaatacag gatcctagct ctgtctggga 2466 acattagett atgigageca getetateag ggiettecea iggiggitea gaatagaiga 2526 gcatagcatg gttttgtttg tttttgcttt caattttcta atttggcatg gatccatatg 2586 20 tatttactat cettiticta atatattaat atatgetaca titgtattig cattactata 2646 atacttigag tigaannaga gittcatigi ggagagaana agcanatggi atgccacaag 2706 atcactctga titgagaaaa gggaggaggg gaagatagtc tgaatggaaa tctgaaatac 2766 ggaatgitti agagaaatat gicactigca tatagaatgi titaatigag giataaatta 2826 25 atgagacana gigaannaga nattatatic againggact gcaciacatt attigicaca 2886 catggatetg ttaccateag gtematteet agratgemta mattittam ceettitama 2946 agagacctat gttgaaaacc cctgaaaatt cactgaagaa aaatcattac tctttttctc 3006 30 agtamatcat atcatcigam atattacama titcamatti ciaggigcim tattantica 3066 atattacant anctotiaco tanttatici taconagitit angitgiggi agittagiga 3126 tttttttaaa agaigigiga aatgitetei geaaaataat teaggeeact gieleetiit 3186 atatattatt ataattatti attatgaaga ccaglgaatt acgalatta naglgagaga 3246 35 acttaattat tigcaaaggi aagttacage tigittilig agagaatcaa atgagiitac 3306 ttttgtteet gttgtttta actagettta agtttaaaga tggaagetaa geaxiggaaa 3366 tgctatacgi tititgacati tattaaatgg taccaataaa gtattiinti ассаанявыя 3426 40 3451 ARBER BESERBERE RESERVEDED (210) 13

(211) 119

<212> PRT

(213) llomo sapiens

<400> 13

Met Arg Lys Gly Asn Leu Leu Ser Trp Leu Leu Gly Pro Glu Leu

55

45

	-17 -15 -10 -5
	Pro Glu Leu Ser Pro Arg Ala Arg Lys Ala Asp Leu Lys Asp Glu Asn
5	1 5 10 15
	Leu Lys Phe Ser Cys Trp Trp Glu Pro Arg Lys Thr Ala Gly Val Leu
	20 25 30
10	Thr Trp Pro Phe Leu Ala Glu Leu Ala Glu Val Gly Val Leu Ala Asp
	35 40 45
	Gly Met Tyr Leu Gly Ala Val Ser Val Ala Gln Gln Arg Cys Arg Ala
	50 55 60
15	Asp Trp Leu Ser His Trp Val Leu Pro Ala Gly Ser Pro Leu His Trp
	65 70 75
	Ala Phe Thr Gln Pro Cys Ser Trp Val Ser Leu Pro Cys Lys Gln Ser
20	80 85 90 95
	His Asn Asn Thr Arg Ile Val
	100
25	•
25	(210) 14
	<211> 357
	<212> 0\forall A
30	<213> Homo sapiens
•	(400) 14 algaggnang ggnaccitct getgagetgg ettetgggge etgagettee agagetgiee 60
35	ccaugggeta ggaagecga ccigaaggat gagaacctca aalicagitg ciggtggag 120
	ccangganga cggcgggigt tclaacgigg ccctticing cleanging ggaagiggge 180
	guiltggccg algggatgta leieggeget gugueggg eccageaaag gugeaggget 240
	gactggctga gccactgggt tctacccgca ggctccccac tgcactgggc titcacacag 300
40	contgetett gggttteeet eeeltglaag cagagicala alaacacaeg aalagte 357
•	<210> 15
45	(211> 814
	<212> D\A
	(213) Homo sapiens
50	
3	⟨220⟩
	C221> CDS

(222) (62)..(418)

5	<200>	
	<pre>&lt;221&gt; sig peptide</pre>	
	(222) (62)(112)	
40	(222) (33) (33)	
10	⟨200⟩	
	:	
	<pre>&lt;221&gt; mat peptide</pre>	
15	(222) (113) (418)	
	<400> 15	
	caasastata agcatcaget gaggtgatat tagtteagte sectascase tectagaaga	60
20	g atg agg asa ggg asc ctt ctg ctg agc tgg ctt ctg ggg cct gag	06
	Met Arg Lys Gly Asn Leu Leu Ser Trp Leu Leu Gly Pro Glu	
	-17 -15 -10 -5	
	ctt cca gag ctg tcc cca agg gct agg aag gcc gac ctg aag gat gag	154
25	Leu Pro Glu Leu Ser Pro Arg Ala Arg Lys Ala Asp Leu Lys Asp Glu	
	1 5 10	
	aac ctc aaa ttc agt tgc tgg tgg gag cca agg aag acg gcg ggt gtt	202
30	Asn Leu Lys Phe Ser Cys Trp Trp Glu Pro Arg Lys Thr Ala Gly Val	
	15 20 25 30	
	cta acg tgg ccc ttt cig gct gag ctg gcg gaa gtg ggc gtt tig gcc	250
	Leu Thr Trp Pro Phe Leu Ala Glu Leu Ala Glu Val Gly Val Leu Ala	
35	35 40 45	
		298
	Asp Gly Met Tyr Leu Gly Ala Val Ser Val Ala Gln Gln Arg Cys Arg	
40	50 55 60	
40		346
	Ala Asp Trp Leu Ser His Trp Val Leu Pro Ala Gly Ser Pro Leu His	
	65 70 75	
45	tgg gct tic aca cag cca tgc tct tgg gtt tcc ctc cct tgt aag cag	39-
	Trp Ala Phe Thr Gln Pro Cys Ser Trp Yal Ser Leu Pro Cys Lys Gln	
		1 18
50	agt cat aat aac aca cga ata gic taacgetggg tattetggte ageagaggic	
	Ser His Asn Asn Thr Arg He Val	
	95 100	

	cttgagtc	ac ag	tgtta	ctg aa	atggt	tcl	gagc	ctga	ga a	tctc	ttte	g c	ctct	gaaag	508
	ggcagggc	ag gt	gggca	ccg ac	ttcct	gcc	agto	cttt	ca g	gttt	ccte	gt to	casa	gccag	568
5	tcctgttg	gt gg	agggg	atc ac	cgaga	gtg	tctg	tato	at t	ttgt	agco	c t	tttc	tctga	628
	cgtittct	gg ta	gaaaa	itgt co	ctigt	caa	aatg	ctas	ita a	ttat	cata	aa t	aatc	tgcii	688
	tccaacca	ac tt	ccaca	lagt ga	caaco	tgt	gtag	gaact	gtg	ataa	aggi	tt t	gcat	aalgt	748
	agggittg	ta co	aagtg	gtgt gt	aagti	tct	gtta	aata	ıaa a	agto	tgt	tt c	caaa	aaaaa	808
10	888888														814
								•						•	
	(210) 16	;													
15	<211> 71	14													
	<212> Pf	RT													
	(213) He	omo sa	apien	s										٠	
20	(400> 1	6													
-	Met Lys	His	Phe C	ys Asn	Leu	Leu (	Cys	lle	Leu i	Met	Phe	Cys	Asn	Gln	
	-16 -15				-10					-5					
25	Gln Ser	Val	Cys A	sp Pro	Pro	Ser	Gln	Asn	Asn	Ala	Ala	Asn	Ile	Ser	
	1			5				10					15		
	Met Val	Gln	Ala A	la Ser	Ala	Gly	Pro	Pro	Ser	Leu	Arg	Lys	Asp	Ser	
20			20				25					30			
30	Thr Pro	Val	Ile A	Ala Asn	Val	Val	Ser	Leu	Ala	Ser	۸la	Pro	Ala	Ala	
		35				40					45				
	Gin Pro	Thr	Val A	Asn Ser	Asn	Ser	Val	Leu	Gln	Gly	Ala	Yal	Pro	Thi	
35	. 50				55					60					
	Val Thi	r Ala	Lys 1	lle Ile	Gly	Asp	۸la	Ser	Thr	Gln	Thr	Asp	۸la	Leu	
	65			70					75					80	
40	Lys Le	ı Pro	Pro S	Ser Gli	ı Pro	Pro	Arg	Leu	i.eu	l.ys	Asn	Lys			
				85				90					95		
	Leu Cy:	s Lys	Pro	lle Th	r Gln	Thr	Lys	۸la	Thr	Ser	Cys			His	
			100				105				_	110			
45	Thr Gi	n Asn	Lys	Glu Cy	s Gln			Asp	Thr	ľro			Pro	GIn	
		115				120					125				
	He H	e Val	Val	Pro Va			Pro	Val	Phe			lle	e Pro	i.eu	
50	13				135					1-10		•-			
-	His le	u Tyr	Thr			Pro	Val	Pro			tte	Pro	) Ya		
	1-15			15	0				155	1				160	

	Met	Pro	Val	Pro i	let	Leu	He	Pro	Ser	Ser	Met	Asp	Ser	Glu	Λsp	Lys
					165					170					175	
5	Val	Thr	Glu	Ser	Ile	Glu	Asp	lle	Lys	Glu	Lys	Lcu	Pro	Thr	His	Pro
				180					185					190		
	Phe	Glu	Ala	Asp	Leu	Leu	Glu	Жet	Ala	Glu	Het	Ile	Ala	Glu	Asp	Glu
10			195					200					205			
,	Glu	Lys	Lys	Thr	Leu	Ser	Gln	Gly	Glu	Ser	Gln	Thr	Ser	Glu	His	Glu
		210					215				•	220				
	Leu	Phe	Leu	Asp	Thr	Lys	He	Phe	Glu	Lys	Asp	Gln	Gly	Ser	Thr	Tyr
15	225					230					235					240
	Ser	Gly	Asp	Leu	Glu	Ser	Glu	Ala	Val	Ser	Thr	Leu	His	Ser	Trp	Glu
					245		-			250					255	
20	Glu	Glu	Leu	Asn	His	Tyr	Ala	Leu	Lys	Ser	Asn	Ala	Val		Glu	Ala
				260					265			_		270		
	Asp	Ser			Lys	Gln	Phe			Gly	Glu	Thr	Glu	GIn	Asp	Leu
25			275		_	_		280			_		285		٥1	C1-
23	Glu			Phe	Pro	Ser			Phe	Asp	Pro		Asn	Lys	Gly	GIU
		290					295					300		•	<b>61.</b>	Di
	Gly	Ile	Gln	Ala	Arg			Thr	. Arg	Arg			Arg	ASP	Gly	
30	305					310		<b>.</b>		. 1	315		. v_ ı	A 1 m	V., I	320
	Pro	o Gln	Pro	Arg		_	GLY	ATE	, Ly:			116	: 101	Ala	335	Glu
				. 1	325		. (1.		. Dh	330 - 61-			. Sar			Gly
35	PTO	) Are	3 Ser			. 011	1 (1)	, Ale	34			Cy.	<b>3</b> JC1	350		013
	Mar	. TL.		340		- Hoi	, Tv.	- 615			. Als	Te	n I ve			Val
-	ne		355			, MC	,.	360	_		• ••••	• ••	365			
	C)	a Tra			. Al:	a l v	s Gli			n Gl	v Asi	o Lei	-		: G1v	Gly
40	011	370		, n.s.			37				,	38				•
	Vя			n Ala	s Se	r Sei			o Ar	g Se	r As			ı G1;	Sei	r Thr
	38		- 0			39					39	_				400
45			o Ili:	s Ala	a Le			n Gl	u Se	r Se	r G1	u Pr	o GI:	у Су:	s Ar	g Val
					40					41					41	
	Ar	g Se	r II	e i.y:	s Le	u Ly	s Gl	u As	p I l	e Le	u Sc	r Cy	s Th	r Ph	e Al	n Glu
50				120		Í			42					43		
	Le	u Se	r I.e	u Gi	v I.e	u Cy	s G1	n Ph	e H	c GI	n Gl	u Va	d Ar	g Ar	g Pr	o Asn
				5									-11			

			Lys	ıyr	ASP			Ser	116	Leu			cys	Leu	01,	116
		450					455					460		•		<b>.</b> .
5	Gin	Gln	Tyr	Leu	Phe	Glu	Asn	Gly	Arg	He	ASP	Asn	He	rhe		
	465					470					475					480
	Рто	Tyr	Ser	Arg	Phe	Met	Ile	Glu	Leu	Thr	Lys	Leu	Leu	Lys	lle	Ттр
10					485					490					495	
	Glu	Pro	Thr	Tle	Leu	Pro	Asn	Gly	Tyr	Met	Phe	Ser	Arg	lle	Glu	Glu
				500					505		•			510		
	Glu	His	Leu	Trp	Glu	Cys	Lys	Gln	Leu	Gly	Ala	Tyr	Ser	Pro	He	Va]
15			515					520					525			
	Leu	Leu		Thr	Leu	Leu	Phe	Phe	Asn	Thr	Lys	Tyr	Phe	Gin	Leu	Lys
	•••	530					535					540				
	Acn		The	Glu	His	Leu		Leu	Ser	Phe	Ala	His	Val	Met	Arg	Arg
20	545		• • • • • • • • • • • • • • • • • • • •	•••		550	_,-	-,-			555					560
			The	len	Lys		Set	Thr	Lvs	Met		Tyr	Leu	Arg	Phe	Phe
•	FIIT	ur P	1111	LCG	565	•,,.			-,-	570		.,.			575	
25	0	Dro	۱	Cla	Lys	Glo	Clu	Ser	Glu			Lvs	l.eu	Thr		Glv
	FIO	FIU	Leu	580		0111	010	UCI	585		iop	-,-		590		,
						C1	4	. 4			Den	Val	Clv		C) u	Not
	l.ys	Arg			, Asn	GIU	ASP			· vai	110	141	605	101	010	жее
30			595				•	600		· C		V_1		1	т	Cl
	Ala			Thr	Asp	Asn			Arg	Lys	rro			1,60	ıyr	GIU
		610					615					620			• .	., .
25	Pho	: Tyr	Leu	Ser	Lys	Cys	Ser	Glu	i Ser	· vai			Arg	Asn	ASP	
35	623				-	630					635		_			640
	Pho	e Tyr	Let	ı Glr	Pro	Gli	ι Λτε	g Sei	Cys	; Val	l Pro	) Asr	s Ser	Pro		Trp
					6-15					650					655	
40	Ty	r Sea	r Ala	a Pho	e Pro	110	ASI	Pro	Gly	y Th	r Lei	ı Ası	) Thi	Met	. Lei	The
				666	0				66	5				670	)	
	Ar	g Ile	e Le	y Me	. Val	Arı	g Glo	u Va	l Hi	s Gl	u <sub>j</sub> G Li	ı Lei	ιAla	ı l.ys	: Ala	ı Lys
			67	5				686	0				68	5		
45	Se	r Gl	u As	p Se	r Ası	o Va	ı Gl	u l.e	u Se	r As	р					
•		69	0				69	ភ			•					
50	<2	10>	17													
		11>														
		112>							-							
		-	-													

### <213> Homo sapiens

5	(400> 1)						
	atgeascatt	tctgtaacct	gctttgtatc	ttgatgitci	gtaatcagca	aagtgtatgt.	60
3	gacccgcctt	cacaaaataa	tgcagcaaat	atttccatgg	ttcaagctgc	ttcagcagga	120
	ccccatctc	tgagaaaaga	itegacteca	gttatagcca	atgtagtatc	attggcaagt	180
10	gcccctgctg	ctcagcctac	agtgaattct	sacagtgtct	tacaaggtgc	agttccaaca	<b>240</b> .
	gtaacagcga	aaatcatcgg	tgatgcaagt	actcaaacag	atgccctgaa	actgccacct	300
	tcccaacctc	caaggcitii	gaagaacaaa	gctttattat	gcaaacccat	cacacagact	360
15	aaagccacct	cttgcasacc	acatacccaa	aacaaagaat	gccagacaga	agacactcca	420
	agtcagcccc	agattattgt	ggtgccagtt	cccgtaccag	tgtttgttcc	catacctctt	480
	cacctttata	ctcaatatgc	tccagtccca	tttggaattc	cagttccaat	gcctgtccct	540
20	atgettatte	catcttcaat	ggatagtgaa	gataaagtca	cagagagtat	tgaagacatt	600
20	aaagaaaagc	ttcccacaca	tccatttgaa	gctgatctcc	ttgagatggc	agasatgatt	660
	gcagaagatg	aagagaagaa	gactctatct	cagggagagt	cccaaacttc	tgaacacgaa	720
	ctctttctag	acaccaagat	atttgaaaaa	gaccaaggaa	gtacatacag	tggtgatctt	780
25	gaatcagagg	cagtatctac	tctacatagc	tgggaggaag	agctgaatca	ctatgcctta	840
	aagtcaaatg	ctgtgcaaga	ggctgattca	gaattgaagc	agttctcaaa	aggggaaact	900
	gaacaggacc	tggaagcaga	ttttccatca	gactcctttg	acccacttaa	taaaggacag	960
30	ggaatccagg	cacgttcccg	aacaagacga	cgacacagag	alggettece	ccaacccaga	1020
	cgaagaggac	ggaagaagto	tatagtggct	giggagecea	ggagtettat	tcaaggagcc	1080
	tttcaaggct	gcicagigic	cgggatgaca	cigasataca	tgtatggggt	aaatgctigg	1140
	aagaactggg	ttcagtggaa	awalgccaag	gangagcagg	gggatctaaa	algiggaggg	1200
35	gitgaacagg	cctcatclag	cccacgitci	gaccccttag	gaagtactca	agaccatgca	1260
	ctctctcaag	aatcctcag	gccaggctgt	agagtccgct	ctatcaagct	gaaggaagac	1320
	attctgtcct	gcactttigo	: Lgagtigagt	tigggcttat	gccagtttat	ccaagaggtg	1380
40	cggagaccaa	atggtgaaaa	atatgateca	gacagtatci	latactigig	ccttggaatt	1440
	caacagtacc	tgtttgamaa	ı iggingaata	gataacatt	ttactgagec	clattccaga	1500
						tectaatggt	
						gggcgcltac	
45 .						ccaactaaag	
						caggactetg	
						gcaggagtca	
50						ggilecagig	
						ncittatgag	
	ttttaccigi	cannalgtt	c tgaaagtgt;	g aagcaaagg	a algatgigi	Litaccitcan	1980

	CCIBBBCBCI CCIRIRIECE RESISTANCE SIRIBBIACE CERCUITECE RETURBECCE SAN	•
	ggaaccetgg acaccatgit aacacgtati cicatggiga gggaggiaca tgaagaacit 2100	)
5	gccaaagcca aatctgaaga ctctgatgtt gaattatcag at 2142	2
	(210) 18	
	(211) 2662	
10	(212) DNA	
	(213> Homo sapiens	
15	⟨200⟩	
	(221) CDS	
	(222) (6) (2147)	
20	⟨220⟩	
	<221> sig peptide	
	<222> (6) (53)	
25		
	<220>	
	<221> mat peptide	
30	<222> (54) (2147)	
	·	
	<400> 18	
	gggaa aig aan cat tic igt aac cig cit igt aic tig aig tic igt	17
35	Met Lys Ilis Phe Cys Asn Leu Leu Cys Ile Leu Met Phe Cys	
	-16 -15 -10 -5	
	aut cag caa agt gtu igt gac ceg cet tea cau aat aat gea gea aat	)5
40	Asn Gin Gin Ser Val Cys Asp Pro Pro Ser Gin Asn Asn Ala Ala Asn	
	1 5 10	
	att tee atg git can get get tea gea gga eee eea tet eig aga aaa - I-	13
	Ile Ser Het Val Gln Ala Ala Ser Ala Gly Pro Pro Ser Leu Arg Lys	
45	15 20 25 30	
	gal tog act coa git ata goo aat gia gia toa tig goa agt goo cut	91
•	Asp Ser Thr Pro Val IIe Ala Asn Val Val Ser Leu Ala Ser Ala Pro	
50	35 40 45	
	Bet Bet fall for their bet time for min and ben and all ben ben ben	39
	Ala Ala Gin Pro Thr Val Asn Ser Asn Ser Val Leu Gin Gly Ala Val	

				50					55					60			
	cca	aca	gta	aca	gcg	<b>aaa</b>	atc	atc	ggt	gat	gca	agt	act	caa	aca	gat	287
5	Pro	Thr	Val	Thr	Ala	Lys	ile	He	Gly	Asp	Ala	Ser	Thr	Gln	Thr	Asp	
			<b>6</b> 5					70					75				
	gcc	ctg	888	ctg	cca	cct	tcc	caa	cct	cca	agg	cti	ttg	aag	88C	888	335
10	Ala	Leu	Lys	Leu	Pro	Pro	Ser	Gln	Pro	Pro	Arg	Leu	Leu	Lys	Asn	Lys	
		80					85					90					
	_														tgc		383
	Ala	Leu	Leu	Cys	Lys	Pro	Ile	Thr	Gln	Thr	Lys	Ala	Thr	Ser	Cys	Lys	
15	95					100					105					110	
															agt		431
	Pro	His	Thr	Gln	Asn	Lys	Glu	Cys	Gln	Thr	Glu	Asp	Thr	Pro	Ser	Gln	
20 .					115					120					125		
															ccc		479
	Pro	Gln	lle	Ile	Val	Va]	Pro	Val	Pro	Val	Pro	Val	Phe	_	Pro	Ile	
				130					135					140			
25															att		527
	Pro	Leu	His	Leu	Tyr	Thr	Gln	Tyr	Ala	Pro	Val	Pro			Ile	Pro	
			145					150					155				
30															agı		575
	Val	Pro	Met	Pro	Val	Pro			lle	Pro	Ser			Asp	Ser	Glu	
		160					165					170					can
																aca	623
35			Val	Thr	Glu			Glu	Asp	)   [[			I.ys	Leu	ייי ו	Thr	
	175					180					185			<b></b>		190	£71
																gaa	671
40	His	s Pro	Pho	e Gle			let	ı Let	) 611			1 616	MC	. 116	203	Glu	
					195					200							719
																gaa Glu	113
	AS	9 611	1 616			s in	r Lei	1 261	_	_	y ()1(	) Jei	411	220		Glu	
45				210					21		t m					108	767
																agt Ser	
	Ш	s uil			e Lei	ı AS	וחוק	r t.y: 230		C 1111	C 011		23		51	,	
50		• -	223					_		er urc	n ert	. 10			a ca	t agc	815
																s Ser	3-5
	ın	t. IÀ	i. 26	1 61	y AS	p i.c	u (1)	u ac		unt					- 111		

		240					245					250					
	tgg	gag	gaa	gag	ctg	aat	cac	tat	gcc	tta	aag	tca	aat	gct	gtg	caa	863
5	Trp	Glu	Glu	Glu	Leu	Asn	llis	Tyr	Ala	Leu	Lys	Ser	Asn	Ala	Val	Gln	
	255					260					265					270	
	gag	gct	gat	tca	gaa	ttg	aag	cag	ττc	tca	888	888	gaa	act	gaa	cag	911
10	Glu	Ala	Asp	Ser	Glu	Leu	Lys	Gln	Phe	Ser	Lys	Gly	Glu	Thr	Glu	Gln	
					275					280					285		
	gac	ctg	gaa	gca	gat	ttt	cca	tca	gac	tcc	ttt	gac	cca	ctt	aat	aaa	959
	Asp	Leu	Glu	Ala	Asp	Phe	Pro	Ser	Asp	Ser	Phe	Asp	Pro	Leu	Asn	Lys	
15				290					295					300			
	gga	cag	gga	atc	cag	gca	cgt	tcc	cga	вса	aga	cga	cga	cac	aga	gat	1007
	Gly	Gln	Gly	Ile	Gln	Ala	Arg	Ser	Arg	Thr	Arg	Arg	Arg	His	Arg	Asp	
20			305					310					315				
											aag						1055
	Gly	Phe	Pro	Gln	Pro	Arg	Arg	Arg	Gly	Arg	Lys		Ser	lle	Val	Ala	
ne.		320					325					330					
25											ttt						1103
	Val	Glu	Pro	Arg	Ser	Leu	Ile	Gln	Gly	Ala	Phe		Gly	Cys	Ser		
	335					340					345					350	
30											gta						1151
	Ser	Gly	Met	Thr	Leu	Lys	Tyr	Met	Tyr		Val	Asn	Ala	Tro			
•					355					360					365		•••
25		-														tgt	1199
35	Trp	(Va	l Gl:			Asn	ı Ala	l.ys			ı Çin	Gly	ASP			Cys	
				370					375					380			1947
																gga	1247
40	Gly	613		_	ı Gir	ı VIS	a Ser			FR	o Arg	Ser	39		LCC	Gly	
			38					390								. 101	1295
																: lgl / Cys	1230
45	Set			n Ası	) III:	SALE	409		UII	3 011	u Sci	410			, 01,	, 0,3	
		40								2 62	cati			. 10	e aci	t ttt	1343
																r Phe	
	41:	_	יאנ	8 30		420			., 4741	_ 11.0	425		-76	,		430	
50			a ti	(f )a(f	, 11			a tro	с ся	e it			a ga	g gt:	g cg	, aga	1391
																g Arg	
	A1		ع. د د	50		01	,	)			• • •						

E 4

					435					440					445		
_	cca	aaı	ggt	gaa	aaa	tat	gat	cca	gac	agt	atc	tta	tac	ttg	tgc	ctt	1439
5	Pro	Asn	Gly	Glu	Lys	Tyr	Asp	Pro	Asp	Ser	He	Leu	Tyr	Leu	Cys	Lev	
				450					455					460			
															att		1487
10	Gly	lle	Gln	Gln	Tyr	Leu	Phe	Glu	Asn	Gly	Arg	lle	Asp	Asn	Ile	Phe	
			465					470					475				
		-													ttg		1535
15	Thr	Glu	Pro	Tyr	Ser	Arg	Phe	Het	Ile	Glu	Leu		Lys	Leu	Leu	Lys	
		480					485					490					
															cgc		1583
		Тгр	Glu	Pro	Thr		Leu	Pro	Asn	Gly		Met	Phe	Ser	Arg		
20	495					500	_				505			•	•	510	1621
	-														tca		1631
	Glu	Glu	010	mis		1170	GIU	Cys	Lys	520	Leu	GIY	MIG	171	Ser 525	110	
25				***	515	900	ctc	ctt	tte		201	800	992	Tac	ttc	caa	1679
											•				Phe		
	116	101	Leo	530	n3ii	1111	LLU		535			••••	-,-	540			
	cta	220	1ek		act	gag	cac	tig		ctt	tcc	ttt	gcc		gtg	atg	1727
30															Val		
		_,-	5-15					550					555				
	aga	cgs			act	ctg	aag	tac	agt	acc	aag	atg	aca	tat	ctg	agg	1775
35										•						Arg	
		560	)			_	565	;				570	)				
	tto	: <b>t</b> tc	: cca	cct	. ila	Cas	aag	cag	gag	tca	gas	cca	gat	aaa	ctg	act	1823
40	Pho	Pho	. Pro	Pro	Leu	Glr	Lys	Glr	Glu	Ser	Glo	Pro	) Asp	Lys	Leu	Thr	
40	57	•				580	)				585	,				590	
•	gti	gg	e aag	g agg	, are	cgs	aal	t <b>ga</b> z	gat	gat	gag	gtt	. cca	gle	g ege	gug	1871
	Va.	Gl	y I.y:	s Arg	Lys	Ars	g Ası	n Glu	a Asp	Ası	Glu	ı Val	Pro	ya'	i Gly	' Val	
45					593					600					605		
•	-	-														ı Cll	1919
•	Gl	ı Ne	t Ala	n Glu	y yei	1 Th	r Ası	p Ası			ı Arı	g Cy:	s Pro			t l.eu	
50				610					613					629			1967
																g aat	1901
	Ty	r Gl	u Ph	e Ty	r Le	u Sc	r Ly	s Cy	s Se	r Gli	u Se	r ya	Ly	s til	n Ar	g Asn	

	625		630	635	
	gat gtg ttt tac c	tt caa cct	gag ege tee tgt	gic ccg aat agc ccc	2015
5	Asp Val Phe Tyr L	eu Gln Pro	Glu Arg Ser Cys	Val Pro Asn Ser Pro	
	640	645		650	
	atg tgg tac tcc g	ca ttc ccg	ata gac cct gga	acc ctg gac acc atg	2063
	Het Trp Tyr Ser A	la Phe Pro	Ile Asp Pro Gly	Thr Leu Asp Thr Met	
10	655	660	665	670	
	tta aca cgt att c	tc atg gtg	agg gag gta cat	gaa gaa ctt gcc aaa	2111
	Leu Thr Arg Ile L	eu Met Val	Arg Clu Val His	Glu Glu Leu Ala Lys	;
15	6	75	680	685	
	gcc ass tot gas s	ac tot gat	gtt gaa tta tca	gat taaaacggaa	2157
	Ala Lys Ser Glu A	sp Ser Asp	Val Glu Leu Ser	Asp	
	690		695		
20	gtgaggttct tattii	cata catati	iggia igcaccaaac	igiganiges tecagets	rtt 2217
	ggaaaatgat gtatas	gtct aagtc	tett gacttgacca	taagatcatg gaaaacag	mat 2277
	gacttgtgaa ccccac	agtg tggat	gtgca aatgaaaatt	gaaggasaga atatgaad	tg 2337
25	agaaatgtic tttgg	agtg atata	gitci tagacaicti	cagnatgact aatttcto	cg 2397
	agtggtgcat aatct	tattt tgttt	ggag taacaaatcg	tggnatattt ttaaggaa	ва 2457
	ctgttgtata aaact	ttacc atagt	sacci tagaccitag	agugglaget tiggagti	gas 2517
30	acttiggcig caata	ggcta ctttg	gcaag ccclccgtas	aagtcagagg agagatca	agt 2577
3.0	acagagctaa gagtg	acate assign	eggac tgtgggacco	agattigang acceast	aa 2637
	aatactcaac ttttt	8888 88888			2662
35	<210> 19				
	(211) 81				
	. <212> PRT				
40	<213> Homo sapie	ns			
•					
•	<400> 19				
-	Met-Arg Thr Tyr	His Tyr Ile	Pro Leu Phe 11	e Trp Thr Tyr Het Ph	e
45	-2.1	-20	-15	-10	
	His Thr Val Asp	Thr lle Leu	Leu Gin Glu Ly	s Pro Asn Ser Tyr Le	น
	-5		1	5	
50	Ser Ser Lys Lys	He Ala Gly	Leu Thr Lys As	p Asp Gly Lys Met Le	บ
-	10	t ê	5	20	
	A . A Thu I	Anna Classica	Mar Inn Aug Cl	a Dha Dha Lua Lau Cl	

	25		30		35		40	
	Glu Tyr Thr (	Gly Thr /	sp Thr	Gin T	yr Val Gly	Lys Val A	rg Ile Phe	
5	•	45			50		55	
	Val							
10	<b>&lt;210&gt; 20</b>							
	(211) 243		•					
	(212> DNA				•			
	(213) Homo s	apiens						
15								
	<400> 20							
							a tacagttgac	60
20							at agogggtotg	120
							g gaatcagtic	
	ttcttattgg 8	agagtaca	c aggt	actgac	acacaatat	g taggcaagg	t aagaattitt	
	gta							243
25	•				•			
	(210) 21							
	(211> 630							
30	(212> DNA							
<del></del>	<213> Homo	sapi ens			•			
	⟨200⟩							
35	<221> CDS	•						
	<222> (160)	(402)						
40	⟨200⟩							
	<221> sig p							
	<222> (160)	(231)						
45 .	<200>							
	<221> mat p							
	<222> (232)	(402)						
50	<40 <b>0&gt;</b> 21							
	aagateaget	g t gaaga	tac tal	динияв.	g gaagagaa	gg accgaga	eng nageaucrut	<u>:</u> 60

	ggancigica gigoggagia gggotaaact cagiiccait gilaagcaag gaaaaacaaa I	(20
	castacatts satttsacas cocactsaas ttscasata ats ass act tac cat	17:1
5	Met Arg The Tyr His	
	-24 -20	
	tat ata cca tta ttc atc tgg acc tat atg ttc cat aca gtt gac acc	222
10	Tyr lle Pro Leu Phe Ile Trp Thr Tyr Met Phe His Thr Val Asp Thr	
	-15 -10 -5	
	ate eta tia caa gaa aaa eet aac agt tat tta tea age aaa aag ata	270
	Ile Leu Leu Gin Glu Lys Pro Asn Ser Tyr Leu Ser Ser Lys Lys Ile	
15	1 5 10	
	geg ggt etg aca aaa gat gae ggt aaa atg eta egt ege ace aag egt	318
	Ala Gly Leu Thr Lys Asp Asp Gly Lys Met Leu Arg Arg Thr Lys Arg	
20	15 20 25	
	gge tgg atg tgg aat cag tte tte tta ttg gaa gag tac aca ggt act	366
	Gly Trp Met Trp Asn Gln Phe Phe Leu Leu Glu Glu Tyr Thr Gly Thr	
	30 35 40 45	
25	gac aca caa tat gta ggc sag gta aga att ttt gta tgagsaatct	412
	Asp Thr Gln Tyr Val Gly Lys Val Arg Ile Phe Val	
	50 55	
30	aaaagcigan agigacagci atttattitt ticcagcaac tilicillic actagigati	472
`	allaanaant atttaactaa ttatgitcig aaggigtgat aligcanaci aittlagigg	532
	ggaagaacan ggaaccatat ttgggttcta aalgtawalc aalgtcaala alaagcgtaa	592
	gciaciaagi catatgigga tggatgigat cattatta	630
35		
	<210> 22	
	<211> 150	
40	<21 <b>2</b> > PRT	
	(213) Homo sapiens	
	<400> 22	
45	Met Arg Lys The Arg Leu Trp Gly Leu Leu Trp Met Leu Phe Val Ser	
	- <u>20</u> - <u>15</u> - <u>10</u> - <u>5</u>	
	Glu Leu Arg Ala Ala Thr Lys Leu Thr Glu Glu Lys Tyr Glu Leu Lys	-
50	. 10	
	Glu Gly Gln The Leu Asp Val Lys Cys Asp Tyr The Leu Glu Lys Phe	
	15 20 25	

	Ala Ser Ser Gln Lys Ala Trp Gln Ile Ile Arg Asp Gly Glu Met Pro
	30 35 40
5	Lys Thr Leu Ala Cys Thr Glu Arg Pro Ser Lys Asn Ser His Pro Val
	45 50 55 60
	Gln Val Gly Arg Ile Ile Leu Glu Asp Tyr His Asp His Gly Leu Leu
10	65 70 75
	Arg Val Arg Met Val Asn Leu Gin Val Glu Asp Ser Gly Leu Tyr Gin
	80 85 · 90
	Cys Val Ile Tyr Gln Pro Pro Lys Glu Pro His Met Leu Phe Asp Arg
15	95 100 105
	Ile Arg Leu Val Val Thr Lys Gly Phe Arg Cys Ser Thr Leu Ser Phe
	110 115 120
20	Ser Trp Leu Val Asp Ser
	125 130
	<210> 23
25	<211> 450
	<212> DNA
	<213> Homo sapiens
30	
	<400> 23
	atgaggaaga ccaggeteig ggggelgeig iggatgelet itgleleaga acteegaget 6
	gcaactaant taactguggo anagtatgan ctgaaagagg ggcagaccct ggatgigaaa 12
35	tgtgactaca cgctagagaa gtttgccagc agccagaaag cttggcagat аатааддунс 18
	ggagagnige ccaagaccet ggealgeaca gagaggeett caaagaatte ccatecagte 2-
	caagtggggn ggalcalact agaagactac catgatcatg gittactgcg cgiccgaatg 30
40	gtcaaccttc aagtggaaga ticiggacig tatcagtgtg igatctacca gcctcccaag 36
	gageoteaca tgotgitega tegenteege tiggiggiga ecaaggggit ceggigitea 42
	achitgical telecipget ggiggatice 45
45	(210> 24
	(211> 701
	(212> DNA
50 -	(213) Homo sapiens
	⟨200⟩

<221	> CDS	5														
<222	> (19	9)	(468)	)											-	
<200	>															
<221	> si	g pe	ptid	e	٠	•										
⟨222	> (19	9)	(78)										_			
<200	>								•	•						
<221	> ma	t pe	ptid	e												
<222	> (7	9)	(468	)												
<400	> 24															
agct	ggtg	ca c	agga	agg	atg	agg	aag	acc	agg	cıc	tgg	ggg	ctg	ctg	tgg	51
					Net	Arg	Lys	Thr	Arg	Leu	Trp	Gly	Leu	Leu	Trp	
					-20					-15					-10	
_																99
Met	Leu	Phe	Val	Set	Glu	Leu	Arg	Ala	Ala	Thr	Lys	Leu	Thr	Glu	Glu	
				-5					1				5			
																147
Lys	Tyr	Glu	Leu	Lys	Glu	Cly	Gln	Thr	Leu	Asp	Val		Cys	Asp	Tyr	
		10					15									
-																195
Thr	Leu	Glu	Lys	Phe	۸la			Gln	l.ys	Ala		GIn	He	He	Arg	
	25															042
_																243
		Glu	Net	Pro			Leu	Λla	Cys			Arg	Pro	Ser		
														•		291
																231
Asn	Ser	His	Pro			Val	Gly	Λrg			ren	Glu	ASP			
																าาด
																339
Asp	llis	Gly			ves	หลเ	Arg			ASII	LCU	011			ı vəh	
						<b>~1</b> ~					CC.	905			car	387
																****
Set	uty			411	ı cy:	• •		_	(316)							
	<222 <200 <221 <222 <200 <221 <222 <400 aget atg Met aag Thr gat Asp 40 aat Asp tcc	<pre>&lt;222&gt; (19 &lt;200&gt; &lt;221&gt; si &lt;222&gt; (19 &lt;220) &lt;221&gt; ma &lt;222&gt; (7 &lt;400&gt; 24 agetggtg  atg etc Met Leu  aag tat Lys Tyr  acg eta Thr Leu  25 gae gga Asp Gly 40 aat tee Asn Ser  gat eat Asp Ilis  tee gga</pre>	<220> <221> sig pe <222> (19) <200> <221> mat pe <222> (79) <400> 24 agetggtgca c  atg ctc ttt Met Leu Phe  aag tat gaa Lys Tyr Glu  10 acg cta gag Thr Leu Glu 25 gac gga gag Asp Gly Glu 40 aat tcc cat Asn Ser His gat cat ggt Asp His Gly tct ggrett Ser Gly Let	<pre>&lt;222&gt; (19) (468) &lt;200&gt; &lt;221&gt; sig peptid &lt;222&gt; (19) (78) </pre> <pre>&lt;200&gt; &lt;221&gt; mat peptid &lt;222&gt; (79) (468) </pre> <pre>&lt;400&gt; 24</pre> <pre>agctggtgca cagga</pre> <pre>atg ctc ttt gtc</pre> Met Leu Phe Val <pre>aag tat gaa ctg Lys Tyr Glu Leu</pre>	<pre>&lt;222&gt; (19). (468)  &lt;200&gt; &lt;221&gt; sig peptide &lt;222&gt; (19) (78)  &lt;200&gt; &lt;221&gt; mat peptide &lt;222&gt; (79) (468)  &lt;400&gt; 24 agetggtgea caggaagg  atg etc ttt gte tea Met Leu Phe Val Ser —5 aag tat gaa etg aaa Lys Tyr Glu Leu Lys 10 acg eta gag aag ttt Thr Leu Glu Lys Phe 25 gae gga gag atg ece Asp Gly Glu Net Pro 40 aat tee cat eea gte Asn Ser His Pro Val 60 gat eat ggt tta etg Asp His Gly Leu Leu 75 tet gga etg tat eag Ser Gly Leu Tyr Gla</pre>	C222> (19). (468)  C200> C221> sig peptide C222> (19) (78)  C200> C221> mat peptide C222> (79) (468)  C400> 24  agetggtgea caggaagg atg  Met  -20  atg ete tit gie tea gaa  Met Leu Phe Val Ser Glu  -5  aag tat gaa etg aaa gag Lys Tyr Glu Leu Lys Glu  10  acg eta gag aag tit gee Thr Leu Glu Lys Phe Ala  25  gae gag gag atg eee aag Asp Gly Glu Met Pro Lys 40  45  aat tee eat eea gte eaa Asn Ser His Pro Val Gln  60  gat eat ggt ta etg ege Asp His Gly Leu Leu Arg  75  tee ggn etg the eag tgt Ser Gly Leu Tyr Gln Cys	C222> (19) (468)  C200> C221> sig peptide C222> (19) (78)  C200> C221> mat peptide C222> (79) (468)  C400> 24  agetggtgea caggaagg atg agg	C222> (19). (468)  C200> C221> sig peptide C222> (19) (78)  C200> C221> mat peptide C222> (79) (468)  C400> 24  agetggtgca caggnagg atg agg aag	C222> (19). (468)  C200> C221> sig peptide C222> (19) (78)  C200> C221> mat peptide C222> (79) (468)  C400> 24  agetggtgea caggaagg atg agg aag acc  Net Arg Lys Thr  -20  atg ctc ttt gtc tca gaa ctc cga gct  Met Leu Phe Val Ser Glu Leu Arg Ala  -5  aag tat gaa ctg aaa gag ggg cag acc  Lys Tyr Glu Leu Lys Glu Gly Gln Thr  10  15  acg cta gag aag ttt gec agc agc cag  Thr Leu Glu Lys Phe Ala Ser Ser Gln  25  30  gac gga gag atg ccc ang acc ctg gca  Asp Gly Glu Net Pro Lys Thr Leu Ala  40  45  aat tcc cat cca gtc caa gtg ggg aga  Asn Ser His Pro Val Gln Val Gly Arg  60  gat cat ggt tta ctg cgc gtc cga atg  Asp His Gly Leu Leu Arg Val Arg Met  75  80  tct gga etg tat cag tgt gtg atc tac  Ser Gly Leu Tyr Gln Cys Val He Tyr	C222> (19) (468)  C200> C221> sig peptide C222> (19) (78)  C200> C221> mat peptide C222> (79) (468)  C400> 24  agetggtgca caggaagg atg agg aag acc agg  Met Arg Lys Thr Arg  -20  atg ctc tit gic toa gaa cic cga got goa  Met Leu Phe Val Ser Glu Leu Arg Ala Ala  -5  1  aag tat gaa cig aaa gag ggg cag acc cig Lys Tyr Glu Leu Lys Glu Gly Gln Thr Leu  10  15  acg cia gag aag tit gec age age cag aaa  Thr Leu Glu Lys Phe Ala Ser Ser Gln Lys  25  30  gac gga gag atg coc aag acc cig goa ige Asp Gly Glu Net Pro Lys Thr Leu Ala Cys  40  45  aat toc cat coa gic caa gig ggg agg acc  Asp Gly Glu Net Pro Lys Thr Leu Ala Cys  40  45  aat toc cat coa gic caa gig ggg agg age  Asn Ser His Pro Val Gln Val Gly Arg He  60  65  gat cat ggi tia cig cgc gic cga aig gic  Asp His Gly Leu Leu Arg Val Arg Met Val  75  80  tot gga eig it int cag tig gig ate tac cag  Ser Gly Leu Tyr Gln Cys Val He Tyr Gla	(222) (19). (468) (200) (221) sig peptide (222) (19) (78) (200) (221) mat peptide (222) (79) (468) (400) 24 agetggtgea caggaagg atg agg aag acc agg ctc Net Arg Lys Thr Arg Leu -20 -15 atg ctc ttt gtc tca gaa ctc cga gct gca act Met Leu Phe Val Ser Glu Leu Arg Ala Ala Thr -5 1 aag tat gaa ctg aaa gag ggg cag acc ctg gat Lys Tyr Glu Leu Lys Glu Gly Gln Thr Leu Asp 10 15 acg cta gag aag ttt gcc agc agc cag aaa gct Thr Leu Glu Lys Phe Ala Ser Ser Gln Lys Ala 25 30 gac gga gag atg ccc aag acc ctg gca tgc aca Asp Gly Glu Net Pro Lys Thr Leu Ala Cys Thr 40 45 50 aat tcc cat cca gtc caa gtg ggg agg atc ata Asn Ser His Pro Val Gln Val Gly Arg He He 60 65 gat cat ggt tta ctg cgc gtc cga atg gtc aac Asp His Gly Leu Leu Arg Val Arg Het Val Asn 75 80 tct ggn etg tat cag tgt gtg atc tac cag cct Ser Gly Leu Tyr Gln Cys Val He Tyr Gln Pro	<222> (19) (468) <220> (221> sig peptide <222> (19) (78) <200> (221> mat peptide <222> (79) (468) <400> 24 agetggtgea caggaagg atg agg aag acc agg cic tgg Net Arg Lys Thr Arg Leu Trp -20 -15 atg ctc tit gie tea gaa ete ega get gea act aaa Met Leu Phe Val Ser Glu Leu Arg Ala Ala Thr Lys -5 1 aag tat gaa eig aaa gag ggg cag acc eig gat gig Lys Tyr Glu Leu Lys Glu Gly Gln Thr Leu Asp Val 10 15 acg eta gag aag tit gee age age cag aaa gei igg Thr Leu Glu Lys Phe Ala Ser Ser Gln Lys Ala Trp 25 30 35 gac gga gag atg eee aag acc eig gea ige aca gag Asp Gly Glu Net Pro Lys Thr Leu Ala Cys Thr Glu 40 45 50 aat tee cat cea gie caa gig ggg agg ate ata eta Asn Ser His Pro Val Gln Val Gly Arg He He Leu 60 65 gal cat ggt tta eig ege gie ega atg gte aac ett Asp llis Gly Leu Leu Arg Val Arg Met Val Asn Leu 75 80 tet ggn eig tnt eag tgt gig ate tae eng eet eee Ser Gly Leu Tyr Gln Cys Val He Tyr Gln Pro Pro	C222> (19) (468)  C200> C221> sig peptide C222> (19) (78)  C200> C221> mat peptide C222> (79) (468)  C400> 24  agctggtgca caggaagg atg agg aag acc agg ctc tgg ggg  Net Arg Lys Thr Arg Leu Trp Gly  -20  -15  atg ctc ttt gtc tca gaa ctc cga gct gca act aaa tta  Met Leu Phe Val Ser Glu Leu Arg Ala Ala Thr Lys Leu  -5  1  aag tat gaa ctg aaa gag ggg cag acc ctg gat gtg aaa  Lys Tyr Glu Leu Lys Glu Gly Gln Thr Leu Asp Val Lys  10  15  20  acg cta gag aag ttt gcc agc agc cag aaa gct tgg cag  Thr Leu Glu Lys Phe Ala Ser Ser Gln Lys Ala Trp Gln  25  30  33  gac gga gag atg ccc aag acc ctg gcn tgc acu gag agg  Asp Gly Glu Net Pro Lys Thr Leu Ala Cys Thr Glu Arg  40  45  50  aat tcc cat cca gtc caa gtg ggg agg agg atc ata cta gaa  Asn Ser His Pro Val Gln Val Gly Arg He He Leu Glu  60  65  gat cat ggt tta ctg cgc gtc cga atg gtc aac ctt caa  Asp His Gly Leu Leu Arg Val Arg Met Val Asn Leu Gln  75  80  tct gga ctg tat cag tgt gtg atc tac cag cct ccc aag  Ser Gly Leu Tyr Gln Cys Val He Tyr Gln Pro Pro Lys	(200) (221) sig peptide (222) (19) (78) (200) (221) mat peptide (222) (79) (468) (400) 24 agetggtgea caggaagg atg agg aag acc agg cic tgg ggg ctg Met Arg Lys Thr Arg Leu Trp Gly Leu -20 -15 atg ctc tit gic tea gaa ctc ega get gea act aaa tta act Met Leu Phe Val Ser Glu Leu Arg Ala Ala Thr Lys Leu Thr -5 1 5 aag tat gaa eig aaa gag ggg cag acc eig gat gig aaa tgi Lys Tyr Glu Leu Lys Glu Gly Gln Thr Leu Asp Val Lys Cys 10 15 20 acg eta gag aag tit gee age age eag aaa get igg eag ata Thr Leu Glu Lys Phe Ala Ser Ser Gln Lys Ala Trp Gln Ile 25 30 35 gac gga gag atg eee aag acc eig gea ige aca gag agg eet Asp Gly Glu Met Pro Lys Thr Leu Ala Cys Thr Glu Arg Pro 40 45 50 aat tee cat eea gie eaa gig ggg agg at eat ata eta gaa gae Asn Ser Ilis Pro Val Gln Val Gly Arg Ile Ile Leu Glu Asp 60 65 gal eat ggt ita eig eee gie ega atg gie aac ett eaa gig Asp Ilis Gly Leu Leu Arg Val Arg Met Val Asn Leu Gln Val 75 80 85 tet gga eig ita eag igt gig ate tac eig eet eee acg gag Ser Gly Leu Tyr Gln Cys Val Ile Tyr Gln Pro Pro Lys Glu	(200) (221) sig peptide (222) (19) (78) (200) (221) mat peptide (222) (79) (468) (400) 24 agetggtgea caggaagg atg agg aag acc agg cic tgg ggg ctg ctg Net Arg Lys Thr Arg Leu Trp Gly Leu Leu -20 -15 atg ctc ttt gtc tea gaa ctc ega get gea act aaa tta act gag Met Leu Phe Val Ser Glu Leu Arg Ala Ala Thr Lys Leu Thr Glu -5 1 5 1 5 aag tat gaa etg aaa gag ggg cag acc etg gat gtg aaa tgt gac Lys Tyr Glu Leu Lys Glu Gly Gln Thr Leu Asp Val Lys Cys Asp 10 15 20 acg cta gag aag tit gee age age cag aaa get igg eag ata ata Thr Leu Glu Lys Phe Ala Ser Ser Gln Lys Ala Trp Gln Ile Ile 25 30 35 gac gga gag atg eee can gae etg gen ige acn gag agg eet tea Asp Gly Glu Net Pro Lys Thr Leu Ala Cys Thr Glu Arg Pro Ser 40 45 50 aat tee cat cea gte caa gig ggg agg at ata ata eta gaa gae tae Asn Ser His Pro Val Gln Val Gly Arg He He Leu Glu Asp Tyr 60 65 70 gat cat ggt tta etg ege gie ega atg gtc aac ett caa gig gaa Asp Ilis Gly Leu Leu Arg Val Arg Het Val Asn Leu Glu Val Glu 75 80 85 tet gga etg tit eng tgt gt ate tae eng eet eec ang gag eet Ser Gly Leu Tyr Gln Cys Val Ile Tyr Gln Pro Pro Lys Glu Pro	C222> (19) (468)  C200> C221> sig peptide C222> (19) (78)  C200> C221> mat peptide C222> (79) (468)  C400> 24  agetggtgca caggaagg atg agg aag acc agg cuc tgg ggg ctg ctg tgg  Met Arg Lys Thr Arg Leu Trp Gly Leu Leu Trp  -20 -15 -10  atg ctc ttt gtc tca gaa ctc cga gct gca act aaa tta act gag gaa  Met Leu Phe Val Ser Glu Leu Arg Ala Ala Thr Lys Leu Thr Glu Glu  -5 1 5  aag tat gaa ctg aaa gag ggg cag acc ctg gat gtg aaa tgt gac tac  Lys Tyr Glu Leu Lys Glu Gly Gln Thr Leu Asp Val Lys Cys Asp Tyr  10 15 20  acg cta gag aag ttt gee age age cag aaa gct tgg cag ata ata agg  Thr Leu Glu Lys Phe Ala Ser Ser Gln Lys Ala Trp Gln 11c 11e Arg  25 30 35  gac gga gag atg ccc aag acc ctg gca tge aca gag agg cct tca aag  Asp Gly Glu Net Pro Lys Thr Leu Ala Cys Thr Glu Arg Pro Ser Lys  40 45 50 55  aat tee cat cca gtc caa gtg ggg agk atc ata cta gaa gac tac cat  Asn Ser His Pro Val Gln Val Gly Arg He He Leu Glu Asp Tyr His  60 65 70  gal cat ggt tta ctg cgc gtc cga atg gtc aac ctt caa gtg gaa gat  Asp His Gly Leu Leu Arg Val Arg Het Val Asn Leu Gln Val Glu Asp  75 80 85  tet ggn etg tat cag tgt gtg ate tac cag cct ccc ang gag cct cac  Ser Gly Leu Tyr Gln Cys Val 11e Tyr Gln Pro Pro Lys Glu Pro His

	atg ctg ttc gat cgc atc cgc ttg gtg gtg acc aag ggg ttc cgg tgt	435
	Met Leu Phe Asp Arg lle Arg Leu Val Val Thr Lys Gly Phe Arg Cys	
5	105 110 115	
	tea aca tig tea tie tee tgg etg gtg gat tee tgagtaagag cetggtette	488
	Ser Thr Leu Ser Phe Ser Trp Leu Val Asp Ser	
	120 125 130	
10		548
	•	608
		668
15	888888888 8888888888 888888888888888888	701
	• •	
	⟨210⟩ 25	
20	<211> 422	
20	<212> PRT	
	<213> Homo sapiens	
25	<400> 25	
	Net Leu Gln Trp Arg Arg His Cys Cys Phe Ala Lys Net Thr Trp	
	-38 -35 -30 -25	
30	Asm Ala Lys Arg Scr Leu Phe Arg Thr His Leu Ile Gly Val Leu Ser	
••	-20 -15 -10	
	Leu Val Phe Leu Phe Ala Met Phe Leu Phe Phe Asn His His Asp Trp	
	-5 1 5 10	
35	Leu Pro Gly Arg Ala Gly Phe Lys Glu Asn Pro Val Thr Tyr Thr Phe	
	15 20 25	
	Arg Gly Phe Arg Ser Thr Lys Ser Glu Thr Asn His Ser Scr Lou Arg	
40	30 35 40	
	Asn fle Trp Lys Glu Thr Val Pro Gln Thr Leu Arg Pro Gln Thr Ala	
	45 50 55	
	Thr Asn Ser Asn Asn Thr Asp Leu Ser Pro Gin Gly Val Thr Gly Leu	
45	60 65 70	
	Glu Asn Thr Leu Ser Ala Asn Gly Ser He Tyr Asn Glu Lys Gly Thr 75 80 85 90	
50	Gly His Pro Asn Ser Tyr His Phe Lys Tyr He He Asn Glu Pro Glu 95 100 105	
	95 100 105  Lys Cys Gin Glu Lys Ser Pro Phe Leu He Leu He Ala Ala Glu	
	Lys tys uto the tys ser fro the ted fie ted fie and fit and and	

				110					115					120		
	Pro	Gly	Gln	lle	G]u	Ala	Arg	Arg	Ala	He	Arg	Gln	Thr	Trp	Gly	Asn
5			125					130					135			
	Glu	Ser	Leu	Ala	Pro	Gly	lle	Gin	lle	Thr	Arg	Ile	Phe	Leu	Leu	Gly
		140					145					150				
10	Leu	Ser	Ile	Lys	Leu	Asn	Gly	Tyr	Leu	Gln	Arg	Ala	Ile	Leu	Glu	Glu
	155					160					165					170
	Ser	Arg	Gln	Тут	His	Asp	Ile	lle	Gln	Gln	Ğlu	Tyr	Leu	Asp	Thr	Tyr
15					175					180					185	
	Tyr	Asn	Leu	Thr	Ile	Lys	Thr	Leu	Het	Gly	Met	Asn	Trp	Val	Ala	Thr
				190					195					200		
	Tyr	Cys	Pro	His	<u>l</u> le	Pro	Tyr	Val	Met	Lys	Thr	Asp	Ser	Asp	Met	Phe
20			205					210					215			_
	Val	Asn	Thr	Glu	Tyr	Leu		Asn	Lys	Leu	Leu		Pro	Asp	Leu	Pro
		220					225					230		_		_
25	Pro	Arg	His	Asn	Tyr		Thr	Gly	Tyr	Leu			Gly	Tyr	Ala	Pro
	235					240		_	_		245				_	250
	Asn	Arg	Asn	Lys			Lys	Trp	Tyr			Pro	ASP	Leu		Pro
30					255				_	260			_		265	
,	Ser	Glu	Arg			Val	Phe	Cys		_	Thr	GIY	lyr			Ser
				270				134	275				. C1.	280		- 4
	Gly	Asp			Glu	l.ys	lle			ya!	Ser	Leu			Arg	χ Λrg
35			285			V 1	T	290		. 11.		. 1	295 . Ala		. 1	. 1-0
	Leu			Glu	ASP	) Val				/ 116	: Cys	310		l Ly:	Lei	ı Arg
		300		V_1	D	. D	305		. c.	. Dh	. Val			. 11:	. Te	n Ara
40			o Pro	Val	Pro			) V2I	1 011	3 File	325		: nsi		• • • • •	330
	313		-	C	. ci.	320		. т.,	- 50	. 11:			. Th	- 501	- Hi	
,	Yal	5e	rıyı	. 261			· L.y:	, iyi	. Je.	340				Jei	34:	s Gln 5
45	DL.	- <i>C</i> L	. 0	. C.,	333 - CL				. Tu			ı Hi	s Lei	. 61		n Asn
	rne	2 611	n Pro	35(		ı i.e.	, ,,,	: Ly:	35:		, 1131		3 00.	360		
		. 11:	- 4					- Al:			s (61)	ı i v	s Ala			g Tyr
	Lÿ:	5 (11)	s asi 36		. U):	<b>3</b> 1116	. (13)		0 .	,			37		,	.,,,
50		. 11:	s Arı		e la	, Hi		.,,,						-	•	
	NI)	38 38		в 1.7.												

	(210)	26					
	(211)	1266					
5	⟨212⟩	DNA					
	⟨213⟩	Homo sapiens					
10	<b>&lt;400&gt;</b>	26					
	atgct	tcagt ggaggagaag	acactgctgc	tttgcaaaga	tgacctggaa	tgccaaaagg	60
	tetet	gttcc gcactcatct	tattggagta	ctitcictag	tgtttctttt	tgctatgttt	120
	ttgtt	tttca atcatcatga	ctggctgcca	ggcagagctg	gattcaaaga	aaaccctgtg	180
15	acata	cactt teegaggati	teggteaaca	aaaagtgaga	caaaccacag	ctcccttcgg	240
	aacat	ttgga aagaaacag	ccctcasacc	ctgaggcctc	asscagcasc	taactctaat	300
	aacac	agacc tgtcaccac	a aggagttaca	ggcciggaga	atacacttag	tgccaatgga	360
20	agtat	ttaca atgaaaaag	g tactggacat	ccaaattctt	accatttcaa	atatattatt	420
		sects assastect	a agagasaagt	ccttttttaa	tactactaat	agctgcagag	480
	cctgg	gacasa tagaagcta	g aagagctatt	cggcaaactt	ggggcaatga	aagtctagca	540
	cctgg	gtatic assicacaa	g aatattiig	ttgggcttaa	gtattaagct	aaatggctac	600
25	cttca	macgig caatacigg	a agaaagcaga	caatatcatg	atataattca	acaggaatac	660
	ttaga	atacgt actataatt	t gaccattaaa	acuctaatgg	gcatgaactg	ggttgcaaca	720
	tacte	giccac ataitccat	a tgttatgaaa	actgacagtg	acatgitigi	caacactgaa	780
30	tatti	taatca ataagttac	t gaagccagal	ctgcctccca	gacataacta	tttcactggt	840
	tacci	taalge gaggalalg	c accentega	ancasugata	gcaagtggta	catgccacca	900
		tclacc caagigage					960
		atcigg cagaanaga					
3.		tataig tagggatet					
		tigigi icaalcaci					
		cicate agticcage					
4	aagc	acantg cctgtgcca	ia egeagenaai	gaaaaggcag	gcaggtate	ccaccgtaaa	
	ctac	at					1266
	<210	> 27					
4.	5 (211	> 2420					
	<212	N%0 <					
	<213	> Homo sapiens					
5	0						
	<200	)>					
	<221	> CDS					

(222) (698)..(1963)

5	<200>	
	<pre>&lt;221&gt; sig peptide</pre>	
	<222> (698) (811)	
10		
10	⟨200⟩	
	<pre>&lt;221&gt; mat peptide</pre>	
	<222> (812) (1963)	
15		
	<400> 27	
	gcctgtgcag cagctgagga accgtggatt tcatattata gactaanacc ccattaanac	60
20	tgetcassat cetteetges getgeesgge sacssegsas gasgsgaggt sasteetatt ]	20
	cttttccaat acaactgaag cactacatit tagctciggc tgctttacat tgcagctcag l	80
	tgttattagt agaaatatgg atactgagac gagaacacag cactgcattg tccagccagg 2	40
•	aaaatagcag atgtaaaaag cttcaatgca tcaactgtcg ggaagagtca acagtgctac 3	00
25	aagcagaacg ggcaactaca gctcttttgt ttaacgaaag agagaanatg anagaaaggg 3	60
	anantitcag angactagga cocatatgan canggagggt ancicganga cangcagaca 4	20
	gatggacact tiggatactg tgaaaagcaa tegeaggagg cagacigitg ggggatgtge 4	180
30	gcatgitcga tagcatcitt titgcigaag tgatggcgig ccaasagtat titcagiggg S	540
-	cataateete ticacatama tggeetgace aaggaagmal gaetacaaga gmgmcaatgt (	600
•	gactgaatta gaaaatgalt gccaaagaat agtattnagg agaagaanac atttliggic (	660
	accaaletet catataccae tactggatat tlacaae atg ett cag lgg agg agn	715
35	Met Leu Gln Trp Arg Arg	
	-38 -35	
	aga cac tgc tgc itt gca ang aty acc tgg aat gcc aan agg ict cig	763
40	Arg His Cys Cys Phe Ala Lys Net Thr Trp Asn Ala Lys Arg Ser Leu	
	-30 -25 -20	
	the ege act cat ett att gga gta ett let eta gig itt ett itt get	811
	Phe Arg Thr His Leu Ile Gly Val Leu Ser Leu Val Phe Leu Phe Ala	
45	-15 -10 -5	
	atg itt itg itt itc ant cat cat gac igg cig cca ggc aga gci gga	859
	Wet Phe Leu Phe Phe Asn His His Asp Trp Leu Pro Gly Arg Ala Gly	
50	1 5 10 15	
	tte aan gan ane eet gig men tae net tte egn gga tit egg ten ach	907
	Phe Lys Glu Asn Pro Val The Tyr The Phe Arg Gly Phe Arg Ser The	

				20					25			•		30			
	888	agt	gag	aca	aac	cac	agc	tcc	ctt	cgg	вас	att	tgg	aaa	gaa	aca .	955
5	Lys	Ser	Glu	Thr	Asn	His	Ser	Ser	Leu	Arg	Asn	lle	Trp	Lys	Glu	Thr	
			35					40					45				
	gtc	cci	caa	acc	ctg	agg	ccŧ	caa	aca	gca	act	aac	tct	aat	aac	aca	1003
10	Val	Pro	Gln	Thr	Leu	۸rg	Pro	Gln	Thr	Ala	Thr	Asn	Ser	Asn	Asn	Thr	
		50					55					60					
	_					gga											1051
	Asp	Leu	Ser	Pro	Glo	Gly	Val	Thr	Gly	Leu	Glu	Asn	Thr	Leu	Ser	Ala	
15	65					70					75					80	4000
						aa t											1099
	Asn	Gly	Ser	Ile		Asn	Glu	Lys	Gly		Gly	His	Pro	Asn		lyr	
20					85					90					95		1147
						att											1147
	1115	rne	Lys	100		lle	ASII	GIU	105	010	LJS	Cys	0111	110		Jei	
25	222		tta			cta	ata	gc t		gag	cct	gga	caa			gct	1195
											-					Ala	
			115					120				•	125				
	828	aga			cgg	caa	acı	tgg	ggc	aat	gaa	agt	cta	gce	cct	ggt	1243
30																Gly	
		130					135					140					
	att	L caa	ato	ace	aga	า กเส		Ltg	ttg	ggc	: ite	agt	ati	aa(	cta	anl	1291
35	110	e Gla	ı He	. Thi	· Are	lle	Pho	: Leu	Leu	Gly	Leu	Ser	- 11	Ly:	s Lei	ı Asn	
	145	5				150	)				153	5				160	
	ggo	e ta	cti	t cas	a cg	l gce	ata	a cts	gaa	gaz	ago	aga	a car	a ta	t ca	gat	1339
40	Gl	y Ty	r I.e	G G L	n Ari	g Ala	ile	e l.eu	Glu	Gli	J Sei	r Arı	g GI:	n Ty	r His	s Asp	
					16			•		170					17		
																t aaa	1387
	H	e II	e Gl	n Gl	n Gli	ц Ту	r Lei	u Ast	Th	r Ty	r Ty	r Ası	n Le		_	e I.ys	
45				18					189					. 19			1495
•																t cca	
	Th	r Le			y Ne	t Asi	n Tr			a in	r ly	r Cy			SII	e Pro	
50			19					200					20		.,	1 110	1483
																t Lla	
•	Ty	r Va	i Ve	ι I.y	s th	ı. As	b 20	r 38	b ac	, in	ı, Aşı	1 45	11 10		(ויט	r l.eu	

		210					215					220					
	atc	aat	aag	tta	ctg	aag	cca	gat	ctg	cct	ссс	aga	cat	aac	tat	ttc	1531
i	He	Asn	Lys	Leu	Leu	Lys	Pro	Λsp	Leu	Pro	Pro	Arg	Kis	Asn	Tyr	Phe	
	225					230					235					240	
	act	ggt	tac	cta	atg	cga	sga	tat	gca	ссс	aat	cga	aac	aaa	gat	agc	1579
10	Thr	Gly	Tyr	Leu	Net	Arg	Gly	Tyr	Ala	Рго	Asn	Arg	Asn	Lys	Asp	Ser	
					245					250					255		
	aag	tgg	tac	atg	cca	сса	gac	ctc	tac	сса	agt	gag	cgt	tat	cct	gtc	1627
	Lys	Trp	Tyr	Met	Pro	Pro	Asp	Leu	Tyr	Pro	Ser	Glu	Arg	Tyr	Pro	Val	•
				260					265				•	270			
	ttc	tgt	tct	gga	act	ggt	tat	gtt	ttt	tct	gga	gat	ctg	gca	gaa	aag	1675
	Phe	Cys	Ser	Gly	Thr	Gly	Tyr	Val	Phe	Ser	Gly	Asp	Leu	Ala	Glu	Lys	
20			275					280					285				
	att	ttt	888	gtt	tct	t ta	ggt	atc	cgc	cgt	ttg	cac	ttg	gaa	gat	gta	1723
	Ile	Phe	Lys	Val	Ser	Leu	Gly	lle	Arg	Arg	Leu	His	Leu	Glu	Asp	Val	
		290					295					300					
25	tat	gta	ggg	atc	tgt	ctt	gcc	aag	ttg	aga	att	gat	cct	gta	ccc	cct	1771
	Tyr	Val	Gly	He	Cys	Leu	Ala	Lys	Leu	Arg	: Ile	Asp	Pro	Val	Pro	Pro	
	305					310	<b>)</b>				315	i				320	
30	ccc	aat	gag	ttt	gtg	ite	ะลลเ	cac	tgg	cga	gto	tct:	tat	tcg	ago	igt	1819
<i></i>	Pro	Asn	Glu	Pho	Val	Phe	: Asn	llis	Trp	Are	y Val	Ser	Tyr	Ser	Ser	. CA2	
					325	5				330	)				335	;	
·	aaa	tac	ago	cac	: cla	ati	acc	tct	cat	. ca	z tie	cas	g ccl	agt	gaa	ctg	1867
35	Lys	Tyr	Set	His	s Lec	ı He	e Thr	- Ser	· His	s Gli	n Pho	e Cla	Pro	Ser	Glu	Leu	
				:340	)				348	5				350	)		
	ata	1 888	t tac	: Lgg	g aa	ca	t tta	caa	CU	aa	t aa	g ca	aa	L gcc	tg!	r acc	1915
40	110	e Lys	Ty1	Tr	) Asi	n Hi	s I.cu	Glr	n Gli	Λs	n Ly	s Ili	s Asi	n Ala	a Cy:	s Ala	
40	-		355					360					36				
	aa	c gca	e gca	ล ลละ	n ga	a aa	g gca	n ggc	: ag	gιa	t cg	c ca	c cg	l aaa	a cta	a cat	1963
	As	n Ala	a Ala	a l.y	s Gl	u Ly	s Ala	a Gly	y Ar	g Ty	r Ar	g IIi	s Ar	g l.y:	s Lei	ullis	
45		370					37					38					
																tgtatag	
•																gaaatto	
50																tataaca	
																tattaac	
	ลเ	gcan	tanc	ang	calg	cat	મકાસ (	cant:	gg l	Lcaa	gtet	t ct	gtta	KKKK	cca	រប្រមា	2263

¥1.1			, 75°.				100				A				
	ı.					· · ·		,	7.5						
** ** **		v.		- ģ			Nr 1	```.				•		AL-	
7	٠		.*	* 1 <sup>2</sup> **											
<del>.</del>	**									٠,	**************************************	*D* / T	2. 2. 4. (4. )	M. Andrews of the Control of the Con	
					i (i)						÷ g				,
														::::::::::::::::::::::::::::::::::::	
														·	
*	î.							*				¥		- <b>*</b> *	
												· · · · · · · · · · · · · · · · · · ·	÷		ert <u>e</u>

	gtate	ctgc	at a	tgtt	tcca	a ca	t aaa	ιιι	aat	tcaa	gaa :	atga	cagı	ca a	aaga	tcctt	2323
	catt	ttag	at t	aagc	ittt	at	ttta	atat	ata	attt	aat	gtaa	ataa	ав с	atca	ctate	2383
	aatt	ttaa	gg a	aaaa	aaaa	a aa	8888	aaaa	aaa	aaaa							2420
	<210	> 28															
10	<211	> 52	1														
	<212	> PR	T														
	⟨213	> Ho	mo s	apie	ns					•							
15	<400																
	Net	Val	Asn	Ala	Cys	Trp	Cys	Gly	Leu	Leu	Ala	Ala	Leu	Ser	Leu	Leu	
	-21						-15					-10		_			
20		Asp	Ala	Ser	Thr	Asp	Glu	Val	Ala	_	Glu	Asn	He	Leu	Lys	Ala	
	<del>-</del> 5			.,				_	٥.	5		<b>.</b>		V-1	10	C	
	Glu	Leu	Thr		Ala	A18	Leu	Cys		Arg	rea	OIÀ	Leu	25	Thr	Ser	
25	A	4	A1-	15	11	Th-	Ala	110	20	ive	Clv	Sar	l ou		Pro	Hie	
	WLR	nsp	30	rile	116	1111	uia	35	Cys	LJJ	,,,	Jei	40	•••			
	Tvr	Ala		Thr	Val	l eu	Asn	-	The	Thr	Ala	Ala	•••	Leu	Ser	Asn	
	171	45					50			****		55					
30	1.vs			Ser	Val	Gln		Gln	Ser	Val	Met		He	Ser	Pro	Ser	
,	60		.,.	•••		65					70					75	
		Glu	Ser	His	Gln	Gin	Val	Val	Ala	Val	Gly	Gln	Pro	Leu	Ala	Val	
35					80					85					90		
	GIn	Pro	Gln	Gly	Thr	Yal	Met	i.eu	Thr	Ser	Lys	۸sn	He	Gln	Cys	Met	
				95					100					105	;		
	Arg	Thr	Leu	Leu	Asn	Leu	Ala	His	Cys	llis	Gly	۸la	Val	l.eu	Gly	Thr	
40			110	1				115					120	)			
	Ser	Tep	Gln	Leu	Val	Leu	Ala	Thr	Leu	Gln	llis	Leu	Val	Tr	lle	Leu	
		125	i				130	)				135					
45	Gly	Leu	Lys	Pro	Ser	Ser	Gly	Gly	Ala	l.eu	l.ys	Pro	Gly	Arg	, Ala	Val	
	140					145					150	•				155	
	Glu	Gly	Pro	Ser	Thr	Val	l.eu	Thr	Thr	' Ala	Val	Net	Thi	- Ast	i.eu	Pro	
50					160					165					170		
· · ·	٧al	He	: Sei	· Asn	lle	l.eu	Ser	· Arp			Glu	Ser	Sei			· Leu	
				175	i				180	)				18:	<b>5</b>		

	Asp	Asp	Val	Ser	Leu	His	His	Leu	He	Asn	Ala	l.eu	Cys	Ser	Leu	Ser	
			190					195					200				
•	Leu	Glu	Ala	Het	Asp	Het	Ala	Tyr	Gly	Asn			Glu	Pro	Ser	Leu	
		205					210					215					
	Phe	Ala	Val	Ala	Lys	Leu	l.eu	Glu	Thr			Val	Asn	Met	His		
o	220					225	_				230			۵,		235	
	Ile	Glu	lle	Leu	Trp	Arg	Pro	Leu	Thr			Leu	Leu	Giu		Val	
					240	_		14	<b>C</b> 1	245		C1	41.	C1	250	Lan	
5	Cys	Gln	His		Asn	Ser	Arg	Met		GIU	ITP	GIY	AIS	265	WIR	Leu	
•		•	1	255	Lys	410	C1	1 au	260	Pho	Aen	Hie	Asn		Pro	Len	
	Thr	Ser	270		Lys	MIG	GIY	275	1111	1 116	NSII		280			500	
	Sor	Cln			Arg	Leu	Gln		Leu	Leu	Leu	Asn		Leu	Lys	Glu	
ro	261	285		<b>0111</b>	10.0		290					295			-•		
	Wet			lle	Asn	His		Asp	Ile	Arg	Leu			Leu	Glu	Cys	
	300					305		·			310					315	
25			Gln	Ile	Leu	Gln	Ser	Gln	Gly	Asp	Asn	Leu	Gly	Pro	Gly	Trp	
					320					325	•				330		
	Pro	Leu	. Val	Leu	Gly	Val	Het	Gly	A)a	lle	Arg	Asr	Asp	Gln	Gly	Glu	
3 <i>0</i>				335	;				340	1				345			
»O	Ser	- Lei	Ho	Arg	Thr	Ala	Phe	Gln	Cys	Leu	Gln	Lec	ı Val	Val	Thr	Asp	
			350					35					360				
	Phe	e Lei	. Pro	The	Met	Pro	Cys	Thr	Cys	Leu	Glr	1110	e Val	Val	Asp	Val	
35		36					370					379		_			
			y Sei	r Phe	e Gly			. Asr	1 Glr	n Glu			n lle	e Set	: Let	Thr	
	380					385			_		390 •		. DL.	- (1)	- A	395 33	
40	Se	r II	e GI	y Lei			) Asr	1 110	3 261		_	r (Pin	e rin	2 (11	41(	g Gly A	
	٥.	TL	••	. 61.	400		. 1			403 - G1:		. A1	a Al:	n Glo		n Lys	
	61	บเก	r 11			\$ 611	1 1.01	3 //2	420		, 011	יא ט		- 42	_	,,	
	C)	_ 41	- C1	419		s Cla	v Va	ı Və			η Λε	o Pr	o Ph			o Ala	ı
45	. 01	II W1	43		u 1.,	3 01,	,	43					4-1				
	Pr	o Pr			n Cv	s Le	u Tr			s t.e	u Ty	r Al	a l.y	s Le	u Gl	y Glu	i
	• •	- -		J 11.J	, -y		-เลี		-,		·	-15	_				
50	l.e			.l As	p Pro	ο Λε	g Pr	o Al	a Va	l Ar	g I.y	s Sc	r Al	a Gl	y Gl	n The	
	-16		_			-16					-17					475	

	Leu Phe Ser	Thr Ile Gly	Ala His G	ly Thr Leu l	eu Gln His	Ser Thr	
		480		485		490	
5	Trp Arg Thr	Val Ile Tr	Lys Val L	eu			
		495	5	00			
10	⟨210⟩ 29						
10	<211> 1563						
	<212> DNA			•			
	(213) Homo :	sapiens					
15							
	<b>&lt;400&gt; 29</b>						
	atggtgaatg	cctgctggtg	tggtcttctt	gctgcactct	cactccttct	tgatgccagc	60
20	acagatgaag	tigccactga	gaatatttia	aaagctgaac	tgactatggc	tgctctttgt	120
	ggaagactgg	gccttgtaac	ttcaagagat	gcctttataa	ctgcaataig	caaaggttcc	180
	ctgcctcccc	attatgctct	tactgtattg	aataccacca	ctgcagctac	actitccaac	240
	aaatcatatt	ccgttcaggg	ccasagtgtt	atgatgataa	gtccatcaag	tgaatctcac	300
25	caacaagttg	tggcagtggg	tcaaccttta	gcagtccagc	ctcaagggac	agtaatgctg	360
•	acttccaaaa	atatccagtg	tatgaggact	ttacttaact	tggcgcattg	ccatggggct	420
	gitcitggaa	catcatggca	actigicity	gcaactcttc	agcatettgt	gtggattctg	480
30	ggattawagc	clagtagigg	cggtgccttg	aaacctggga	gagctgtaga	aggacccagt	540
	acagtictau	caacagcagt	gatgacagat	ttaccagtga	tttccaatat	actttcaaga	600
	ttgittgaaa	gcicacagta	tcttgatgat	gtatcactgc	atculttaat	aaatgcactt	660
	tgctccttgt	ctctagaagc	aatggatalg	gcctatggaa	ataataagga	accatctctt	720
35	titgctgttg	ccaaatigti	agaaactggt	ttagttaata	tgcaccgaat	agaaattcig	780
	tggagaccic	igaciggcca	tctacttgag	aaggicigcc	agcatccaaa	ctctcgaatg	840
	ggagaatggg	gagcagaagc	tttaacttct	. cttattaaag	caggattaac	atttaaccat	900
40	-					gttaaaggag	960
						gtigcagall	
						agicatggga	
						tcttcagttg	
45						tgtagatgtt	
						aataggtila	
						agaactaaat	
50						. aanteggeen	
						altgggtgan	
	ctatgtgtgg	ateccegte	c igoigicag	g aagagt <b>g</b> caq	g gyennaetel	.gttttctaca	1500

	attggtgcg	c atggs	actti	act	acag	cat	Can	ccig	Rc R	cact	gila		RRGG	ввіа	1300
	ttg														1563
5				•											
	(210> 30														
	(211> 176	8													
	(212> DNA	1													
10	<213> Hoα	o sapi	ens												
								•							
	<200≻	_													
15	(221) CDS		• `												
	(222> (8)	) (157	0)												
	(200>														
20	<221> si	g pepti	de												
	<222> (8)	)(70)													
ne.															
25	<200>								•						
	<221> ma														
	(222) (7	1) (1	10)												
30															
	<400> 30					1		~~1		,, <b>, ,</b>	ac i	gca.	c1 c	tra	49
	ggaagaa	Met Va													10
35				Ala	Cys	пр	-15	vij	i.eu	LCU	uıa	-10	Lea	561	
<b></b>	ctc ctt	-21 -20				<b>701</b>		ati	acc	10c	<b>79</b> 7		att	tta	97
	Leu Leu														•
	Leu Leu	-5	р ліа	261	1111	nap 1	9		,,,,	 5					
40	aaa gct	-		01.7	<b>701</b>	_	cu	1 71	772		ctø	79C	ctt	σta	145
	Lys Ala														•
	•	GIU I.E	U INC	15		піп	Leu	Cys	20	111.6	LCG	0.,	200	25	
45	10						<i>a</i>			400	aat	tee	cta		193
₩	act tca														150
	Thr Ser	Arg As			ııe	ınr			Cys	1.75	ary	Sei	40		
			30					35			<b></b>	go.			241
<b>50</b> .	ccc cat														471
	Pro Ilis			inr	vai	i.cu			inr	1116	nid			ren	
		•	5				50					55			

									ggc								289
	Ser	Åsn	Lys	Ser	Tyr	Ser	Val	Gln	Gly	Gln	Ser	Val	Het	Het	Ile	Ser	
5			60					65					70				
									gtt								337
	Pro	Ser	Ser	Glu	Ser	His	Gln	Gln	Val	Val	Ala	Val	Gly	Gln	Рго	Leu	
10		75					80					85					
									atg								385
	Ala	Val	Gln	Pro	Gln	Gly	Thr	Val	Het	Leu	Thr	Ser	Lys	Asn	He	Gln	
	90					95					100					105	
15	tgt	atg	agg	act	tta	ctt	aac	ttg	gcg	cat	tgc	cat	888	gct	gtt	ctt	433
	Cys	Het	Arg	Thr	Leu	Leu	Asn	Leu	Ala	His	Cys	His	Gly	Ala	Val	Leu	
					110					115					120		
20	gga	aca	tca	tgg	caa	ctt	gtc	ttg	gca	act	ctt	cag	cat	ctt	gtg	tġg	481.
	Gly	Thr	Ser	Тгр	Gln	Leu	Val	Leu	Ala	Thr	Leu	Gln	His	Leu	Val	Trp	
				125					130	٠				135			
	att	ctg	gga	tta	aag	cct	agt	agt	ggc	ggt	gcc	ttg	aaa	cct	ggg	aga	529
25	lle	Leu	Gly	Leu	Lys	Pro	Ser	Ser	Gly	Gly	Ala	Leu	Lys	Pro	Gly	Arg	
			140	)				145					150	H			
	gct	gu	gas	gga	ccc	agt	aca	gtt	cta	aca	aca	gca	gtg	alg	ace	gat	577
30	Ala	a Val	Glo	Gly	Pro	Ser	Thr	Val	Leu	Thr	Thr	Ala	(Va)	Met	Thi	Asp	
		15	5				160	)				165	•				
	tta	a cca	a gt	g ati	tco	: aat	ata	ctt	tca	aga	ıtg	ttt	gae	ago	: tca	a cag	625
	Le	u Pri	o Va	1 116	e Sei	Asr	ı Ile	Leu	Set	Arg	, Leu	. Phe	Glu	s Sei	r Sei	Cln	
35	170	0				17	5				180	)				185	
	ta	t ct	ιga	t ga	t gta	a tca	a ct	g cal	cat	. tta	a ata	aat	ge	a ct	t tg	c tee	673
	Ty	r Le	u As	p As	p Va	l Se	r Lei	ı His	, His	s Lei	ı Ile	e Ası	n Ala	a Lei	u Cy	s Ser	
40					19	0				193	5				20	0	
10	tι	g tc	t cl	a ga	a gc	a at	g ga	t at	g gc	ta:	t gga	a ua	t aa	t aa	g ga	a cca	721
	Le	u Sc	r Le	u Cl	υ Al:	a Me	t As	p Me	t Ala	а Ту	r Gl	y Ası	n As	n l.y	s Gl	u Pro	
				20	5				210	0				21	<b>ว</b> ี		
45	tc	t ct	t tt	t gc	t gt	t gc	c อล	a Lt	g tta	a ga	a ac	t gg	ı tt	a gi	t aa	t atg	769
																n Net	
			22					22					23				
50	CE	ic cg	a at	a ga	a at	t ct	g tg	g ag	n cc	t ct	g ac	t gg	c ca	t ct	a ct	t gug	817
																u Glu	
		23					2-1					21					

	aag	gtc	tgc	cag	cat	cca	aac	tct	cga	atg	gga	gaa	tgg	gga	gca	gaa	865
	Lys	Val	Cys	Gln	His	Pro	Asn	Ser	Arg	Met	Gly	Glu	Trp	Gly	Ala	Glu	
5	250					255					260					265	
	gçt	tta	act	tct	ctt	att	aaa	gca	gga	tta	aca	ttt	aac	cat	gat	cct	913
	Ala	Leu	Thr	Ser	Leu	lle	Lys	Ala	Gly	Leu	Thr	Phe	Asn	His	Asp	Pro	
10					270					275					280		
	cca	ctc	ıca	саа	aac	cag	agg	ctg	cag	ttg	ctt	tta	ttg	aac	ccg	tta	961
	Pro	Leu	Ser	GIn	Asn	Gln	Arg	Leu	Gln	Leu	Leu	Leu	Leu	Asn	Pro	Leu	
				285					290					295			
15	aag	gag	atg	tcc	aat	att	aat	cat	cca	gat	att	cga	ctc	aag	cag	tta	1009
	Lys	Glu	Met	Ser	Asn	lle	Asn	His	Pro	Asp	lle	Arg	Leu	Lys	Gln	Leu	
			300					305					310			-	
20	gaa	tgc	gtg	ttg	cag	att	ctg	cag	agt	cag	gga	gac	aat	ctt	ggg	cct	1057
	Glu	Cys	Val	Leu	Gln	lle	Leu	Gln	Ser	Gln	Gly	Asp	Asn	Leu	Gly	Pro	
		315					320					325					
											gca						1105
25	Gly	Trp	Pro	Leu	Val	Leu	Gly	Val	Met	Gly	Ala	lle	Arg	Asn	Asp	Gln	
	330					335					340					345	
`																gtg	1153
30	Gly	Glu	Ser	Leu	He	Arg	Thr	Ala	Phe	Gln	Cys	Leu	Gln	Leu			
					350					355					360		
																gta	1201
	Thr	Asp	Phe	Leu	Pro	Thr	Met	Pro	Cys	Thr	Cys	Leu	Gln			Val	
35				365					370					375			
																agt	1249
	Asp	Val	Ala	ı Gly	Set	· Pho	Gly	Leu	His	: Asr	n Glm	Glu		_	ı IIe	e Ser	
40			380					385					390				1007
																c caa	1297
	Lei	. Thi	. Sei	rilo	Gly	Leu	ı l.eu	ı Trş	) Asc	ı Ile	e Ser			r Pho	2 Pho	e Gln	
45		39:		•			400					405					1015
~																a cag	1345
	Arg	g Gl	y Gli	u Thi	r 116			s Gli	ı l.et	J ASI			) G11	a Ala	a Ala	a Gln	
	410					415					420					425	1202
50																c cac	1393
	Gli	n Ly:	s Gl	n Ala	ı Gli	u Gli	ı i.y:	s GI	y Va			ı Ası	λľ	g Pro		e Ilis	
					13	()				-43	5				1.1	0	

	cct g	ca c	cg cc	a tti	gat	tgc	ttg	tgg	l ta	tgt	ctt	tat	gca	aaa	ttg	1441
	Рто А	la P	ro Pr	o Phe	Asp	Cys	Leu '	Trp	Leu	Cys	Leu	Tyr	Ala	Lys	Leu	
5			44	5				450					455			
	ggt g	aa c	ta tg	t grg	gat	ccc	cgt	cct	gct	gtc	agg	aag	agt	gca	ggg	1489
	Gly G															
	<b>,</b> .		60				465					470				
10	caa a			t tet	aca	att	ggt	gcg	cat	gga	act	tta	tta	cag	cat	1537
	Gln T															
		175				480					485					
15			gg C	c act	gtt	atc	tgg	aag	gta	ttg	taas	atag	at 1	tggad	tatca	1590
				rg Thi												
	490				495					500						
-2	gcttt	ttaat	gag	tcatgo	ett a	tatat	taat	act	ttt	cag	ttaa	actt	at	ttct	ttaat	1650
20	titte	aage	a tt	tccat	ca t	ttgte	tatt	tg8	1088	aca	ggaa	ataa	ict	gtgt	catatt	1710
	gtaaa	attgi	la cc	tcata	aag a	gcaaa	attaa	ate	atta	acag	cct	aaaa	aaa i	aaaa	aaaa	1768
25	<210	> 31														
	(211	> 459	9													
	(212	> PR	٢													
20	<213	> Hor	no sa	piens											•	
30				•												
	<400	> 31														
	Het	Va l	Asn A	la Cy	s Trp	Cys	Gly	Leu	Leu	۸la	Ala	Leu	Ser	Leu	Leu	
35	-21	-20				-15					-10					
	Leu	Asp	Ala S	Ser Th	ı: Asp	Glu	Val	Ala	Thr	Glu	Λsn	lle	Lec	Lys	Λla	
	-5				1				5	,				10	)	
40	Glu	Leu	Thr 3	let Al	a Ala	ı I.eu	Cys	Gly	Arg	Leu	Gly	Leu	Va:	Thr	Ser	
40			,	15		,		20	1				2	5		
	Arg	Asp	Ala I	he []	e Thi	r Ala	lle	Cys	Lys	Gly	Ser	l.cu	Pro	Pro	llis	
			30				35	•	-			40	)			
45	Tyr	Ala	l.eu	ihr Va	ıl Lei	ı Asn	Thr	Thr	Thr	- Ala	a Ala	The	Lei	u Sei	r Asn	
		45				50	)				58	i				
	Lys	Ser	Tyr :	Ser Va	ıl Gli	n Gly	Glo	Scr	Val	Me	He	. He	Se	r Pro	Ser .	
50	60				G	5			•	70	)				75	
55	Ser	Glu	Ser 1	llis G	ln Gli	n Val	Val	Ale	ı Val	G1;	y Glr	) Pro	Le	u Ala	a Vai	
				:	80				8	5				90	)	

	Gln	Pro	Gln	Gly	Thr	Val	Met	Leu	Thr	Ser	Lys	Asn	lle	Gln	Cys	Met
				95					100					105		
5	Arg	Thr	Leu	Leu .	λsn	Leu	Ala	His	Cys	His	Gly	Ala	Val	Leu	Gly	Thr
			110					115					120			
	Ser	Trp	Gln	Leu	Yal	Leu	Ala	Thr	Leu	Gln	His	Leu	Val	Тгр	Ile	Leu
10		125					130					135				
	Gly	Leu	Lys	Pro	Ser	Ser	Gly	Gly	Λla	Leu	Lys	Pro	Gly	Arg	Ala	Va]
	140					145					150					155
		Gly	Pro	Ser	Thr	Val	Leu	Thr	Thr	Ala	Yal	Met	Thr	Asp	Leu	Pro
15					160					165					170	
	Val	Ile	Ser	Asn	Ile	Leu	Ser	Arg	Leu	Phe	Glu	Ser	Ser	Arg	Tyr	Leu
				175					180					185		
20	Asp	Asp	Val	Ser	Leu	His	His	Leu	Ile	Asn	Ala	Leu	Cys	Ser	Leu	Ser
			190					195					200			
•	Leu	Glu	Ala	¥eτ	Asp	Met	Ala	Tyr	Gly	Asn	Asn	lys	Glu	Pro	Ser	Leu
		205					210					215				
25	Phe	Ala	Val	Ala	Lys	Leu	Leu	Glu	Thr	Gly	Leu	Val	Asn	Met	His	Arg
	220					225					230					235
	Ile	Glu	lle	Leu	Trp	Arg	Pro	Leu	Thr	Gly	His	Leu	Leu	Glu	Val	Cys
30					240					245					250	
	Gln	His	Pro	Asn	Ser	Arg	Het	Arg	Glu	Trp	Gly	Ala	Glu	Ala	Leu	Thr
				255					260	)				265		
	Ser	Leu	ile	Lys	Λla	Gly	Leu	Thr	Phe	Asn	His	Asp	Pro	Pro	Leu	Ser
35			270	)				275	5				280	)		
	Glr	Asr	ı Glr	\ Arg	l.eu	Gln	Leu	Leu	Let	Leu	Asn	Pro	Leu	Lys	Glu	Met
		283	5				290	)				295	j			
40	Sei	r Ası	a Ho	: Asn	Ilis	Pro	) Asp	Ile	Arg	Leu	Lys	Glr	Lei	Glu	Cys	. Val
	300	)				305	<b>j</b>				310	)				315
	Lei	. Gli	n Ile	e I.eu	Glr	ı Sei	r Glr	1 ·G1;	/ Ası	Ser	Leu	Gly	Pro	Gly	Tr	Pro
					320	)				325	;				330	)
45	Lei	ı Va	l Lei	Gly	/ Val	l Xet	Gly	, Ala	a II	. Are	Asr	As <sub>{</sub>	Gli	ı Gly	Gli	Ser
				33.	5				3.10	)				345	i	
	Le	ı II	e Arı	g Thi	r Ala	n Phe	e Gla	n Cy	s Le	ı Gli	ı Lei	, Ya	l Val	The	Gle	ılle
50			35	0				35	ā				360	)		
-	H	e Ph	e Va	Lei	ı Ly:	s Ala	a Va	l Se	r Th	r Lei	ı He	: ÀS	) Sei	r Lei	ı l.y:	s l.ys
		216	<b>=</b>				276	n				37	5			

	Thr Gl	n Pro	Glu	Asn \	/al	Asp	Gly	Asn	Thr	Trp .	Ala	Gln	Val	He	Λla	
	380			:	385					390					395	
5	Leu Ty	r Pro	Thr	Leu \	Val	Glu	Cys	Ile	Ala	Cys	Pro	Ser	Ser	Glu	Va]	
				400					405					410		
	Cys S€	r Ala	Leu	Lys (	Glu	Ala	Leu	<b>Val</b>	Pro	Phe	Lys	Asp	Phe	Met	G]n	
10			415					420					425			
,,,	Pro Pr	o Ala	Ser	Arg	Val	Gln	Asn	Gly	Glu	Ser						
		430					435			•						
15	<210>	32														
	(211>	1377														
	(212>	DNA														
20	(213>	Ново	sapi	ens												
	<400>	32														
	atggt	gaatg	cctg	ctgg1	tg t	ggtc	ttct	t gc	tgca	ctct	cac	tcct	tct	tgat	gccagc	60
25	acaga	tgaag	ttgc	cact	ga g	aata	ttt	a as	agct	gaac	tga	ctat	ggc	tgct	cittgi	120
															ggttcc	180
	ctgcc	tcccc	atta	tgct	ct t	acte	tatt	g az	ataco	acca	ctg	cago	tac	acti	tccaac	240
30	aaato	atatt	ccgt	tcag	gg c	caas	gtgt	t at	igate	gataa	gto	cato	aag	tgaa	tctcac	300
-	caaca	agttg	tgg	agtg	gg t	caa	cili	a go	agto	cago	cto	:aagg	gac	agta	antgolg	360
	actio	caaaa	atat	ccag	tg t	tatga	aggac	: t t	tact	taact	tg	gegea	ilg	cca	ggggcl	120
	gitci	tggaa	cato	atgg	ca a	actt	gLC L1	g g	caac	tcttc	age	atc	LLgt	gtg	gaticin	480
35 .	ggat	taaago	cta	gtagt	gg	eggl	gcc t1	tg a	aacc	t ggga	ga	gctg	taga	agg	acceagt	540
	acag	Ltct88	caa	cagca	gt (	gatg	acag	at t	tacc	agtga	ıı	tcca	atat	act	ttcaaga	600
	ttgt	ttgaaa	gct	cacgg	ta	tctt	gatga	at g	tatc	actgo	at:	catt	taat	aaa	tgcacit	660
40	tgct	ccttgt	ctc	tagas	gc :	aatg	gata	lg g	ccta	tggaa	at	aata	agga	acc	alcicii	720
	tttg	ctgite	cca	aattg	gtt i	agaa	actg	gt t	tagt	taat	a tg	cacc	gaat	aga	anticig	780
	tgga	gaccto	tga	ctggc	ca	tcta	cttg	ag g	tctg	ccag	c at	ccaa	actc	tcg	aatgaga	8-10
	gaat	gggga	cag	aagct	ttt	aact	tctc	tt a	ttaa	agca	g ga	ttaa	catt	taa	ccatgat	900
45	ccic	cacte	cac	aaaac	ca	gagg	cigo	ag t	tgcī	ttta	t lg	aacc	cgtt	กลอ	ggagatg	960
															gaticly	
	caga	gleag	gag	acag	tct	tggg	cctg	ga t	ggcc	atia	g ig	cttg	gagt	cat	gggagca	1080
50															gttggtt	
															taagaaa	
	acto	ageel	g age	atgt	tga	t ggs	aata	cc t	RREC	ะละสถ	g ta	áttg	ect l	ate	eccaact	1260

	ttagtagaa	it gca	atcg	cctg	ιςς	ttcl	tca	gaag	tctg	tt c	tgca	ctta	a ag	aggc	acta	1320
	gttcctttt	a ag	gatt	tcat	gca	gcca	cca	gcat	ccag	ag t	tçaa	aatg	g ag	aatc	t	1377
5																
	<210> 33															
	<211> 200	9														
10	<212> DN	A														
	<213> Hor	no sa	pien	s												
									•							
	<200>															
15	<221> CD	S														
	(222) (8	)(1	384)	1												
20	<220>															
	<221> si	g per	otide	e												
	<222> (8	3)(7	70)					•								
25																
25	<220>															
	(221) ma															
	<222> (7	71)	(138	4)												
30																
	<400> 3															49
	ggaagna															. 49
35		Met		Asn	Ala	Cys	Trp		Gly	Leu	Leu	Ala		Leu	Ser	
~		-21	-					-15					-10	•••	•••	97
	ctc ctt															3.
	Leu Leu		Asp	Ala	261.	inr	ASP	610	tat	AIS	1nr 5	Gin	noll	116	CEU	
40		-ŝ				•				<b>~~</b>	_	a1 u	aac	CII	ota	145
	aaa get Lys Ain															•
		GIU	Leu	(nr	nei lõ		MIA	Leu	Cys	20		Leu	<b>U.</b> ,		25	
45	10 act tca											aat	tce	CIP		193
	Thr Ser															,,,,
	inr Ser	vig	uzh	30		110	* ****	N.16	35	0,5	,	J.,		-10		
	ccc cat	121				gia	110	nat		acc	ac1	gea	gct		cll	241
50	Pro Ilis															
	110 1113	,.	15					50					55			

	tcc	aac	aaa	tca	tat	tcc	gtt	ag g	gc	caa	agt	gti	atg	яtg	ata	agt		289
	Ser	Asn	Lys	Ser	Туг	Ser	Val (	51n (	;ly (	Gln	Ser	Val	¥et	Иet	lle	Ser	•	
			60					65					70					
	cca	tca	agt	gaa	tct	cac	caa (	88)	gtt :	gtg	gca	gtg	ggt	caa	cct	tte	3	337
	Pro	Ser	Ser	Glu	Ser	His	Gln (	Gln '	/al	Val	Ala	Val	Gly	Gln	Pro	Lei	J	
0		75					80					85						
U	gca	gtc	cag	cct	caa	ggg	aca	gta :	atg	ctg	act	tcc	aaa	aut	atc	Ca	g	385
	Ala	Val	Gln	Pro	G1n	Gly	Thr	Val :	Met	Leu	Thr	Ser	Lys	Asn	Ile	Gl	n	
	90					95					100					10	5	
15	tgt	atg	agg	act	tta	ctt	aac	ttg	gcg	cat	tgc	cat	EEE	gct	gtt	ct	t	433
	Cys	Ket	Arg	Thr	Leu	Leu	Asn	Leu	Ala	His	Cys	His	Gly	Ala	Val	Le	u	
					110					115			•		120	)		
20	gge	aca	tca	tgg	caa	ctt	gtc	ttg	gca	act	ctt	cag	cat	ctt	gtg	tg	g	481
	Gly	Thr	Ser	Trp	Gln	Leu	Val	Leu	Ala	Thr	Leu	G1n	His	Leu	Val	Tr	P	
				125					130					135	•			
							agt											529
25	lle	Let	, G13	, Leu	Lys	Pro	Ser	Ser	Gly	Gly	ķlα	Leu	Lys	Pro	Gly	/ At	·g	
			140					145					150					
	_	-					aca											577
30	Ale	a Va.	l Gl	u G1;	Pro	Ser	Thr	Val	Leu	Thr	Thr	· Ale	. Val	Me	t Th	r As	sp	
		15					160					16						
							ata											625
	Lei	u Pr	o Va	1 116	e Sei	r Asn	ılle	l.eu	Ser	Arg		_	e Gli	ı Se	r Se			
35	170					175					180			•			85	670
							ctg											673
	Ty	r Le	u As	p As			r Leu	His	His		_	e As	n Ati	a I.e			er	
40					19					199					20			791
							g gat											721
	Le	u Se	er Lo			a Me	t Asp	Het			r Gi	y AS	n As			ur	ro	
				20					210					21				769
45							c aaz											103
	Se	r Le			a va	I AL	a lys			J 61	חו ט	r GI			ii na	)(I )	ic c	•
			22					225			<b></b>		23			1 "	r:) (T	817
50							g tgg u Tri											٠.,
•	111		rg i	ie ol	UIL	e I.C	9.16		, , , ,		<b>5</b> 111	11 U1 12.1	_	1.0		"		

	gtc	t gc	cag	cat	cca	aac	tct	cga .	atg	aga	gaa	tgg	gga	gca	gaa	gct	865
	<b>Val</b>	Cys	Gln	His	Pro	Asn	Ser	Arg	Het	Arg	Glu	Trp	Gly	Ala	Glu	Ala	
	250					255					260					265	
	i.eu	Thr	Ser	Leu	Ile	Lys	Ala	Gly	Leu	Thr	Phe	Asn	His	Asp	Pro	Pro	
				•	270					275					280		
o	ctc	tca	caa	aac	cag	agg	ctg	cag	ttg	ctt	tta	ttg	aac	ccg	tta	aag	961
-	Leu	Ser	Gln	Asn	Gln	Arg	Leu	Gln	Leu	Leu	Leu	Leu	Asn	Pro	Leu	Lys	
				285					290		•			295			
	• •	_						cca									1009
5	Glu	Met	Ser	Asn	lle	Asn	His	Pro	Asp	He	Arg	Leu	Lys	Gin	Leu	Glu	
			300					305					310				
	_	-						agt									1057
20	Cys	Val	Leu	Gln	Ile	Leu		Ser	Gln	Gly	Asp		Leu	Gly	Pro	Gly	
		315					320					325					***
								atg									1105
ne.			Leu	Val	Leu			Met	Gly	VIS			ASN	ASP	תנט (	_	
25	330					335					340					345	1150
	-															aca	1153
	Glu	Ser	Leu	He			VIS	Phe	GIn			Gin	Leu	Va1		Thr	
30					350					355					360		1201
	-															ctt	1201
	GJu	ille	· Ile			Leu	Lys	, Ala			- int	Leu	1116			· l.eu	
35			-	365					370					37:			1249
	_															gla Vol	1245
	l.ys	i I,ys			י ארכ	. GIL	ı Ası			) (I)	y ASI	1 1111	390		i GII	า Val	
			380					385								1 100	1297
40																t tca r Ser	123.
	110			ııyı	· rrc	) ini	400		010	ı cy.		409			0 50	. 50.	
		39:									a #11			. 22	<i>a</i> 69		13-15
45																t llc p Phe	1010
			ı Ly:	5 Set	- N18	1 Lei 41		5 616	1 1/14	a Le	420		J 1 111	. i.,	o no	425	
	-110		<b>.</b>					. ~**					a to	1 1 11	acea	geta	1391
								n gu g Val								D	
50	же		11 1110		13(		· At	n 111		43			,.	•			
			., ,	(7:1:)			91 <i>072</i> 1-2	ue te	tai a			l zc	Lect	i i i i i i	rar	tellet	g 1151

	tgagas	eggac	atttc	tact	gca	igata	att	cttg	gcag	ct e	gtigt	tgg	c t	cctt	aaat	1514
	tetact	tacc	tgagt	cagt	aat	tcat	att	acag	gcıt	gc a	cate	aaca	a a	ggcto	ciga	1574
5	atgaac	cagca	gtgca	aggct	tta	ataa	att	aaac	tgat	88 8	gaggg	gataa	at t	aacad	ctaca	1634
	gtatad	catgo	tacca	tatct	CCE	gtte	ggtg	atti	aaag	tg	gct	tatg	ta c	agtt	lgtgg	1694
	tgtat	gtgtt	aatga	tgtac	tti	tttaa	aaaa	gaas	gaag	ag a	atat	ttca	at t	cagi	cagul	1754
10	ttatt	agtct	ggtgt	tttte	cad	ccti	ttt	caa	gtace	aa a	atcg	tacti	ag a	attt	latge	1814
10	aagat	ggtac	tgtaa	catto	ca	tatt	atct	ata	3008	gcc	tctg	t taa	ca a	aggg	aactg	1874
	atata	ctigi	gtgta	taata	aa	tggta	acag	ttc	igtai	aa :	aata;	gtgc	at t	tatt	taaat	1934
	tttaa	aagta	ttgat	aatgi	t ta	aatg	ctta	aag	ctcta	itt	tatt	acta	aa a	aaaa	aaaaa	1994
15	88888	88888	88888													2009
	<210>	34											-			
20	(211)	185														
	(212)	PRT														
	(213)	Нопо	sapie	ns												
25	<b>&lt;400&gt;</b>				_		_	_								
	¥et P	he Se	His	Leu	Pro		Asp	Cys	Yal			Leu	Leu	Leu	l.eu	
	-21 -			_	_	-15			_		-10	٥,	1/ <b>1</b>	C1	C.L.	
30		.eu Th	r Arg	Ser		Glu	Val	GIU		Arg	VIS	610	ASI		010	
	-5				1		<b>.</b> -	T1	5	A 1	A 1 =	0	C1	10	Lau	
	Asn A	Ala Ty		Pro	Cys	rne	lyr		PTO	Ata	Ala	PFO	25	NSD	1.60	
02	v_1 1	Pro Va	15 1 Cun	T	C1	1	C1v	20	Cvc	Pro	Val	Pho	_	Cve	C1v	
35	V81 1		i cys 0	irp		Lys	35	nia	Cys		vat	40	010	<b>C J</b> .5	,	
	Aco 1	Val Va		Arg	Thr	λsn		ATR	Asn	Val	Asn		Trp	Thr	Ser	
	11311	45		*** 5	••••	50	•••	6	,.		55					
40	Arg '	Tyr Ti	o Leu	Asn	Gly		Phe	Arg	Lys	Gly	Asp	Val	Ser	Leu	Thr	
	60				65			Ť		70					75	
		Glu As	n Val	Thr	Leu	Λla	λsp	Ser	Gly	He	Tyr	Cys	Cys	۸rg	He	
45				80					85					90		
	Gln	He Pr	o Gly	lle	₩et	۸sn	Asp	Glu	l.ys	Phe	۸sn	l.cu	i.ys	Leu	Val	
			95					100					105			
	He	Lys P	n Ala	l.ys	Val	Thr	Pro	Aln	Pro	The	l.eu	Gln	Arg	Asp	Phe	
50		1	0				115					120				
	Thr	Ala A	la Pho	Pro	۸rg	Vet	l.eu	Thr	fhr	Arg	Gly	llis	Gly	Pro	Ala	

	125 130 135	
	Glu Thr Gln Thr Leu Gly Ser Leu Pro Asp Ile Asn Leu Thr Gly Ile	
5	140 145 150 155	
	Leu lie Ala Lys Arg Arg Tyr Arg Ile	
	160	
10		
	⟨210⟩ 35	
	· <211> 555	
	(212) DNA	
15	<213> Homo sapiens	
	⟨400⟩ 35	
20	atgitticac atcitecett igacigigie etgeigetge igeigetact actiacaagg 6	0
	tecteagaag tggaatacag ageggaggte ggteagaatg cetatetgee etgettetae 12	0
	accecageeg ecceagggaa cetegtgeee gtetgetggg gcaaaggage etgteetgtg 18	0
25	titgaatgig gcaacgiggi gcicaggact galgaaaggg atgigaatta tiggacalcc 24	0
	agatactggc tasatgggga tttccgcaaa ggagatgtgt ccctgaccat agagaatgtg 30	0
	acticagicag acagigggat clactgoige eggatecaaa teecaggeat aatgaatgat 36	0
	gaaaaattta acctgaagtt ggtcatcaaa ccagccaagg tcacccctgc accgactctg 42	:0
30	cagagagaci teactgeage citteeaagg atgettacea ceaggggaca iggeecagea 48	Ю
	gagacacaga cuciggggag cotocotgat atamatotaa caggiatiot catagemang 54	10
	agaagataca gantt 55	55
35	•	
	(210) 36	
	(211) 2091	
	(212) DVA	
40	<213> Homo sapiens	
	·	
	⟨200⟩	
45	<221> CDS	
	<222> (53) (607)	
50	⟨220⟩	
	(221) sig peptide	
	(222) (53)(115)	

	(220)	•															
	<221>	mai	t pe	ptid	е												
5	<2222	(1)	16)	. (60	7)							-					
	<400	36															
40	gtta	388C	tg t	gcci	aaca	g ag	gtgt	cctc	t ga	citi	tct	ictg	caag	cı c	c at	g	55
10	•														Жe		
											•				-2	1	
	ııı	tca.	cat	ctt	ccc	ttt	gac	igt	glc	ctg	ctg	ctg	ctg	ctg	cta	cta	103
15	Phe																
	-20					-15					-10					-5	
	ctt	aca	agg	tcc	tca	gaa	gtg	gaa	tac	aga	gcg	gag	gtc	ggt	cag	aat	151
	Leu																
20	•				1				5					10			
	gcc	tat	cig	ccc	tgc	ttc	tac	acc	cca	gcc	gcc	cca	BBB	aac	ctc	gtg	199
															Leu		
25			15					20					25				
	ccc	gtc	tgc	tgg	ggc	aaa	gga	gcc	tgt	cct	gtg	ttt	gaa	tgt	ggc	aac	247
	Pro	Val	Cys	Trp	Gly	Lys	Gly	Ala	Cys	Pro	Val	Phe	Glu	Cys	Gly	Asn	
30		30					35					40					
30	gtg	gtg	ctc	agg	act	gat	gaa	agg	gat	glg	aal	tat	tgg	aca	LCC	aga	295
	Val	Val	Leu	Arg	Thr	Asp	Glu	Arg	Asp	Yal	Asn	Tyr	Trp	Thr	Ser	Arg	
	45					50	١				55	ı				60	
35	lac	ιgg	cta	aat	ggg	gat	ttc	cgc	aaa	gga	gat	glg	tcc	ctg	acc	ala	343
	Tyr	Trp	Leu	Asn	Gly	Asp	Phe	Arg	Lys	Gly	Asp	Yal	Ser	Lei	: Thr	He	
					65					70	)				75	i	
40	gag	aaı	gtg	act	cta	gca	gac	agt	888	ato	: tac	: Lgc	tgo	cgs	ato	caa	391
40	Glu	۸sn	Val	Tha	Leu	Ala	Asp	Ser	Gly	H	: Ty:	- Cys	Cys	. Arı	, ilc	Gln	
				80	)				85	;				90	)		
	atc	cca	ggo	ata	ate	, aal	t gat	gaa	กละ	ttl	aac	: ctg	aa g	, tt	ggto	atc	439
45	He	Pro	Gly	r Ile	e Ket	. Asr	n Asp	Glu	ı l.ys	Pho	Ası	ı İ.e.	ı Ly:	s Le	u Val	He	
			9:	5				100	)				10	5			
	กอล	CCN	ge	e aa	ggto	acc	cct	gca	CCE	ac!	ct	g cas	z aga	a ga	c tto	act	. 487
<b>50</b>	l.ys	Pro	Ala	a Ly:	s Vai	l Thi	r Pro	Ale	. Pro	Th	r t.e	ı Gli	ı Ar	g As	p Pho	. The	
50		110	)				115	5				120	)				
	gCa	ı gcı	: 11	L cc	a ag	s at	geti	acc	ace	ag	e ee	n ca	t gg	c cc	a gc	a gng	535

	Ala Ala Phe Pro Arg Met Leu Thr Thr Arg Gly His Gly Pro Ala Glu	
	125 130 135 140	
5	aca cag aca ctg ggg agc ctc cct gat ata aat cta aca ggt att ctc	583
	Thr Gln Thr Leu Gly Ser Leu Pro Asp Ile Asn Leu Thr Gly Ile Leu	
	145 150 155	
10	ata gca aag aga aga tac aga att taagceteat etettiggee aaceteete	637
	Ile Ala Lys Arg Arg Tyr Arg Ile	
	160	
	cctcaggatt ggcaaatgca gtagcagagg gaattcgctc agaagaaaac atctatacca	697
15	ttgaagagaa cgtatatgaa gtggaggagc ccaatgagta ttattgctat gtcagcagca	757
	ggcagcaacc ctcacaacct tigggtigtc gctttgcaat gccatagatc caaccacctt	817
	attitigage tiggigtili giettitica gaaactatga getgigicae eigaetggit	877
20	tiggaggite igiccactge taiggageag agtitteeca titteagaag ataatgacte	937
20	acatgggaat tgaactggga cctgcactga acttaaacag gcatgtcatt gcctctgtat	997
	tiaagccaac agagttacce aacccagaga ctgttaatca tggatgttag agctcaaacg	1057
	ggcttttata tacactagga attcttgacg tggggtctct ggagctccag gaaattcggg	1117
25	cacatcatat giccatgasa citcagataa actagggasa actgggtgct gaggtgaaag	1177
	cateacttii tiggcacaga aagictaaag gggccactga tittcaaaga gatcigigat	1237
	coculting thinighth tgagatggag totigotong tigocoaggo tggagtgcaa	1297
30	tggcacaalc leggeleact geaageeeeg ceteetgggt teaagegatt electgeele	1357
	agecteciga giggetggga ttacaggent geaccaccat geccagetaa titgitgiat	1417
	titiagiaga gacagggtit caccaiglig gccagtgtgg teteaaacte etgaceleat	1477
	gattigeetg ceteggeece ceamugemet gggattacag gegtgageea ceacatecag	1537
35	ccagtgatec (thanagett hagagatghe tggactaggt clacetigat ettgaagat)	1597
	cccttggaat gtigagatti aggettatti gageactace tgcccaactg teagtgccaa	1657
	tgcalagece ilettitgic tecettatga agaetgeeet geagggetga gatgiggeag	3 1717
40	gageteccag ggaaaaagga agtgenting attggtgtgt attggeeaag titigettg	L 1777
40	tgtgtgctig anaganamia tetetgacen actictgtat tegtggacen aactgaage	t 1837
	atattitica cagaagaaga agcagtgacg gggacacaaa ttctgttgcc tggtggaaa	g 1897
	saggenaugg cettengenn tetaththue eagegetgga teettighen gagagiggt	
45	cctaancila matticamga egginlagge tigateigte tigetimitg tigeceect	
	egectageae nattetgaca cacantiggn acttactaaa aattiitti actgaanaa	
	аанааванаа нана	2091
50		
	<210> 37	
	(211) 98	

	(212) PRT
	<213> Homo sapiens
	<400> 37
	Met Val Arg lie Leu Arg Thr Val Pro Phe Leu Pro Leu Leu Gly Gly
0	-16 -15 -10 -5
	Cys Ile Asp Asp Thr Ile Leu Ser Arg Gln Gly Phe Ile Asn Tyr Ser
	1 5 10 15
	Lys Leu Pro Ser Leu Pro Leu Val Gln Gly Glu Leu Val Gly Gly Leu
5	20 25 30
	Thr Cys Leu Thr Ala Gln Thr His Ser Leu Leu Gln His Gln Pro Leu
	35 40 45
20	Gln Leu Thr Thr Leu Leu Asp Gln Tyr Ile Arg Glu Gln Arg Glu Lys
	50 55 60
	Asp Ser Val Wet Ser Ala Asm Gly Lys Pro Asp Pro Asp Thr Val Pro
?5	65 70 75 80
	Asp Ser .
	<210> 38
30	<211> 294
	<212> DNA
	<213> Homo sapiens
35	(400) 10
	<400> 38 atomicogo terrangose torigenable electrolec lagginger catigates
	atggtacgga tettanggae tgtgecalle etgeegetge laggtggetg cattgatgae 60 accatectea geoggenggg etttatenne tacteeange tecceageet geecetggtg 120
	cagggggage tiginggagg ceteacetge cleacagece agacecacte cetgelecag 180
40	caccagecce tecageigae cacceigitg gaccaginen tengagagea aegegagaag 24
	gattelgtea tgteggeena tgggaageen gateelgaea etgtteegga eteg 29.
	Satter Pter Cheekane Madamine Contraction of the Co
45	<210> 39
	<211> 1094
	<212> DNA
50	<213> Homo sapiens
	(200)

	(221) CDS	
	<222> (22) (315)	
5		
	⟨220⟩	
	<pre>&lt;221&gt; sig peptide</pre>	
	(222) (22) (69)	
10		
	⟨220⟩	
	(221) mat peptide	
15	<222> (70) (315)	
	<b>(400)</b> 39	
20	gaagageeca aggteaagga g atg gta egg ate tta agg act gtg eca tte	51
	Met Val Arg Ile Leu Arg Thr Val Pro Phe	
	-16 -15 -10	
	CIR CCR CIR CIR RRI RRE INC SIL ROL SIL SIL SIL SIL SIL SIL SIL SIL SIL SI	99
25	Leu Pro Leu Cly Gly Cys Ile Asp Asp Thr Ile Leu Ser Arg Gln	
	-5 1 5 10	
	BRC LLE ALC MAC LEC BAG CEC CEC MAC CAR AND	147
30	Gly Phe Ile Asn Tyr Ser Lys Lou Pro Ser Leu Pro Leu Val Gln Gly	
	15 20 25	195
•	gag tit gia gga ege tit act the tit dem get eas to	
	Glu Leu Val Gly Gly Leu Thr Cys Leu Thr Ala Gln Thr His Ser Leu	
35	.,,	243
	etc dag tat tag tet tit tag tig act att tig tig act	L 70
	Leu Gln His Gln Pro Leu Gln Lou Thr Thr Leu Leu Asp Gln Tyr Ilo 45 50 55	
40		291
	Arg Glu Gln Arg Glu Lys Asp Ser Val Met Ser Ala Asn Gly Lys Pro	
	60 65 70	
45		345
~	Asp Pro Asp Thr Val Pro Asp Ser	
	75 80	
	anatacacte tgegttatig gelgtyetet cereaniggg acatgiggna gnactigggg	-105
50	tegaggagts tgittgiene tiggittien etagtantga taltgiengg talngggeen	-165
	citggagatg cugnguite cattiengut gleagleace ggettegice tingtittee	525

	canciliggga egigatagga gemangicie tecattetee aggicemagg	cagagatect 585
	gaaaagatag ggctattgtc ccctgcctcc ttggtcactg cctcttgctg	cacgggctcc 645
5	tgagcccacc cccttggggc acaacctgcc actgccacag tagctcaacc	aagcagttgt 705
	gengagaang geacenggig agageengen gigtgeeagg entigigeng	agigoigiac 765
	atgtattagt tectitacty etgaceacat tgtacecatt teacagagaa	ggagcagaga 825
	aattaagigg citgcicaag gicatgcagt tagtaagigg cagaacaggg	actiggaacc 885
10	angecencing etergangue egegieetga atticticae tagagetice	tcatcaggtt 945
	acccagaagt gggtcccatc caccatccag gtgtgcttgg atgttagttc	tccaccctcg 1005
	aggigtacgo tgigaaaagt tigggagcac tgottlataa taaaatgaaa	tatattataa 1065
15	888888888 888888888 888888888	1094
	<210> 40	
20	(211) 474	
	<212> PRT	
	(213) Homo sapiens	
25	<400> 40	
	Het Tyr Thr Val Gly Ala Pro His Thr Trp Pro His Ile Val	_
	23 20	
30	Leu Val Trp Leu Ile Asp Cys Ile Lys Ile His Thr Ala Me	C Lys did
	-5 I Ser Ser Pro Leu Pho Asp Asp Gly Gln Pro Trp Gly Glu Gl	u Thr Glu
	10 15 20	25
35	Asp Cly Ile Met His Asn Lys Leu Phe Leu Asp Tyr Thr Il	e Lys Cys
	30 35	40
	Tyr Glu Ser Phe Net Ser Gly Ala Asp Ser Phe Asp Glu Me	t Asn Ala
		· i5
40	Glu Leu Gln Ser Lys Leu Lys Asp Leu Phe Asn Val Asp Al	a Phe Lys
	60 65 70	
	Leu Glu Ser Leu Glu Ala Lys Asn Arg Ala Leu Asn Glu Gl	n lle Ala
45	75 80 85	
	Arg Leu Glu Glu Glu Arg Glu Lys Glu Pro Asn Arg Leu Gl	lu Ser Lou
	90 95 100	105
50	Arg Lys Leu Lys Ala Ser Leu Gln Gly Asp Val Gln Lys Ty	
	110 115	120
	Tyr Net Ser Asn Leu Glu Ser His Ser Ala Ile Leu Asp G	In Lys Leu

0.5

				125					130					135		
	Asn	Gly	Leu	Asn	Glu	Glu	Ile	Λla	Arg	Val	Glu	Leu	Glu	Cys	Glu	Thr
ī			140					145					150			
	Ile	Lys	Gln	Glu	Asn	Thr	Arg	l.eu	Gln	Asn	lle	lle	Asp	Asn	G1n	Lys
		155					160					165				
10	Tyr	Ser	Va]	Λla	Asp	Ile	Glu	Arg	lle	Asn	His	Glu	Arg	Asn	Glu	Leu
	170					175					180					185
	Gln	Gln	Thr	lle	Asn	Lys	Leu	Thr	Lys		Leu	Glu	Ala	Glu		Gln
1E					190			_	_	195		••		٥,	200	
15	Lys	Leu	Trp		Glu	Glu	Leu	Lys		Ala	Arg	Gly	Lys		Ala	He
		_		205		<b>C1</b>	<b>T</b>	u: _	210	1	410	A	1	215	I va	1
	Glu	Thr	Gln	Leu	Ala	GIU	ıуг	225	Lys	Leu	VIS	VIR	230	Leu	LJS	reu
20	71-	Dwa	220 Lys	Glw	Ala	Glu	Acn		lve	Glv	Tvr	Asp		Glu	Ile	Lvs
	116	235		0.,	,,,,	010	240		-,,,	,	-,-	245				_, -
	Phe		Pro	Glu	Ala	Gly		Asn	Cys	Leu	Val			Arg	Ala	Gln
25	250					255					260					265
			· Yal	Pro	Leu	Lys	Glu	Leu	Leu	Asn	Glu	Thr	Glu	Glu	Glu	lle
					270					275					280	
<i>30</i>	Asr	ı Ly:	s Ala	Leu	. Asn	Lys	l.ys	Ыet	Gly	Leu	Glu	Asp	Thr	Leu	Glu	Gln
				285	i				290	)				295	;	
	Leu	ı Ası	n Ala	. Xet	lle	Thr	Glu	Ser	Lys	Arg	Ser	Val	Gly	Thr	Leu	Lys
			300					305					310			
35	Gl	u Gl	u Val	Glr	1 Lys	l.eu	Asp	Asp	Leu	ı Tyr	G1n			s Ile	Lys	Glu
		31					320					325		_		۵.
	A]:	a Gl	u Glu	ı Glu	ı Ast		_	Cys	s Ala	s Ser			ı Glı	ı Sei	Lei	Glu
40	33					335		_		¥. 1	340		- CI.	. 1		345
	Ly	s IIi	s Ly:	s Hi:			1 610	) 20i	r in			1 611	1 (1)	y Lei	360	r Glu
				<b>C1</b>	350		. 41.	. V.	1 (1.	355		. Tu	- 61	مام		
45	Λi	а же	t Asi			J AST	) Ala	ı va.		) u vrí		, .y.		37	_	l Val
45	C.	_ Th	Th	36: Th		u Cli	. 4-	- Ar				v As	n As	•	•	n Arg
	GI	л та	ir in 38		. 011	u 011	J ///	38:				,	39			6
	1.0	u i c			t Va	1 A1:	a Th			ı Gl	y Sei	r Ya			s Hi	s l.eu
50	1.0	39	_				40			- •.		40				
	<i>c</i> :			. 11	a A1	n 1 v	. V.,	l Ae	n Ar	e Gl	ı Tv	r Gi	u Gl	u Cv	s Ne	t Ser

	410		415			420		425	
	Glu Asp Leu	Sor Clu		ive G	lu Ile		n Ivs Tvr	Glu Lys	
5	ulu vah ren	430	Nan 110	, 5 0.	435	114 6 113	,p c,s .,.	440	
•	Lys Ala Thr		Luc Sor	- Sar 6					
	LYS AIR III		Lys Jei		50				
		445		41	<b>3</b> 0				
10									
	<210> 41								
	(211) 1422								
	(212) DNA								
15	(213) Homo	sapiens							
	<400> 41								
20	atgtacacag	tgggggct	cc tcat	acatgg	cctcac	attg t	ggcagccit	agittggcta	60
	atagactgca	tcaagata	ca tact	gccatg	88agna	aget ca	acctttatt	tgatgatggg	120
	cagccttggg	gagaagaa	ac tgaa	gatgga	attatg	cata a	taagttgtt	tttggactac	180
•	accataaaat	gctatgag	ag iiti	atgagt	ggtgcc	gaca g	ctttgatga	gatgaatgca	240
25	gagctgcagt	cassactg	aa ggat	ttattt	aatgtg	gatg c	titiaagci	ggaatcatta	300
	gaagcaaaaa	acagagca	tt gaat	gaacag	attgca	agat t	ggaacaaga	aagagaaaaa	360
	gaaccgaatc	gtctagag	tc gttg	agaaaa	ctgaag	gett c	cttacaagg	agaigticaa	420
	aagtatcagg	catacate	ag caat	itggag	tctcat	.tcag c	cattettga	ccagaaatta	480
30								aaaacaggag	540
								cattgagcga	600
								ggacciggaa	660
35								agaagcgatt	720
								tectaaaggt	780
								tggtgccaac	840
								gaatgaaact	900
40								t t tagascsa	960
								agaagttcaa	1020
								Lgaaunutgt	
45								tgttaaccag	
43								ACLASTISTS	
								gttagagatg	
								taungtigat	
50								gattagagat	
	arakaatatk	GIKAGIK	was bill	repearing r		DOINGS (	·· · · · · · · · · · · · · · · · · · ·	*****	

angtatgaga agaangetac tetaattang telletgaag an

55

	(210) 42	
	<211> 1613	
5	(212> DNA	
	⟨213⟩ Homo sapiens	
10	⟨200⟩	
	<221> CDS	
	(222> (99) (1520)	
15		
	(220)	
	<221> sig peptide	
	<222> (99) (167)	
20		
	(220)	
	<221> mat peptide	
25	<222> (168) (1520)	
	<400> 42	
	terent and and the second of t	0
30	aagacctigg giatcetiii geactateea aaagetee atg tac aca gig ggg	.3
	Met Tyr Thr Val Gly	
	-23 -20	
35	get eet eat ach igg eet eac att gig gen gee ita git igg eta ata 16	) l
	Ala Pro His Thr Trp Pro His Ile Val Ala Ala Leu Val Trp Leu Ile	
	-15 -10 -5	
	gae tge ate ang ata cat act gee atg aaa gaa age tea eet tta itt 20	)9
40	Asp Cys lie Lys lie His Thr Ala Met Lys Glu Ser Ser Pro Leu Phe	
	ι 5 10	
	But But But cut cer che way don don man den die die	57
45	Asp Asp Gly Gin Pro Trp Gly Glu Glu Thr Glu Asp Gly 11e Met His	
	15 20 25 30	
	ant ang its its try sac the acc ata and ise that sag agt its aty 3	05
	Asn Lys Leu Phe Leu Asp Tyr Thr He Lys Cys Tyr Glu Ser Phe Net	
50	35 40 45	
,	agt ggt gee gae age tit gat gag atg aat gea gag etg eag tea aaa 3	53

RF

	Ser	Gly	Ala	Asp 50	Ser	Phe	Asp	Glu	Het 55	Asn	Ala	Glu	Leu	Gln 60	Ser	Lys	
5	ctg	aag	gat	tta	ttt	aat	gtg	gat		ttt	ang	cig	gaa		tta	gaa	401
				Leu													
	•	•	65					70					75				
10	gca	888	вас	aga	gca	ttg	aat	gaa	cag	atı	gca	aga	ttg	gaa	caa	gaa	449
	Ala	Lys	Asn	Arg	Ala	Leu	Asn	Glu	Gln	Ile	Ala	Arg	Leu	Glu	Gln	Glu	
		80					85				•	90					
		_		gaa													497
15	Arg	Glu	Lys	Glu	Pro	Asn	Arg	Leu	Glu	Ser	Leu	Arg	Lys	Leu	Lys		
	95					100					105					110	
				GGA													545
20	Ser	Leu	Gln	Gly		Val	Gln	Lys	Tyr		Ala	lyr	net	26L		Leu	
			_		115	- 4 4	- • •			120	•••			ctc	125	#9#	593
				tca Ser													000
25	Glu	Ser	urz	130		116	Leu	nsp	135		Ceu	,,,,,,	<b>U.</b> ,	140		0.0	
	022	att	get	aga		982	cta	gaa			aca	ata	aaa			880	641
																Asn	
20			143					150					155				
30	act	cga	a cta	cag	aat	atc	att	gac	aac	cag	aag	เลด	ıca	gtt	. ġca	gac	689
	Thi	- Arg	g Lei	Glr	Asn	lle	He	Ast	) Asr	Glr	Lys	Tyr	Ser	· Val	Λla	Asp	
		160	0				165	5				170	)				
35																aat	737
	110	e Gl	u Ar	g Ile	e Asr	His	Gli	ı Arg	g Ası	Gli			Glo	n Thi	r Ilo	Asn	
	17					180					183					190	705
40																t gag	785
	Ly	s Le	u Th	r Ly:			1 610	υΛla	a Gli			1 Ly:	5 I.e	ן נו ע	20:	n Glu	
					199					200				9 69			833
45	•															a gca u Ala	500
	01	U LE	u Ly	21		u 1411	8 01	7 1.7	21:					22			
	52	g ta	t co			e er	LAF	กมภ			a ct	t at	ιcc			t gci	881
																y Ala	
50		,	22			•		23		·			23				
											7 5150	. 11	1 :1:1	ı cc	c cu	o ect	929

	Glu	Asn	Ser	Lys	Gly	Tyr	Asp	Phe	Glu	lle			۸sn	Pro	Glu	Ala	
		240					245					250					0.77
•															cct		977
		Ala	Asn	Cys	Leu		Lys	Tyr	Arg	Ala		Val	Tyr	Vai	Pro		
	255					260					265					270	
10	-	_													cta		1025
	Lys	Glu	Leu	Leu	Asn	Glu	Thr	Glu	Glu			Asn	Lys	Ala	Leu	۸sn	
					275					280					285		
															atg		1073
15	Lys	Lys	Met	Gly	Leu	Glu	Asp	Thr	Leu	Glu	Gln	Leu	Asn	Ala	Met	Ile	
				290					295					300			
	aca	gaa	agc	aag	aga	agt	gtg	gga	act	ctg	888	gaa	gaa	gtt	C88	aag	1121
20	Thr	Glu	Ser	Lys	Arg	Ser	Val	Gly	Thr	Leu	Lys	Glu	Glu	Val	Gln	Lys	
			305					310					315				
	ctg	gat	gat	ctt	tac	caa	caa	aaa	att	aag	gaa	gca	gag	gaa	gag	gat	1169
	Leu	Asp	Asp	Leu	Тут	Gln	Gln	Lys	Ile	Lys	Glu	Ala	Glu	Glu	Glu	Asp	
25		320					325					330					
	gaa	aaa	tgt	gcc	agt	gag	ctt	gag	tcc	ttg	gag	888	cac	aag	Cac	ctg	1217
	Glu	Lys	Cys	Ala	Ser	Glu	Leu	Glu	Ser	Leu	Glu	Lys	His	Lys	His	Leu	
30	335	i				340					345					350	
	cta	gaa	agt	act	gtt	aac	cag	ggg	ctc	agt	gaa	gcl	atg	aat	gaa	ιta	1265
	Leu	Glu	Ser	Thr	Val	۸sn	Gin	Gly	Leu	Ser	Glu	Ala	Met	Asn	Glu	l.eu	
					355	,				360	)				365	;	
35	gat	gct	gtt	cag	cgg	gaa	tac	: เกล	cta	gtt	gtg	сва	acc	: ace	act	gaa.	1313
	Asp	Ala	Yal	Gln	Arg	Glu	Тут	Glr	Leu	(Val	Val	Gin	Thr	- Thi	Thr	- Glu	
				370	)				375	;				380	)		
40	gaa	a aga	cga	aaa	gtg	gga	aat	aac	: llg	cas	cgl	ctg	tta	gag	ate	glt	1361
.•																. Val	
			383					390					395				
	RC	t aca	ı cat	t gti	. RRE	t ci	gta	gag	z aaa	ı cai	ctt	gag	្រ ផ្តួររូ	z ca	ati	gct	1409
45																a Ala	
		400			•		405					410					
	Rai	n gti	t gai	t aga	ı gaz	ı tal	t gas	i ger	ı tgo	atį	g tce	ı gas	gal	t ct	c tc	g gaa	1457
50		_														r Glu	
	-11			•	•	420					12					130	
			L itist	a gan	gati			เลย	g tal	L gay	g aan	Sahi	ı ge	t ac	t et	าสเเ	1505
				- 0							•						

. 90

	Asn Ile Lys Glu	Ile Arg Asp	Lys Tyr Glu Lys L	ys Ala Thr Leu Ile	
		435	440	445	
5	ang tot tot gas	gaa tgaagata	aa aigiigaica igi	atatata tecatagiga	1560
	Lys Ser Ser Glu	Glu			
	450	•			
10	atamantigi ctca	gtaaag taaaaa	в абабававая вва	aaaaaaaaa aaa	1613
-					
	<210> 43		•		
	(211> 78				
15	<212> PRT				
	<213> Homo sap	iens			
20	<400> 43				
		e Leu lle Tyr	_	he Leu Phe Leu Leu	
	-22 -20		-15	-10	
25				Ser Val His Leu Val	
25	-5	1	. 5		
	Phe Asp Leu Pr		20	Phe Val Thr Leu Trp 25	
	Non Vol Ann La	15 The Pha The		Cys Phe Val Glu Asn	
30		0	35	40	
			The The Glu Arg		
	45	, 41, 1111	50	55	
35					
	(210) 44				
	<211> 234				
40	<212> DNA		_		
	<213> Homo saj	oiens			
			•		
	<400> 44				
45	atgiatiata tt	ttaateta teeti	itteet tigitilitgt	tottattate tottetgate	60
				atttacctaa gcacctagt	
				ttactcangt tggtttttg	
50	ittgilgaaa ai	gacttact tggt	ganee actactactg	aaagaacgaa actt	234

(210) 45

	(211) 511	
	<212> DNA	
5	<213> Homo sapiens	
	(200)	
10	(221) CDS	
	(222) (49) (282)	
	⟨220⟩	
15	<pre>&lt;221&gt; sig peptide</pre>	
	<222> (49) (114)	
20	⟨220⟩	
20	<221> mat peptide	
	(222> (115) (282)	
25	<400> 45	
20	•	57
	Met Tyr Tyr	
	-22 -20	
<b>30</b>	· · · · · · · · · · · · · · · · · · ·	05
	Ile Leu Ile Tyr Pro Phe Pro Leu Phe Leu Leu Ser Leu Leu	
•	-15 -10 -5	
35	ata tat aac caa aaa atg aaa aaa tot gta cac tig gig tit gal tia l	53
	lle Tyr Asn Glm Lys Met Lys Lys Ser Val His Leu Val Phe Asp Leu	
	1 5 10	
40	cet and cac eta git ant tin ate til gin aca ett igg atg git ane 2	:0 I
40	Pro Lys His Leu Val Asn Leu Ile Phe Val Thr Lou Trp Met Val Asn	
	15 20 25	
	tra ucc ere der ear ere ber en ber ere ber ber ber ere	349
45	Leu Thr Phe Thr Gln Val Gly Phe Cys Phe Val Glu Asn Asp Leu i.cu	
	30 35 40 45	
	But Bu une and are are but abu und man en du de	302
50	Gly Gly The The The Glu Arg The Lys Leu	
	50 55	462

	actgattitt attagaaacc ctgttttctt taagt	asaag tatattetae eageatgget 422
	tggtaagaaa aatcccctat ctttttttcc ctglc	cicaa aaticagaat titteeggaa 482
5	аавазазаа аазаязалага аалалалага	511
	⟨210⟩ 46	
10	⟨211⟩ 73	
70	<212> PRT	
	<213> Homo sapiens	•
15	<400> 46	
	Met Gln Phe Met Asn Leu Leu Val Gly Ph	ne Ser Cys Ser Trp Gly Asn
	-15 -10	-5 i
20	Thr Cys Ala Cys His Thr Arg Pro Phe Le	eu Ala Pro Ser Val Phe Ser
20	5 10	15
	Leu Cys Asp Gly Gly Leu Ile Val Scr Va	al Phe Thr Gln Gly Trp Phe
	20 25	30
25	Pro Gly Cys Thr Ala Pro Val Pro Thr P	ro Thr Val Pro Leu Ile Arg
	35 40	45
	Cys His Asp Phe Ser Ala Thr Ser Pro	
30	50 55	
		·
	(210) 47	
	⟨211⟩ 219	
35	<212> DNA	
	<213> Homo sapiens	
40	<400> 47	
	atgeagitea tgaactiget ggilggilli leet	
	catacacgee collectige cecticagia ties	
	agigictica cicaagggig gillccigge igea	
45	cctctcatca ggtgtcacga tittictgcc acti	teneet 219
	<210> 48	
50	<211> 903	
	<212> DNA	_
	(213) llomo sapiens	•

	(200)	
	<221> CDS	
5	(222> (31) (249)	
	⟨220⟩	
10	<221> sig peptide	
	<222> (31) (75)	
15	(220)	
13	(221) mat peptide	
	(222> (76) (249)	
20	<400> 48	
	ggagtticgt aagcaaaata gaggacagaa atg cag ttc atg aac ttg ctg gtt 5	4
	Met Gln Phe Met Asn Leu Val	
25	-1510	
	ggt til tee tge tee tgg ggt aac aca tge get tgt cat aca ege eec 10	2
	Gly Phe Ser Cys Ser Trp Gly Asn Thr Cys Ala Cys His Thr Arg Pro	
30	-5 1 5	٠,
30	tic cit goe cet tea gia tie tei cit ige gat gga ggt ete ata gig 15	U
	Phe Leu Ala Pro Ser Val Phe Ser Leu Cys Asp Gly Gly Leu Ile Val	
	10 15 20 25	10
35	agt gic tic act can ggg tgg tit cct ggc tgc acg gca cct git cca	10
	Ser Val Phe Thr Cln Cly Trp Phe Pro Cly Cys Thr Ala Pro Val Pro	
	30 35 40	16
40	aca the ace yes the tree and age the gar	10
	The Pro The Val Pro Leu IIc Arg Cys His Asp Phe Ser Ala The Ser	
		99
45	cet tagggagett coastgatts detectionally herealist agreement	,,
45	Pro gauntgacts cotteetigs gaccaaggae egiteenacg geatteacts consiletan 3	59
	Burnisher Consession Stranger	19
	rught gutter maches of a bour of the control of the	79
50		39
		99
	ANGUGGITANG ANGULANDO - COMMUNICATION OF THE ANGULANDO	

	gctga	tago	t t	tggc	tgca	t ga	gttg	gget	tcc	cctt	acc (	agg	gctg	ca c	agcca	aggtg	659
	tgggg	gtc	C C	ggca	ggtgi	g gc	tggt	ggct	gca	gcct	cag	agcc	ctcc	ca g	gttg	ctgct	719
5	gtttc	cagi	ig a	atca	catt	t cg	tcat	ıtga	agc	ccat	gag	gacca	attg	tg t	ggat	ccatg	779
	gtgat	tcta	ag a	cttc	agat	a ta	ttta	ggaa	ggc	gcag	att	tcaa	atct	gt g	tttg	atttt	839
	ctgta	ata	ag a	gaaa	tcca	a tt	tgta	аяас	ltg	ลลลอ	888	8888	8888	aa a	8855	88888	899
10	8888																903
	(210)	49									•						•
	<211>	42	1														
15	<212>	PR	7														
	<213>	Ho	mo s	apie	ns												
20	<b>(400)</b>											٠.	_	_		•	
	Het /		Trp	He	Leu	Phe		Gly	Ala	Leu	lle	_	Ser	Ser	116	Lys	
•	-16 -		<b>C</b> 1.	1	DL -	DL.	-10	4	C1-	V-1	Dho	-5 4===	Tlo	A	Val	A	
25	Gly (	עוט	610	Lys	rne 5	rne	CIY	лър	010	10	rne	VI R	116	nsii	15	VI R	
	Asn (	Clu	Acn	Clu	-	Sar	1 ve	l eu	Ser		Leu	Val	Asn	Ser		Asn	
	וופח	017	uSh	20	110	561	LJJ		25	••••				30			
20	Leu l	lve	l en		Phe	Tro	Lvs	Ser	J	Ser	Ser	Phe	Asn		Pro	Va]	
30	202	-,-	35					40					45	_			
	Asp	Val		Val	Pro	Ser	Val	Ser	i.eu	Gln	Ala	Phe	Lys	Ser	Phe	Leu	
	·	50					55					60					
35	Arg	Ser	Gln	Gly	Leu	Glu	Tyr	Ala	Val	Thr	He	Glu	Asp	Leu	Gln	Ala	
	65					70					75					80	
	Leu	Leu	Asp	Asn	Glu	Asp	٨sp	Glu	Met	Gln	llis	Asn	Glu	Gly	Gln	Glu	
40					85					90					95		
	Arg	Ser	Ser	Asn	Asn	Phe	Asn	Tyr	Gly	Λla	Tyr	llis	Ser	Leu	Glu	Ala	
				100					105					110			
	Thr	Tyr	llis	Glu	Met	Asp	Asn	He	Ala	λla	Asp	Phe	Pro	Asp	Leu	Ala	
45			115					120					125				
	۸rg	Arg	Val	l.ys	lle	Gly			Phe	Glu	Asn			Met	Tyr	Val	
		130					135		••			140		υ.	-		
50	l.eu	l.ys	Pho	Ser	Thr			Gly	Val	Arg			Ala	val	Trp		
	1-15				• • • •	150		<i>(</i> : \			ไว้จึ		4.1	TL		160	
	Acn	Ala	Glv	. [[6	· His	Ser	ATL	เป็น	I I I'T	Hic	261	· GIN	Ala	. 1811	wig	. I Je	

**5** 

					165					170					175	
	Trp	Thr	Ala	Arg	Lys	lle	Val	Ser	Asp	Tyr	Gln	Arg	Asp	Pro	Ala	Ile
5				180					185					190		
	Thr	Ser	Ile	Leu	Glu	Lys	Met	Asp	lle	Phe	Leu	l.eu	Pro	Val	Ala	Asn
			195					200					205			
10	Pro	Aso		Tyr	Val	Tyr	Thr	Gln	Thr	G1n	Asn	Arg	Leu	Trp	Arg	Lys
		210	•				215					220				
			Ser	Arg	Asn	Pro	Gly	Ser	Ser	Cys	He	Gly	Ala	Asp	Pro	Asn
	225					230					235					240
15		Asn	Trp	Asp	Ala		Phe	Ala	Gly	Lys	Gly	Ala	Ser	Asp	Asn	Pro
			,		245				·	250					255	
	Cvs	Ser	Glu	Val	Туг	His	Gly	Pro	His		Asn	Ser	Glu	Val		Val
20	٠,٠			260					265					270		
20	Lvs	Ser	Val		Asp	Phe	Ile	Gln	Lys	His	Gly	Asn	Phe	Lys	Gly	Phe
	-,-		275		٠			280					285			
	lle	Asp		His	Ser	Tyr	Ser	Gln	Leu	Leu	Met	Tyr	Pro	Туг	Gly	Tyr
25		290				-	295					300				
	Ser	Val	Lys	Lys	Ala	Pro	Asp	Ala	Glu	Glu	Leu	Asp	Lys	Yal	Ala	Arg
	305		•			310					315					320
30			Ala	Lys	Ala	Leu	Ala	Ser	Val	Ser	Gly	Thr	Glu	Tyr	Gln	Val
					325					330					335	
	Gly	Pro	Thr	Cys	Thr	Thr	Yal	Tyr	Pro	Λla	Ser	Gly	Ser	Ser	Ile	Asp
				340					345					350		
<b>35</b>	Trp	Ala	Tyr	Asp	Asn	Gly	fle	Lys	Phe	Ala	Phe	Thr	Phe	Glu	Leu	Arg
			355					360					365			
	Asp	Thr	Gly	Thr	Tyr	Gly	Phe	l.eu	Leu	Pro	Λla	Asn	Gln	He	Ile	Рго
40		370	)				375					380				
	Thr	Ala	Glu	Glu	Thr	Trp	l.eu	Gly	Leu	Lys	Thr	He	Met	Glu	His	Val
	385	;				390	1				395	;				400
	Arg	, Asp	Asr	i l.eu	Tyr	•										
45					-105	i										
	(21	0> 5	0													
50	(2)	11> 1	263													
	<21	2> E	NΛ													
	(21	13> I	lono	sapi	ens									•		

	<b>&lt;400&gt; 50</b>						
	atgaggtgga	tactgitcat	tggggccctt	attgggtcca	gcatcigigg	ccaagaaaaa	60
5	ttttttgggg	accaagtttt	taggattaat	gtcagasatg	gagacgagat	cagcaaattg	120
	agtcaactag	tgaattcaaa	caacttgaag	ctcaatttct	ggaaatctcc	ctcctccttc	180
	aateggeetg	tggatgtcct	ggtcccatct	gtcagtctgc	aggcatttaa	alcoltcotg	240
10	agateceagg	gcttagagta	cgcagtgaca	attgaggacc	tgcaggccct	tttagacaat	300
	gaagatgatg	aaatgcaaca	caatgaaggg	caagaacgga	gcagtaataa	cttcaactac	360
	ggggcttacc	attccctgga	agctacttac	cacgagatgg	acaacat igc	cgcagactit	420
					aaaaccggac		480
15					tttggctgaa		540
					cggcaaggaa		600
	-				aaatggatat		660
20					aaaaccgatt		720
					acccaaatag		780
						ccatggaccc	840
25						acatgggaat	900
						atatgggtac	960
						tgcggccaaa	
						cactgtctat	
30						tgcattcaca	
•						gatcatcccc	
	actgcagagg	agacgtggct	ggggctgaug	; accatcatge	agcatgigeg	ggacaaccic	
35	tac						1263
							•
	(210) 51						
40	(211) 2796	5					
,-	(212) DNA			•			
	<213> Home	o sapiens					
45	(200)		•				
	(221) CDS						
	(222) (11)	) (1273)					
50	coulc's		•				
	<220>						
	<221> sig	peptide					

	(222>	(11)	)(	(58)													
5	(220>																
	(221)	mat	pep	tide	2												
	(222)	(59	)(	(127:	3)												
10																	
	<b>&lt;400&gt;</b>	51															
	ccccg	ggga	c at	tg a	gg t	gg a	ta c	tg t	tc a	tt g	RB 8	cc c	ll a	tt g	gg t	CC	49
•			Me	et A	rg T	rp I	le L	eu P	he I	le G	ly A	la L	eu 1	le G	ly S	er	
15			-	16 -	15				-	10					-5		
	agc a	tc t	gt	ggc	caa	gaa	aaa	ttt	ttt	ggg	gac	çaa	gtt	ttt	agg	att	97
	Ser I	1e 0	ys (	Gly	Gln	Glu	Lys	Phe	Phe	Gly	Asp	Gln	Val	Phe	Arg	Ile	
20				1				5					10				
	aat g																145
	Asn V	al A	irg	Asn	Gly	Asp	Glu	lle	Ser	Lys	Leu	Ser	Gln	Leu	Val	Asn	
		15					20					25					
25	tca a																193
	Ser A	Asn /	Asn	Leu	Lys	Leu	Asn	Phe	Trp	Lys		Pro	Ser	Ser	Phe		
	30					35					40					45	
30	cgg																241
	Arg f	Pro '	Va l	Asp		Leu	Val	Pro	Ser		Ser	Leu	Gin	Ala		Lys	
					50					55					60		289
	tcc																203
35	Ser 1	Phe	Leu		2er	Uln	GIY	Leu	70		Ala	va 1	Liik	75		nap	
•				65	• • •			<b>7</b> 00	-		<b>633</b>	210	raa			gaa	337
	ctg (																•
40	Leu	OIN	80	Leu	LCu	ռֆի	, van	85		пар	010	,,,,,	90		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	•••	
	ggg			000	9.00	201	991			920	tac	C E C			cat	tee	385
•	Gly																
	UIJ	95	Jiu	W P	561	561	100				.,,	(05					
45	clg		ort.	act	tac	ะ เกา			gac	: ละเ	ati			ı gad	ttt	ccı	433
																Pro	
		7.0			- , .												

98

gae etg geg agg agg gtg ang att gga cat teg tit gan aac egg aeg

Asp Leu Ala Arg Arg Val Lys 11e Gly His Ser Phe Glu Asn Arg Thr

50

120

					130					135					140		
	atg	tat	gta	ctg	aag	ttc	agc	act	888	aaa	ggc	gtg	agg	cgg	ccg	Bcc	529
5	Met	Tyr	Val	Leu	Lys	Phe	Ser	Thr	Gly	Lys	Gly	Val	Arg	Arg	Pro	Ala	
				145					150					155			
	gtt	tgg	ctg	aat	gca	ggc	atc	cat	tcc	cga	gag	tgg	atc	tcc	cag	Scc	577
10	Val	Trp	Leu	Asn	Ala	Gly	Ile	His	Ser	Arg	Glu	Trp	He	Ser	Gln	Ala	
			160					165					170				
	act	gca	atc	tgg	acg	gca	agg	aag	att	gta	tct	gat	tac	cag	agg	gat	625
	Thr	Ala	Ile	Тгр	Thr	Ala	Arg	Lys	Ile	Val	Ser	Asp	Tyr	Gln	Arg	Asp	
15		175					180					185			•		
	cca	gct	atc	acc	tcc	atc	ttg	gag	888	atg	gat	att	ttc	ttg	ttg	cct	673
	Pro	Ala	lle	Thr	Ser	Ile	Leu	Glu	Lys	Wet	Asp	lle	Phe	Leu	Leu	Pro	
20	190					195					200					205	
			aat														721
	Val	Ala	Asn	Pro	Asp	Gly	Tyr	Val	Tyr	Thr	Gln	Thr	Gln	Asn	Arg	Leu	
0_					210					215					220		
<b>25</b>			888														769
	Trp	Arg	Lys	Thr	Arg	Ser	Arg	Asn	Pro	Gly	Ser	Ser	Cys			Ala	
				225					230					235			
30			aat														817
	Asp	Pro	Asn	Arg	Asn	Trp	Àsn	Ala	Ser	Phe	Ala	Gly	·l.ys	Gly	Ala	Ser	
			240					2.15					250				
																gaa	865
35	Asp			Cys	Ser	Glu			His	Gly	Pro			. Asr	Ser	Glu	
		255					260					265					010
																ttc	913
40			ı Val	Lys	. Ser			AS	) PRO	. 116			6 0118	; G1)	NST	Phe 205	
	270					275					280					285	961
																CCA	301
45	. Lys	Gly	r Pho	2 110			1 1113	i Sci	r lyt	29:		ı Lei	Lec	3 MC	300	r Pro	
45					290												1009
																aag	.003
	tyt	U ()	7 I Y I	308 308		L L.Y:	> 1.)"	. // 1/	1 Pro 310		, 1116		, <b>G</b> 16	313		) i.ys	•
50	<b>a</b> 1 /	7 700				1 120	יפוני יי	1 (71)			ı te	e te	י ורי			gag	1057
																r Glu	- <del>-</del> - • •
	131		o Al'	s act	3 // 10	. 411	n Gy:	a A11		u 111	,С	• • • • •	. 50	, 1	, ,,,,,		

		320		325			330		
	tac caa	gtg ggt	ccc acc	tgc acc	act gtc	tat cca	gct agc	ggg agc	1105
5	Tyr Gln	Val Gly	Pro Thr	Cys Thr	Thr Val	Tyr Pro	Ala Ser	Gly Ser	
	335			340		345			
	age ate	gac tgg	gcg tat	gac aac	ggc atc	aaa ttt	gca ttc	aca ttt	1153
40	Ser Ile	Asp Trp	Ala Tyr	Asp Asn	Gly Ile	Lys Phe	Ala Phe	Thr Phe	
10	350		355			360		365	
	gag ttg	aga gat	acc ggg	acc tat	ggc ttc	ctc ctg	cca gct	aac cag	1201
	Glu Leu	Arg Asp	Thr Gly	Thr Tyr	Gly Phe	Leu Leu	Pro Ala	Asn Gln	
15			370		375			380	
	atc atc	ccc act	gca gag	gag ace	tgg ctg	ggg ctg	aag acc	atc atg	1249
	lle lle	Pro Thr	Ala Glu	Glu Thi	Trp Leu	Gly Leu	Lys Thr	Ile Met	
20		385			390		395		
	gag cat	gtg cgg	gac aac	ctc tac	taggcga	tgg ctct	gctctg to	ctacattta	1303
	Glu His	Val Arg	Asp Asr	Leu Tyn					
12		400		40					.000
25								ctaccigigi	
								ccagctccct	
								gctcaatttt	
30								tggctgggcg	
								tttttagaac	
			,					agtgaccttg	
35								atgatgtaga	
20		-						gcasatcttg	
								tgagacagag cacaacctct	
								ttataggc	
40								tccatgttg	
								cccagagtg	
								ggcctgaata	
45								cagitella	
								igigicaci	
								atggtgaaa	
								cttcanaga	
50								cactgeect	
								tgtgtgtgt	
	-								

, 100

_	igigigigig igigigigig igigigi	gtt igigigigig igie	tgicia illigialco	2563
	tggaccacaa gttcctaagt agagcaa			
	caccicagea egtaceatet gteeti			
	ttaccaaaca tgtctgtaaa tcttaac			
	tgcttataag ccaataaata ttcaat			2796
	ignitated continue	,		
10	<210> <b>52</b>			
	<2107 32 <2117 111	•		
15	<212> PRT			
,,,	<213> Homo sapiens			
	//00\ E0			
	<pre>&lt;400&gt; 52 Wet Leu Ile Ile Val Leu Val</pre>	Acn Ala Pha Val Sar	· Ile The Val Clu	
20		-5	1	
	-14 -10 Asn Phe Phe Leu Asp Met Val		_	
	Ash Pre Pre Leu Asp met val	10	15	
25	Lys Gln Gly Glu Tyr Arg Phe			
20		30. 1111 1111 A11 190		
	20 25			
	Val Asp Arg Trp Gly Lys Cys	cys i.eu Pro 11p Kis	50	
30	35 40			
	Lys Lys Thr Pro Lys Ala Lys			
	55	60	65	
25	Val Asp Pro Glu Trp Pro Pro		80	
35	70	75		
	Ala Leu Val Lys Glu Asn Gly			
	85	90	95	
40				
	<210> 53			
	(211) 333			
46	(212) DNA			
45	(213) Homo sapiens	-		
	<b>(400)</b> 53			. en
50	argetenica ligitetigi canty			
	gacatggice tilggaaagt igigt			
	псенененуе сассвендви втеня	iggat eggtggggua un	tgetgett accetggge	c 180

	cigggeigta gaaagaagae accaaaggea aagtacaigi atciggegea ggageteiig 2-	Ю
	gttgatccag aatggccacc aaaacctcag acaaccacag aagctaaagc tttagttaag 30	)()
5	gagaatggat catgtcaaat catcaccata aca 33	33
	(210) 54	
40	(211) 3635	
10	<212> DNA	
	(213) Homo sapiens	
15	⟨200⟩	
	<221> CDS	
	<222> (36) (368)	
20		
	<220>	
	(221) sig peptide	
	<222> (36) (77)	
25		
	(220>	
	(221) mat peptide	
30	(222) (78)(368)	
	<400> 5-1	
	agatagigig igiaccatat cagiggegig taact aig etc atc att git ett	53
35	Met Leu IIc IIc Val Leu	
	-14 -10	
	Bit But Bee the Big to the act	101
40	Val Asn Ala Phe Val Ser Ile Thr Val Glu Asn Phe Phe Leu Asp Met	
	-5 1 5	
	gto ctt tgg aan gti gtg tto nac cgn gno nan can ggn gng tal cgg	149
	Val Leu Trp Lys Val Val Phe Asn Arg Asp Lys Gln Gly Glu Tyr Arg	
45	10 15 20	107
	tic age ace aca cag cca ccg cag gag tea gig gat cgg igg gga aaa	197
	Phe Ser Thr Thr Gln Pro Pro Gln Glu Ser Val Asp Arg Trp Gly Lys 25 30 35 40	
50	2.1	245
	the real title and the second war and the second se	J-10
	Cys Cys Leu Pro Trp Ala Leu Gly Cys Arg Lys Lys The Pro Lys Ala	
55		

		45		50		55	
	aag tac atg	tat ctg g	cg cag gag	ctc ttg gtt	gat cca gaz	tgg cca	293
5	Lys Tyr Met	Tyr Leu A	la Gln Glu	Leu Leu Val	Asp Pro Glu	Trp Pro	
		60		65	70	)	
	cca aaa cct	cag aca a	cc aca gaa	gct aaa gct	tta gtt aag	gag aat	341
10	Pro Lys Pro	Gln Thr T	hr Thr Glu	Ala Lys Ala	Leu Val Lys	Glu Asn	
	75		80		85		
	gga tca tgt	caa atc a	tc acc ata	aca tagcagt	gaa tcagtct	ag	388
	Gly Ser Cys	Gln Ile I	le Thr lle	Thr			
15	, 90		95				
	iggialiget	gatagcagta	ttcaggaat	a tgtgatttta	ggagtttctg	atcctgtgtg	448
	tcagaatggc	actagttcag	tttatgtcc	c ttctgatata	gtagcttatt	tgacagcttt	508
20	getetteett	aaaataaaaa	cagaaaaat	a tategtecta	acagitaaat	taacaatcaa	568
20	tccataaagt	cctatatct	cattcagca	a cccaaatatt	acatacattt	ccagaatttt	628
	ctigatigit	actttcagt	s atattettt	a tattgggtac	aggagaagtt	tggtgtttgg	688
	taggilitic	aacattagt	t titgagact	a gillaccici	tescatttat	gctcacaacc	748
25	cictigitag	aaaagtctg	t gittatata	c aggctgtaag	ttigtgattg	ataaaaagaa	808
	gatgagtgtt	aattagcct	c cagtgaaaa	t atactgaaag	cctgttlica	ttigaticca	868
	aigiticitc	caaagaatt	c tgtalaaac	a tatgccaatt	ccctatgatg	giclagagti	928
30	aggaatgagt	gtttatggt	g tigcitata	g aacaactca	glaateteea	titciggiit	988
30						gcttcactgc	
	clicilgaga	cgcclctca	a agcicitaa	a tggctcctg	ı getalgiği	g gigitggcag	1108
	tetaatttge	ttctgttaa	a tgitgtaga	a ccttitica	c taggasata	galicatite	1168
35						t cigicagget	
	ttglgitalt	ttaaatggt	t ttttaaaa	it ticticiat	g tillcaati	a cctaaagaca	1288
	taggataata	gittitit	a agilagaa	it ttaccicat	a aaattitit	g aggittgalg	1348
	tatgtctctg	tcttatcas	t aatgagge	it aaaaaatac	t ggatilgaa	t ggclgccglt	1408
40						c gccagaggic	
						c ggaaattici	
						g ccaaaaguga	
45						t tottgocaaa	
						g caacgeceae	
						t algaanacus	
						c tilctactio	
50						a cetagaatti	
	taggnecun	tggttete:	nc letttatg	et gennunce	t ggatgatgt	t tggtauctal	6 6 18

	agaaaaatag a	aattacact	CARRATCACT	Ritaciacia	ttgccactga	igaticitige	2000
	aaaatataat c	gaagittic	catcasatgt	ataatatgct	attaatacac	attagatgat	2068
5	aacagttgit c	catgaatga	lictatgaag	ctatgcatct	tagaccicii	gagctgtgaa	2128
	ttagcactat t	ttctatagt	tacttattct	ctggatcatt	ttataattic	catattaatt	2188
	tcaaatatgc t	cgtgttatt	cticagigat	ttccacaatt	gtgcattta	ticitiggit	2248
	taagtaciga a	igcatataat	gaaaglaatt	gctaagtagc	agcttaaaaa	ttcaattatc	2308
10	cgattgtatt 1	aacatcttt	aagagcatga	tcatasagag	ctatttttga	caccccccc	2368
	cactttttta a	acatttagag	ttaataaggg	ttttatatct	cttctgtcca	tattgilltc	2428
	aaaggaatga (	ggtgtttagg	tggctggaaa	agcatttgta	ggaagttaga	tttgaatata	2488
15	gacaaggtgg (	gttattcacg	ttgagaatgt	tatttgaaga	atgcctgtga	agccaggtgt	2548
	gggttctact	cagigocata	gatagactga	gtcttctctc	gtaggtcacc	attacatagt	2608
	aattttgatt	ctgaatttca	cattaaatta	tttgagttta	tacagaccta	aattttaaaa	2668
20	tetgtacata	tattattttg	atgtattaag	atgaatattg	ctgatttaaa	ttttatttat	2728
20	gcacatactt	aaaggacaga	aatgictggg	asagtaattg	ttasatastg	atatgtaact	2788
	ttttaacttt	ttaaataaat	aacaagattt	ttaatgtgtg	tctccctcag	ggttgtttaa	2848
	agttttttt	ctccctcaag	tataaatagt	ggtaactata	tgttttgtat	cttctagcac	2908
25	caactgctgt	aaagcaatgc	tgcaaataat	gcttgaatac	aagtggctaa	gccaacaaca	2968
	gaataaatac	tittatagia	gtttataat	cctgaaattc	gaaagctttc	ccaattgcac	3028
	tigcalcian	acaaaactgt	tgcagttttt	actctattta	ttitgitccc	catgittatg	3088
30	aaagtccigc	acagticaa	aggcatggta	aataatatat	caatgtttat	gtagtctgtt	3148
				tgaagagcaa			
				ataggtttt			
				aattittgta			
35				gigtacatta			
	agttatgatt	igigaatico	ctaagacctt	ggatttttt	. aaglaactti	atatcagaaa	3448
•	tgatactgca	tetttatatt	lltunnaltg	; latigotgo	. caagaatgg	accetetig	1 3508
40				cagcattgta			
	titgaligaa	gctattcaaa	ataaaaatti	taatgaacga	aanaanaaa	SERRESEE E	
	888888						363
45	•						
45	<210> 55						
	<211> 1109						
	(212) PRT						
50	(213> Ilomo	sapiens				,	

<400> 55

55

	Меt	Leu	He	Glu	His	Рго	l.eu	Arg	Cys	l.eu	Val	Leu	Cys	Ala	Gln	Val
	-18			-15					-10					-5		
5	His	Ala	Gly	Met	Trp	Arg	Arg	Asn	Gly	Phe	Ser	Leu	Val	Asn	G1n	Ile
			1				5					10				
	Tyr	Tyr	Tyr	His	Asn	Val	Lys	Cys	Arg	Arg	Glu	Net	Phe	Asp	Lys	Asp
10	15					20					25					30
	Val	Va)	Иet	Leu	Gln	Thr	Gly	Val	Ser	Met	Met	Asp	Pro	Asn	His	Phe
					35					40	•				45	
	Leu	Met	He	Met	Leu	Ser	Arg	Phe	Glu	Leu	Tyr	Gln	Ile	Phe	Ser	Thr
15				50					55					60		
	Pro	Asp	Tyr	Gly	Lys	Arg	Phe	Ser	Ser	Glu	Ile	Thr	His	Lys	Asp	Val
			65					70					75			
20	Val	Gln	Gln	Asn	Asn	Thr			Glu	Glu	Met			Leu	Ile	Ile
		80			-		85		_			90				
			Val	Gly	Glu			Scr	Pro	Gly			Gin	Val	Asn	Ala
25	95					100					105		_	.,		110
25	Thr	· Ast	Glu	lle			Glu	lle	lle			Leu	) Ser	116		Pro
					115				_	120		C1.		C1.	125	
	Яet	: Ala	a His			Leu	ı Val	Lys			rro	) (J1	ı Asp	140		Lys
30			۵.	130		_		1.1.	135		. Val	Al	. u:z			- Ive
	Gli	J Th			GIU	ı Ser	· vai			J Ata	ı va.	. nac	153		Lys	Lys
			143				. <b>c</b> ı.	15(		- C1.						e Ala
35	Pro			ותו נ	- ((1)	, vei	16:		Liy		, Lei	170		, 010	, .,.	s Ala
33		16				. T			. Hi	e Ph	n Se			a Gli	ı Gli	n Ser
			u rn	6 V2I	I LE	181	•	,		.,	18		<b></b>			190
	17		n C1		ı A1:			g Lv	s Le	u Ly			n As	n Ar	g Gl	u Asp
40	L	2 1/1	n 01	0 01.	19:			.,		20		•			20	
	Th	r Al	ء ا ہ	u Pr			o Va	LLe	u Pr			e Cy	s Pr	o l.e	u Ph	e Ala
				21			-		21					22		
45	Se	rle	nı Va			e Le	u GI	n Se			1 Mc	t Le	u Cy	s []	e Mo	t Gly
	-	.,	22					23		-			23			
	Th	ır II			n Tr	pΛl	a Va			s As	n Gl	y Ty	r A1	a Tr	p Sc	r Glu
	•••	2					21					25				
50	Se			u Gl	n Ar	g Va	ıl I.c	u IIi	s 1.0	u li	e G1	y Ho	et Al	a Le	u Gl	n Glu
		: ::										55				270

	Glu	Lys	Gln		Leu ( 275	Glu :	Asn '	Val		G1u 280	Glu	His	Val	Val '	Thr 285	Phe
5	Thr	Phe				lle	Ser		P <del>ro</del> 295	Gly	Glu	Ala		Lys	Asn	Ser
10	Pro	Ser	Ile 305		Ala	Жet		G lu 310	Thr	Leu	Gln	Asn	Ala 315	Pro	Tyr	Leu
		320					325				•	330		Phe		
15	335					340					345			Ala		350
					355					360					365	
20				370					375					180		
_			385					390					395	Asn		
25		400					405					410		Ala		
30	415	;				420					425			Leu		430
					435					440	1			Cys	445	
35				450	1				455	i				460		Leu
			465	j				470	)				475	;		Lys
40		480	)				185	<b>i</b>				490	)			Λsp
	49	5				500	)				50	5				510
<b>.</b> .					513	5				520	)				52	
50				530	)				53	5				510	}	Gly
	Gl	u Ph	e l.e. 51		s Pro	o I.ei	u Cy:	s Gli 55		s Le	u 5e	r Asi	n (h: 55		110	e Pro

	Leu	Leu	Leu	Ser	Pro	Arg	Asn	lle	Phe	Asn	Asn		Leu	Asn	Phe	Ser
		560					565					570				
5	Asp	Gln	Pro	Asn	Leu		Gln	Trp	Ile	Arg		He	Ser	Gln	Gln	
	575					580					585		_			590
	Lys	Ala	Leu	Gln		Leu	Arg	Lys	Glu		Ser	Thr	Рго	Asn		Ala
10					595				_	600		٠.		_	605	
	Ser	Thr	Lys	Asn	Ser	Glu	Asn	Val		Glu	Leu	Gln	Leu		Glu	Gly
				610					615	_	_	_		620		
	Phe	Arg	Pro	Asp	Phe	Arg	Pro		lle	Pro	Tyr	Ser		Ser	He	Lys
15			625					630			_		635			
	Glu		Leu	Thr	Thr	Phe		Thr	Ala	Thr	Tyr		ASI	Gly	Leu	Lys
		640	_				645					650	M	C	<b>T</b> _	<b>6</b> 1
20		His	Pro	Asn	Glu		Asp	Pro	Arg	Val		116	met	Cys	ırp	
	655		4.	_		660	٥,	_		<b>61</b>	665	71.	1	C	4	670
	Ser	Cys	Ala	Tyr		He	GIn	Ser	116		Arg	116	Leu	Ser		GIU
25					675	C1	D		D	680		1	A ==	A ==	685	1
25	Asp	Lys	Pro		rne	GIY	PTO	Leu		Cys	WLR	Leu	uSh	700	Cys	Leu
		C		690	A	Oh.	41-	A 1 -	695	uie	T	The	Val		Sar	V-1
	ATB	Ser	Leu		Arg	rne	AIS		ALB	nıs	117	1111		ula	261	141
30	C	V - 7	705		ć1	u: -	Dh.	710	1	1	Dha	410	715	1	Val	Pro
	Ser		Val	UIN	GIA	urs			LJS	Leu	riie	730		LEU	101	
		720			C1.	C1	725		Cur	. 110	Lou			A = 0	Var	Pho
35			Ser	1115	GIU	740		110	Cys	116	745		, , , , ,	vah	лес	750
	735		ı Lcu	. V-1	<i>C</i> 1			ر م	. 41a	Dha			l eu	Clo	Cve	
	mis	Lec	LCU	rai	755		ra.	LEU	, nia	760		, Ale		0111	765	
	4=-	Dha	Sar	. Giv			- 1 eu	GIV	The			. Fer	ilis	: [le		His
40	usp	riic	: 301	770		Jei	Leu	01)	775		113			780		
	l o	. Val	The			His	. 11a	He			Lei	Lei	. Thr			Thr
	1.00	1 141	785		. 111		, , ,	790					79:		-,.	
45	C1.	. 61.			. Mai	. Aer	. (1)			. Pre	Pro	Cve			Gla	Ser
	010	800		,	, AC	. 11.33	805					810				
	71-			. 11.	. [~	ı Tvı	_		·La	ı His	Glr			·Glv	Ser	· Ala
	813					820					825			,		830
50			ر1:) د	. 11.	, p.,,			Tre	, <sub>{{i</sub> ,	s Lei			z Sei	· Val	Arı	Ala
	261	,	, , , , ,		92			,	,,,	8.10			,		843	

i

	Uly	116	яеt	850	rne	ren	Lys	Cys	3er 855	VIA	Leu	rile		860	171	Leu
5	Aen	C1 v	Va 1		Ser	Pro	Pro	Asn		Gln	Val	Pro	Gly		Ser	His
	11311	J.,	865		<b>J</b> .			870	•••	••••			875	••••		
	Phe	Glu		l.eu	Cys	Ser	Туг	Leu	Ser	Leu	Pro	Asn	Asn	Leu	Ile	Cys
10		880					885					890				
	Leu	Phe	Gln	Glu	Asn	Ser	Glu	Ile	Met	Asn	Ser	Leu	Ile	Glu	Ser	Trp
	895					900					905					910
15	Cys	Arg	Asn	Ser	Glu	Val	Lys	Arg	Tyr	Leu	Glu	Gly	Glu	Arg	Asp	Ala
					915					920					925	
	lle	Arg	Tyr	Рго	Arg	Glu	Ser	Asn	Lys	Leu	lle	Asn	Leu	Pro	Glu	Λsp
				930					935					940		_
20	Tyr	Ser		Leu	Ile	Asn	Gln			Asn	Phe	Ser	Cys	Pro	Lys	Ser
			945		_		.1-	950		1	C	1	955 V-1	C	C1	C
	Gly			Lys	Ser	Arg	965	rro	ınr	ren	Lys	970	Val	cys	GIY	Ser
25	l ou	960		Sor	61n	Ser		Cvs	Cvs	Gln	Thr		Leu	Glu	Glv	Glu
	975		C)3	561	V	980	.,.	0,0	0,0	••••	985				,	990
			Gly	Ala	Cys		Ala	His	Thr	Тут		Cys	Gly	Ser	Gly	Val
30					995					100					100	
	Gly	Tic	Phe	Leu	۸rg	Val	Arg	Glu	Cys	Gln	Val	l.eu	Phe	Leu	Ala	Gly
				101	0				101	5				102	0	
35	Lys	Thr	· l.ys	Gly	Cys	Phe	Тут	Ser	Рго	Pro	Tyr	Leu	Asp	Asp	Туг	Gly
			102					103					103		_	
	Glu			Gln	Gly	i.eu	_	_	Gly	Asn	Pro			Leu	Lys	Lys
	٠,	10-					10-1			T		105		Sar	Val	The
40	105		rnc	: 1.ys	ı.ys	106		1 1.33	1.60	1111	106		1113	361	741	Thr 1070
			. 11.	· 61v	His			. Gli	ı Ala	Asn			- Leu	Val	Gly	Tle
		, , , ,		,	107					108					108	
45	Asp	Tr	o Gla	ı Hi:	. Leu											
	,			109	90											
50	<2	10.	56													
	<2	11>	3327													
	<2	12>	DVA													

#### <213> Homo sapiens

5 <400> 56 atgitgatag aacacccict tagatgicit gitcigigig cccaagtaca igccggaatg tggagaagaa atgggttete tetagtaaac cagatttatt actaccataa tgtgaaatge 120 agacgtgaga tgtttgacaa ggatgtagta atgcttcaga caggtgtctc catgatggat 180 10 ccaaatcatt teetgatgat catgeteage egetttgaac titateagat titeagtact 240 ccagactatg gaaaaagatt tagttctgag attacccata aggatgttgt tcagcagaac 300 aatactctaa tagaagaaat gctatacctc attataatgc tigitggaga gagatttagt 360 15 cciggagtig gacagginaa igctacagai gasaicaagc gagagattai ccaicagtig 420 agtatcaage ctatggetea tagtgaattg gtaaagtett tacetgaaga tgagaacaag 480 gagactggca tggagagtgt aatcgaagca gttgcccatt tcaagaaacc tggattaaca 540 ggacgaggca tgtatgaact gaaaccagaa tgtgccaaag agttcaactt gtatttctat 600 20 cactiticaa gggcagaaca gtccaaggca gaagaagcgc aacggaaatt gaaaagacaa 660 aalagagaag atacagcact cccacctccg gigitgcctc cattergccc leigitigca 720 agcciggita acattitgca gicagaigic aigtigigca icaigggaac aattcigcaa 780 25 tgggctgtgg aacataatgg atatgcctgg tcagagtcca tgctgcaaag ggtgttacat 840 tlaatiggra iggcactaca agaagaaaaa caacattiag agaatgicac ggaagagcat 900 giaglascat tiaccitcac teagaagata teaaaacetg gigaagegee aaaaaaattet 960 cctagcatac tagctatgct ggasacacta casastgctc cctacctaga agtccacasa 1020 30 gacatgatic ggtggatatt gaagactttt aatgctgtta aaaagatgag ggagagttca 1080 cctaccagic ccgtggcaga gacagaagga accataatgg aagagagtic aagggacaaa 1140 gacumagetg aguggaagag aasageagag attgeeagae tgegeagagm aaagateatg 1200 35 gctcagatgt ctgaaatgca gcggcatttt attgatgaaa асаанднаст ctttcagcag 1260 acattagnac tggatgccic aacctctgct gttctigatc atagccctgt ggcttcagat 1320 atgacactta cagcactggg coccgeacaa acteaggile etgaacaaag acaattegil 1380 acatginiat igigicaaga ggagdaagaa gitaaagigg aaagcagggc aaiggiciig 1440 40 geageattig iteagagate aactgtatta teaaaaaaaca gaagtaaatt tatteaagat 1500 congrammat atgatecatt attentgene colgatelgt cttgtggane neachelagt 1560 agetgiggge acattatgea igecentigt iggenanggi attitgatie egitenagei 1620 45 anaguacnge gnaggeaaca gagattaege ttacatnegn getalgatgi agnaanegga 1680 guartectic goodcotting transporting annuacting traffordior georgetites 1740 ccuaguanta tittiaacaa caggitaasi titticagacc aaccasatet gacteagigg 1800 attagancaa tateteagea aatamaagea ttacagtite ttaggaanga agaaagtaet 1860 50 ectantants ectetaenan gaattengan natgiggatg aattacaget eeetgaaggg 1920 tleagreets attitegies taagateest tattetgaga geatanaaga aatgetaacg 1980

	acattiggaa tigetattia taaggiggga tiadaggitt attitumiga meagaitti	20.0
	cgtgttccca taatgtgttg gggtagctgc gcgtacacca tccaaagcat agaaagaatt	2100
5	ttgagtgatg aagataaacc attgttiggt ccittacctt gcagactgga tgactgtctt	2160
	aggicatiga cgagatitgc cgcagcacac tggacagtgg catcagtitc agtggtgcaa	2220
	ggacattitt gtaaactitt tgcatcactg gtgcctaatg acagccatga ggaacttcca	2280
40	tgcatattag atattgacat gtttcattta ttggtgggct tggtgctigc atttcctgcg	2340
10	tigcagtgic aggattitic agggatcage citggcactg gagacctica cattitccat	2400
	ctggttacta tggcacacat catacagatc ttacttacct catgtacaga agagaatggc	2460
	atggatcaag aaaatccccc ttgtgaagaa gaatcagcag ttcttgcttt gtataaaaca	2520
15	cttcaccagt atacgggaag tgccttgaaa gaaataccat ccggctggca tctgtggagg	2580
	agtgtcagag ctggaatcat gcctttcctg aagtgttctg ctttattttt tcattactta	2640
	aatggagttc cttccccacc cgacattcaa gttcctggaa caagccattt tgaacattta	2700
20	tgtagctatc tttccctacc aaacaacctc atttgccttt ttcaagaaaa tagtgagata	2760
20	atgaattcac tgattgaaag tiggtgccgt aacagtgaag ttaaaagata tctagaaggt	2820
	gasagagatg ctataagata teesagagaa tetsacasat taatasacet teeagaggat	2880
	tacagcagcc tcattaatca agcatccaat ttctcgtgcc cgasatcagg tggtgataag	2940
25	ageagageee caactetgig cettgigige ggaleteige igigeteeca gagttacige	3000
	tgccagactg aactggaagg ggaggatgta ggagcctgca cagctcacac ctactcctgt	3060
	ggctctggag tgggcatctt cctgagagta cgggaatgtc aggtgctatt tttagctggc	3120
30	aaaaccaaag getgittita iteleeteet taeettgatg aetaigggga gaeegaeeag	
	ggactcagac ggggaaatcc ittacattla tgcaaagagc gattcaagaa gattcagaag	
	ctctggcacc aacacagtgt cacagaggaa attggacatg cacaggaagc caatcagaca	
	ctggttggca ttgactggca acattta	3327
35		
	<b>(210)</b> 57	
	<211> 3502	
40	<212> DNA	
	(213) Homo sapiens	
	<200>	
45	<221> CDS	
	<222> (56) (3382)	
-	4110 <b>0</b> 1	
50	(220)	•
	(221) sig peptide	
•	(222) (56)(109)	

	(220	>															
	<221	> mai	t per	otida	;												
5	<222	> (1)	10)	(338	32)												
	<400	> 57															
10	ttt		tt c	tgtt	tttt	t at	ιιι	tgta	tat	atag	agt	gaac	ttag	сс с	accc	atg	58
70		•								•	•					Met	
																-18	
	-			cac													106
15	Leu	Ile	Glu	His	Рто	Leu	Arg	Cys	Leu	Val	Leu	Cys	A]a	Gln	Val	His	
			-15					-10					-5				
	-	_		tgg													154
20	Ala	Gly	Met	Trp	Arg	Arg	Asn	Gly	Phe	Ser	Leu	Val	Asn	Gln	Ile		
		1				5					10					15	
				aat													202
25	Tyr	Tyr	His	Asn	Val	Lys	Cys	Arg	Arg	Glu	Het	Phe	Asp	Lys	Asp	Val	
					20					25					30		
	-			cag													250
	Val	Met	Leu	Gln	Thr	Gly	Val	Ser	Met	₩et	Asp	Pro	Asn		Phe	Leu	
30				35					40					45			
	_			ctc													298
	Met	Ile	Met	Leu	Ser	Arg	Phe	Glu	Leu	Tyr	Gln	He	Phe	Ser	Thr	Pro	
35			50					55					60				
	_															gtt	346
	Asp	Туг	Gly	Lys	Arg	Phe	Ser	Ser	· Glu	110	Thr			: Asp	(Val	Val	
		65					70					75					
40																atg	
	Glt	o Gla	ı Asr	. Asn	Thr	Leu	Ile	: Glu	. Glu	Me!	L l.eu	ı Tyr	Leu	ı Ile	: Ile	. Het	
	80					85					90					95	
45																t aca	
	Lei	n Asi	l Gly	r Glu	Arg	Pho	: Sci	r Pro	o Gly	y Va	i Gi	y Glr	ı Va	l Ası		a Thr	•
					100					10					110		
50																t atg	
-	As	p Gli	u ile	e l.y:	s Arg	; Gli	a Ile	c II			n I.e	u Sei	r II			o Net	•
				11:	5				120	0				12	กิ		

	gcl	cat	agt	gaa	ttg	gta	aag	tct	tta	cct	gaa	gat	gag	aac	aag	gag	538
	Ala	His	Ser	Glu	Leu	Val	Lys	Ser	Leu	Pro	Glu	Asp	Glu	Asn	Lys	Glu	
<b>i</b>			130					135					140				
	act	ggc	atg	gag	agt	gta	atc	gaa	gca	gtt	gcc	cat	ttc	aag	aaa	cct	586
	Thr	Gly	Met	Glu	Ser	Val	Ile	Glu	Ala	Val	Ala	His	Phe	Lys	Lys	Pro	
		145					150					155					
10	gga	tta	aca	gga	cga	ggc	atg	tat	gaa	ctg	aaa	cca	gaa	tgt	gcc	aaa	634
												Pro					
	160			•		165					170					175	
15		ttc	яас	ttg	tat	ttc	tat	cac	ttt	tca	agg	gca	gaa	cag	tcc	aag	682
												Ala					
	0.0				180		-,-			185					190		
	ora	gaa	728	gcg		CZZ	aaa	ttø	яяя		caa	aat	aga	gaa	gat	aca	730
20												Asn					
	n.a	010	010	195	V		0,0		200		•••		0	205			
	ac 9	616	CCB		cca	σtσ	110	cct		ttc	tec	cct	cte			agc	778
25																Ser	
	Wia	rea	210		110	'41	Leu	215		,,,,	.0,5		220				
					***		100		øtc	ato	110	tac			o o o a	aca	826
																Thr	<b></b>
30	Leu			116	Leu	0111	230		102	HC (	LCU	235		MC C	<b>U.</b> ,	• • • • • • • • • • • • • • • • • • • •	
		225															87-1
•																tcc So-	01-3
35			1 610	ıırp	A18			1115	ASII	613				361	010	Ser 255	
	240					245					250						020
																a gaa	922
	. Xei	l I.cu	ı Gir	n Arg			) 111S	Leu	110			. AJa	ı Leu	ı Gir		ı Glu	
40					260					263					270		070
																acc	970
	Ly	s Gli	n Ilis	s Lei	ı Glı	ı Ası	n Yal	Thr	Glu	Glu	ı Ilis	s Va	Val			2 Thr	
				273					280					28			
45																t cct	1018
	Ph	e Th	r Gli	ı Lys	s Ile	e Sei	r Ly:	s Pro	Gly	Glu	υΛla	a Pro			n Sei	r Pro	
			290					29:					300				
50																n gaa	1066
	Se	r H	e lei	ı Ala	a He	t l.e	u Gli	u Thi	rle	ı Gi	n Ası	n Ala	ı Pro	Ty	r I.e	u Glu	
			_				916	Α.				21:	=				

	gtc	cac	aaa	gac	alg	all	cgg	tgg	ata	ttg	aag	act	ttt	aat	gçt	gtt	1114
	Val	His	Lys	Asp	Xet	lle	Arg	Trp	lle	Leu	Lys	Thr	Phe	Asn	Ala	Val	
5	320					325					330					335	
	888	aag	atg	agg	gag	agt	tca	cct	acc	agt	ccc	gtg	gca	gag	aca	gaa	1162
	Lys	Lys	Met	Arg	Glu	Ser	Ser	Рто	Thr	Ser	Pro	Val	Ala	Glu	Thr	Glu	
10					340					345					350		
	gga	acc	ata	atg	gaa	gag	agt	tca	agg	gac	ass	gac	888	gct	gag	agg	1210
	Gly	Thr	Ile	Met	Glu	Glu	Ser	Ser	Arg	Asp	Lys	Asp	Lys	Ala	Glu	Arg	
				355					360					365			
15	aag	aga	888	gca	gag	att	gcc	aga	ctg	cgc	aga	gaa	aag	atc	atg	gct	1258
	Lys	Arg	Lys	Ala	Glu	Ile	Ala	Arg	Leu	Arg	Arg	Glu	Lys	Ile	Met	Ala	
			370					375					380				
. 20	cag	atg	tct	gaa	atg	cag	cgg	cat	ttt	att	gat	gaa	aac	aaa	gaa	ctc	130 <del>6</del>
	Gln	Met	Ser	Glu	¥et	Gln	Arg	His	Phe	Ile	Asp	Glu	Asn	Lys	Glu	Leu	
		385					390					395					
	ttt	cag	cag	aca	tta	gaa	ctg	gat	gcc	tca	acc	tct	gct	gtt	ctt	gat	1354
<b>25</b> .	Phe	Gln	G1n	Thr	Leu	Glu	Leu	Asp	Ala	Ser	<b>Thr</b>	Ser	Ala	Val	Leu	Asp	
	400					405					410					415	
	cat	agc	cct	gtg	gct	tca	gat	atg	aca	ctt	aca	gca	ctg	ggc	ccc	gca	1402
30	His	Ser	Pro	Val	Ala	Ser	Asp	Net	Thr	Leu	Thr	Ala	Leu	Gly	Pro	Ala	
					420					425					430	1	
	caa	act	cag	gu	ccl	gaa	caa	aga	caa	ttc	gtt	aca	tgt	ate	tte	tgt	1450
	Gln	Thr	- Glr	ı Val	Pro	Glu	Gln	Arg	Gln	Pho	Yal	Thr	Cys	: Ile	Leu	Cys	
35				435	<b>i</b>				440					445	5		
	caa	gag	gag	caa	gaa	gtt	. aaa	gtg	gaa	ago	agg	gca	ate	gto	: It	gca	1498
	Gir	ı Glu	Gli	ı Glr	Glu	Val	Lys	Val	Glu	Ser	· Are	, Ala	He	. Va	Le	ı Ala	
40			450	)				455					460	)			
																111	1546
	Ala	a Pho	e Va	l Glr	n Ars	; Sei	- The	· Val	Leu	Sei	Lys	s Asr	ı Arı	g Sei	r Ly:	s Phe	
		46					470					473					
45																cig	1594
•	110	e Gli	n Ası	p Pro	o Glu	ı l.ys	s Tyr	- Ast	Pro	Lei	) Ph	e Me	t Hi:	s i'r	o As	p l.eu	
	480					483					49					495	
50																c cat	1642
	Sc	r Cy	s Gl	y Th	r IIi:	s Th	r Sei	r Sei	· Cys	5 G1	y Hi:	s II	e Ne	t Ili	s Al	a His	
					5/M	`				509	5				51	()	

	tgt	tgg	caa	agg	tat	ttt	gat	tcc	gtt	caa	gct	888	gaa	cag	cga	agg	1690
	Cys	Trp	Gln	Arg	Туг	Phe	Asp	Ser	Val	Gln	Ala	Lys	Glu	Gln	Arg	Arg	
;				515					520					525			
	caa	cag	aga	tta	cgc	tta	cat	acg	agc	tat	gal	gta	gaa	aac	gga	gaa	1738
	Gln	Gln	Arg	Leu	Arg	Leu	His	Thr	Ser	Tyr	Asp	Val	Glu	Asn	Gly	Glu	
			530					535					540				
0	ttc	ctt	tgc	ccc	ctt	tgt	gaa	tgc	ttg	agt	aat	act	gtt	att	cct	ctg	1786
	Phe	Leu	Cys	Pro	Leu	Cys	Glu	Cys	Leu	Ser	Asn	Thr	Val	He	Pro	Leu	
		545	•				550					555					
15	ctg		tct	cca	aga	aat	att	ttt	вас	aac	agg	tta	aat	tti	tca	gac	1834
	_			Pro													
	560					565					570					575	
		cca	aat	ctg	act		ter	att	aga	aca	ata	tct	cag	caa	ata	888	1882
20				Leu													
_	<b>V</b> 2				580		·		_	585					590		
	gca	tta	CBg	ttt	ctt	agg	888	gaa	gaa	agt	act	cct	aat	aat	gcc	tct	1930
25	-			Phe													
				595					600		·			605			
	aca	889	Bat			aat	gtg	gat	gaa	tta	cag	ctc	cct	gaa	888	ttc	1978
																Phe	
30		-,-	610					615					620				
	800	cci			cgt	ccı	aag	atc	cct	tat	tet	gag	ago	ata	aaa	gaa	2026
																Glu	
35		625					630			•		635					
	ato			, aca	ttt	g g a			acc	: tac	aag	gle	. RRF	a cta	aag	gtt	2074
																S Val	
	640					645				.,	650		•		•	655	
40			ு வக்	792	. <b>.</b> .			col	gti	ccc			t LØ1	L LEZI	2 22	t agc	2122
																y Ser	
_	111.		, 1131	, 0,,	660		, , , ,	,	,	663	_		,	,	670		
45	•		- • •				300	. ats	095			110	7 80	t øn		a gat	2170
~																u Asp	
	Cy:	5 ni		675		. 011	1 30		680		, , , ,			68			
	<b>,</b>										a cti	7 (TS)	ועקן			t agg	2218
50				-												u Arg	
	ı.y	5 110	o Lei		. (1)	, , , ,		69:			,		70				

<b>F</b> . *	W.	A MERCAN	741	3.4	SE S	÷		Man As	, in the second	* * :				
			ماند. د د د د د د د د د د د د د د د د د د د	•				* #*** * : :				ia,		
W. C.		T. A.	·.		,		176.5		1		Gr.			
						). T	*			*.				
							· pe		•				*	
<b>X</b>	, r		•			-							*** *	
													*	
			, *,											
			**************************************	u i				*		· •				
	- 						. , ,	L					* *	
	ji C	*.			r <sub>a</sub> v)		* e					•		
		,				•	1.		•					
•				• .								•		
<ul> <li>A sign of the sig</li></ul>	7 <sub>4</sub> .				••							,		
· ···														
. "		.*												
				:										
\$.#	0													
***														:
*	00	- N										ļ <b></b>	1., 6 5	
					•						<b>h.</b>		v.	4.
	i				*			*			\$5,41	2 - 3	i grana di C	13
						*1						<b>V</b>		
¥.														Ą
						,							,	
ý.	•											•	•	-
									•				· · · · · · · · ·	C <sub>r</sub>
110				:				Ę.		•	• ;			2
75 T				•			\$` 			•				e de la companya de l
								* 1.			Ţ	90	.A	

	tca	ttg	acg	aga	ttt	gcc	gca	gca	caç	tgg	aca	gtg	gca	tca	gtt	tca	2266
	Ser	Leu	Thr	Arg	Phe	Ala	Ala	Ala	His	Trp	Thr	Val	Ala	Ser	Val	Ser	
5		705					710					715					
	gıg	gtg	сва	gga	cat	ttt	tgt	aaa	ctt	ttt	gca	tca	ctg	gtg	cct	aat	2314
	Val	Val	Gln	Gly	His	Phe	Cys	Lys	Leu	Phe	Ala	Ser	Leu	Val	Pro	Asn	
10	720					725					730					735	
	gaç	agc	cat	gag	gaa	ctt	cca	tgc	ata	tta	gat	att	gac	atg	ttt	cat	2362
	Asp	Ser	His	Glu	Glu	Leu	Pro	Cys	Ile	Leu	Asp	Ile	Asp	Met	Phe	His	
					740					745					750		
15	tta	ttg	gtg	ggc	ttg	gtg	ctt	gca	ttt	cct	gcg	ttg	cag	tgt	cag	gat	2410
	Leu	Leu	Val	Gly	Leu	Val	Leu	Ala	Phe	Pro	Ala	Leu	Gln	Cys	Gln	Asp	
				755					760					765			
20	ttt	tca	ggg	atc	agc	ctt	ggc	ac t	gga	gac	ctt	cac	att	ttc	cat	ctg	2458
	Phe	Ser	Gly	Ile	Ser	Leu	Gly	Thr	Gly	Asp	Leu	His	Ile	Phe	His	Leu	
			770					775					780				
	gll	act	atg	gca	cac	atc	ata	cag	atc	tta	ctt	acc	tca	tgt	aca	gaa	2506
25	Val	Thr	Met	Ala	His	lle	Ile	Gln	Ile	Leu	Ļeu	Thr	Ser	Cys	Thr	G]u	
		785					790					795					
	gag	aat	ggc	atg	gat	<b>C88</b>	gaa	aat	ccc	cct	tgt	gaa	gaa	gaa	tca	gca	2554
30	Glu	Asn	Gly	Ket	Asp	Gln	Glu	Asn	Рго	Pro	Cys	Glu	Glu	Glu	Ser	Ala	
	800					805					810					815	
	gtl	cti	gct	ttg	tat	aaa	ละก	ctt	cac	cag	tat	acg	gga	agt	gcc	ttg	2602
	Val	Leu	Ala	Leu	Tyr	Lys	Thr	Leu	His	Gin	Tyr	Thr	Gly	Ser	Ala	Leu	
35					820					825	,				830	١	
	aaa	gaa	ata	cca	tcc	ggc	tgg	cat	ctg	tgg	agg	agt	gtc	aga	gct	gga	2650
	Lys	Glu	He	Pro	Ser	Gly	Trp	His	Leu	Тгр	Arg	Ser	Val	Arg	Λla	Gly	
40				835					840	)				845	i		
																aat	26 <del>9</del> 8
	H	: Het	Pro	Phe	Leu	Lys	Cys	Set	- Ala	Let	Phe	Phe	His	Tyt	Leu	Asn	
			850	)				855	•				860	)			
45																ttt	2746
	Gly	/ Val	Pro	Ser	Pro	Pro	Asp	) I lo	: Glr	\ Val	Pro	Gly	Thr	· Sei	His	Phe	
		865					870					875					
50																ctt	2794
	Gli	ıllis	Le	ı Cys	Ser	- Tyı	Leu	i Sei	· Lei	Pro	) Asr	ı Asr	Leu	: 110	Cys	s Leu	
	886	)				88	5				890	}				895	

	tti	caa	gaa	aat	agt	gag	ata :	alg	aat	tca	ctg	ati	gaa	agt	tgg	tgc	2842
	Phe	Gln	Glu	Asn	Ser	Glu	lle !	Xet	Asn	Ser	Leu	Ile	Glu	Ser	Trp	Cys	
5					900					905					910		
	cgt	aac	agt	gaa	gll	aaa	aga	tat	cta	gaa	ggt	gaa	aga	gat	gct	ata	2890
	_		Ser														
				915					920					925			
10	828	tat	cca	aga	gaa	tct	aac	aaa	tta	ata	вас	ctt	cca	gag	gat	tac	2938
	_		Pro								_						
	114 5	-,-	930					935					940				
15	9.00	aor	ctc	att	aat	caa	gca	tcc	aat	ttc	tcg	tgc	ccg	asa	tca	ggt	2986
	-	-	Leu														
	561	945					950					955					
	ggt		aag	agc	aga	gcc	ссв	act	ctg	tgc	ctt	gtg	tgc	gga	tct	ctg	3034
20			Lys														
	960					965					970					975	
	ctg	tgc	tcc	cag	agt	tac	tgc	tgc	cag	act	gaa	ctg	gaa	ggg	gag	gat	3082
25			Ser														
		-			980					985	-				990		
	gts	n RRS	gcc	tgc	aca	gct	cac	acc	tac	tcc	tgt	ggc	tct	gga	gtg	ggc	3130
	_		Ala														
30		•		995					100					100			
	ato	: tto	ctg	aga	gta	cgg	gaa	tgt	Cae	gtg	cta	ııı	tta	gct	ggo	aaa	3178
																Lys	
35			101					101	_				102				
	ace	c aa	a ggo	: tgt	: ttl	tat	ιοι	cct	cc	t tac	ctt	gat	gac	: tat	888	gag	3226
																Glu	
		10	25				103	10				103	35				
40	ac	c ga	c cag	gg:	cto	: aga	cgg	ggs	8a	t cci	t tta	a ca	t tu	a tgo	: 88	a gag	327-1
																s Glu	
	10		•			10-					10					1055	
45	cg	a tt	c aaq	ร ยลเ	z ati	L Cas	รู ลกย	z cto	c tg	g ca	c caa	a ca	ag	l gt	ac	a gag	3322
																r Glu	
			ŕ		100					10					10		
	ga	a at	t gga	a ca	l gc	a cau	g gar	a ge	c aa	t ca	g ac	B CL	g gt	t gg	c at	l gac	3370
50																e Asp	
					75					80				10			

	tgg c				aat t	attg	c ac	cacc	aaaa	880	acaa	act	tgg	attt	ttt		3422
5		1	090									•					
	taaco	cagt	t gg	ctt	ttae	gaa	agae	aga	agt	ctgo	tg a	att	tgga	aa t	aaat	tcttt	3482
	attta	aact	it ta	1888	1888	1											3502
10																	
	<210	> 58															
	(211)	> 172	26							•							
	<212	> PR	r														
15	<b>&lt;213</b>	> Hor	no s	apie	ns												
	<400																
20	Het	Leu	Ala	Cys	Leu	Gln .	Ala	Cys	Ala	Gly	Ser	Val	Ser		G1u	Leu	
	-13			-10					-5					1			
	Ser	Glu	Thr	Ile	Leu	Thr		Val	Ala	Asn	Cys		Asn	Val	Het	Asn	
		5					10				_	15			_		
25	Lys	Ala	Arg	Gln	Pro	Pro	Pro	Gly	Val	Met		Lys	Gly	Arg	Рто		
	20					25				_	30				_	35	
	Ser	Ala	Ser	Ser		Asp	Ala	He	Ser	Pro	Val	Gin	116	Asp		Leu	
30					40		_		٠.	45	_	41.	41-	D	50	Th	
	Ala	Gly	Met		Ser	Leu	Ser	He		Gly	26L	VIS	Ala	65		inr	
		_		55 63	<b>C</b> 1	01	0	n.:	60	1	C1.,	Sa-	Ala			Thr	
	Gln	Ser		GIN	CIÀ	rne	PTO	75	ASII	Leu	GIY	261	80		261	Thr	
35	٥	C1-	70	D-0	Ma	Lvo	Ala		Pro	Pro	Leu	Sor			Asn	G1n	
	rto	85	Ser	110	MIN	LJS	90			110	CCO	95					
	Thr		Ala	Phe	Ser	Giv			Glv	l.eu	Ser			Leu	Pro	Val	
40	100		****	,,,,	00.	105		• • •			110					115	
	_		1.eu	Glv	Thr			l.eu	Thr	Gly	lle	Gly	The	Gly	Ala	Leu	
	•.,	,		•	120					125					130		
45	Gly	Leu	Pro	Ala	Val	٨sn	۸sn	Asp	Pro	Phe	Val	Glr	Ars	Lys	i l.et	Gly	
43	•			135					140					145			
	Thr	Ser	Gly	l.eu	Asn	Gin	Pro	Thr	Pho	Gln	Gin	Ser	Lys	s He	L Ly:	s Pro	
•			150					155					160				
<b>50</b> .	Ser	Asp	l.eu	Ser	- Glm	. Yal	Trp	Pro	Glu	ıΛla	Asr	Gle	ı III:	s Pho	e Sei	r Lys	
		165										175					

.

117

	Glu	Ile	Asp	Asp	Glu	Ala	Asn	Ser	Tyr	Phe	Gln	Arg	lle	Tyr	Asn	His	
	180					185		-			190					195	
	Pro	Pro	His	Pro	Thr	Жet	Ser	Yal	Asp	Glu	Val	Leu	Glu	Яеt	Leu	Gln	
					200					205					210		
	Arg	Phe	Lys	Asp	Ser	Thr	He	l.ys	Arg	Glu	Arg	Glu	Val	Phe	Asn	Cys	
0				215					220					225			
0	Met	Leu	Arg	Asn	Leu	Phe	Glu	Glu	Туг	Arg	Phe	Phe	Pro	Gln	Tyr	Pro	
			230					235			·		240				
	Asp	Lys	Glu	Leu	His	lle	Thr	Ala	Cys	Leu	Phe	Gly	Gly	Ile	Ile	Glu	
5		245					250					255					
	Lys	Gly	Leu	Val	Thr	Tyr	Net	Ala	Leu	Gly	Leu	Ala	Leu	Arg	Tyr	Val	
	260					265					270					275	
20	Leu	Glu	Ala	Leu	Arg	Lys	Pro	Phe	Gly	Ser	Lys	Het	Tyr	Туг	Phe	Gly	
					280					285					290		
	lle	Ala	Ala	Leu	Asp	Arg	Phe	Lys	Asn	Arg	Leu	Lys	Asp	Tyr	Pro	Gln	
				295					300					305			
25	Tyr	Cys	Gin	His	Leu	Ala	Ser	lle	Ser	His	Phe	Met	Gln	Phe	Pro	His	
			310					315					320				
	His	: Leu	Gln	Glu	Tyr	lle	Glu	Туг	Gly	r Glr	Gln	Ser	Arg	Asp	Pro	Pro	
3 <i>0</i>		325					330					335			(		
	Val	Lys	. Het	Gin	Gly	Ser	· Ile	The	Thi	Pro	Gly	Ser	Ile	e Ala	Lei	: Ala	
	340					345					350					355	
	Glr	n Ala	a Glr	ı Ala	Gln	. Ala	Glr	\ Yal	Pro	o Ala	a Lys	: Ala	Pro	Leu	Ala	a Gly	
35					360					36					370		
	Gi	n Ya	) Sei	r Thi	- Met	Va!	l Thi	The	Se	r Th	r Thi	- Thi	r Thi	r Val	l Ala	a Lys	
				378					380					383			
40	Th	r Va	l Th	r Val	Th	r Arı	g Pro	Thi	- G1	y Va	1 Se	Pho	e Ly	s l.y:	s As	p Val	
			390					39					40				
	Pr	o Pr	o Se	r H	e Ası	n Th	r Th	r Ası	ı II	e As	p Th	r Lei	u Le	u Va	l Al	a Thr	•
		40					410					41					
45	٨s	p Gl	n Th	r Glo	u Ar	g [l	e Ya	1 Glo	ı Pr	o Pr	o Gl	u As	n Il	e Gl	n Gl	u Lys	;
	42					42		•			-13					-13	
	11	e Al	a Ph	e II	e Ph	e As	n As	n I.e	u Sc	ır GI	n Se	r As	n He	t Th		n l.ys	÷
50					-1-1					-1-1					45		
	٧a	1 G1	u Gl	u l.e	u l.y	s (i)	u Th	r Va	l Ly	s Gl	u GI	u Ph	e Me		-	p Va	l
				15	5				-16	60				-16	5		

	Ser	Gln	Tyr	Leu	Va)	Met	Lys	Arg	Val	Ser	Ile	Glu	Pro	Asn	Phe	His
_			470					475					480			
5	Ser	Leu	Туг	Ser	Asn	Phe	Leu	Asp	Thr	Leu	Lys	Asn	Pro	Glu	Phe	Asn
		485					490					495				
	Lys	Met	Val	Leu	Asn	Glu	Thr	Tyr	Arg	Asn	Ile	Lys	Val	Leu	Leu	Thr
10	500					505					510					515
	Ser	Asp	Lys	Ala	Ala	Ala	Λsn	Phe	Ser			Ser	Leu	Leu	Lys	Asn
					520					525					530	
15	Leu	Gly	His		Leu	Gly	Het	Ile		Leu	Ala	Lys	Asn		Pro	Ile
15				535					540			_		545	_	
	Leu	His		Asp	Leu	Asp	Val		Ser	Leu	Leu	Leu		Ala	Tyr	Val
			550					555			_	-	560			., .
20	Lys			Gln	Glu	Leu		Тут	Val	Vai	Pro		Val	VIS	Lys	Vai
		565		٠.	*1.	4	570	W - 3	V.1	<b>0</b> 5-		575	Dana	A	D	T
			Ser	Ser	He		Ser	Va1	vai	rne		PTO	FIO	nsn	rru	595
25	580		41-		Met	585	V-1	1	Ala	C1	590	u; e	G) n	Glu	Hie	
	ınr	met	VIS	116	600		vai	Leu	VIG	605	•	11.2	OIII	010	610	
	1	lve	اما	Acn			Phe	Glu	Tle			Leu	Cvs	1.vs		Leu
	reo	LJS	LCU	615		1., 3		٠.٠	620			500	•,•	625		
30	Ala	Leu	Asn			Glu	Leu	Lvs			Asn	Leu	Leu		Asp	Lys
	,		630					635					640			
	Asp	ATR			Asn	l.eu	Asp	•		Leu	Ser	Λla	Pro	Lys	l.ys	Asp
35		645		·			650					655				
	Val	Lys	Glr	) Pro	Glu	Glu	Leu	Pro	Pro	[le	Thr	Thr	Thr	Thr	Thr	Ser
	660	)				665	,				670	)				675
	Thi	The	Pro	Ala	Thr	Asn	Thr	Thr	Cys	The	Ala	Thr	· Val	Pro	Pro	Gln
40					680	)				685	j				690	)
	Pro	Glr	ı Tyı	r Ser	- Tyt	· Ilis	Asp	lle	. Asr	\Val	Ty	Ser	Leu	Ala	Gly	Leu
				69:	5				700	)				705	;	
45	Ala	a Pro	o Ili	s Ile	? The	· l.et	ı Ası	Pro	The	- Ile	e Pro	Lei	. Pho	Glo	Ala	allis
			710					719					720			
	Pro	o Gli	n Lei	ı l.ys	s GIr	ı Çys	; ľa	l Arı	g Glr	n Ala	a IIo	e Glu	ı Arg	, Ala	ı Va	l Gin
50		72					7:30					7:3:				_
	Gli	ı Le	u Va	l III:	s Pro			l Ası	ark c	s Sei			s llo	: Ala		l Thr
	7-10	0				71	5				750	)				755

	Thr	Cys	Glu			Val.	Arg	Lys	Asp	Phe 765	Ala	Leu	Asp		G I u 770	Glu
5	Ser	Aro	Wet		760 11e	Ala	Ala	His	His		Vet	Are	Asn			Ala
	561	111 6		s 775					780			0		785		
	Gly	Met	Ala	Хеt	lle	Thr	Cys	Arg	Glu	Pro	Leu	Leu	Met	Ser	Ile	Ser
10			790					795					800			
	Thr	Asn	Leu	Lys	Åsn	Ser	Phe	Ala	Ser	Ala	Leu	Arg	Thr	Ala	Ser	Pro
		805					810	•				815				
	Gin	Gln	Arg	GIu	Met		Asp	Gln	Ala	Ala		Gln	Leu	Ala	Gln	
15	820					825	_				830	-			<b>C</b> 1	835
	Asn	Cys	Glu	Leu		Cys	Cys	Phe	lle		Lys	inr	Ala	vai	850	Lys
	41-	C1.4	D	ci	840	A ===	lve	Ara	سما	845	Thr	G1.	Phe	Glu		Arg
20	nia	Uly	110	855	PIC C	nsp	LJS	LT P	860	1110	****	0.10		865		
	Lys	Hís	Ala		Gln	Glu	Gly	Arg		Tyr	Cys	Asp	Pro	Val	Val	Leu
	•		870					875					880			
25	Thr	Tyr	Ġln	Ala	Glu	Arg	Met	Pro	Glu	Gln	lle	Arg	Leu	Lys	Val	Gly
		885					890					895				
	Gly	Val	Asp	Pro	Lys	Gln	Leu	Ala	Val	Tyr	Glu	Glu	Phe	Ala	Arg	Asn
<i>30</i>	900					905					910					915
	Val	Pro	Gly	Phe			Thr	Asn	Asp			Gin	Рго	Thr		Phe
					920		<b>.</b>	4.	Τ	925				Val	930	
25	Leu	Ala	Gin	935		Lys	GIN	A13	940		inr	ASD	, KSD	945		Gln
35	[]a	Tvr	Asn			. Ile	Thr	- G1u			Gin	His	. Leu			He
	*10	,.	950					955					960			
	Pro	Pro			Ala	Het	Asn	Pro	Glr	ı Ala	Glo	Ala	Leu	Arg	Ser	Leu
40		965	<b>i</b>				970	)				975	<b>j</b>			
	Leu	s Glu	ı Val	Val	Yal	Leu	Se	Are	, Ası	s Set	Arg	Asp	Ala	lle	Ale	Λla
	980					985					990					995
45	Leu	Gly	Leu	l.eu			: Ala	a Val	Glu			ı l.ei	ı Asp	Ale		Ser
					100					100			C	. 11:-	101	
	Gly	/ Ala	ı Ası			) i.eu	Let	ı Lei			Λr	z Glu	ı Lys	102		, Leu
50	W.,	1 1	. 1	101 . Ale		. (1.1	10:	ነ (C) ነ	102 v Ari		ı · Tv	r Glo	v Sor			Cys
	va	ı ı.ct		5 N.V 20)									10			,.

	Asn	Lys	Gln	He	Thr	Arg	Cys	Leu	lle	Glu	Cys	Arg	Asp	Glu	Tyr	Lys
		1045	i				1050					1055	,			
5 .	Туг	Asn	Val	Glu	Ala	Val	Glu	Leu	Leu	lle	Arg	Asn	His	Leu	Val	Asn
	1060	)				1065					1070	)				1075
	Меt	Gln	Gln	Тут	Asp	Phe	His	Leu	Ala	Gln	Ser	Met	Glu	Asn	Gly	Leu
10					1080	)				1085	<b>i</b>				1090	)
,,,	Asn	Туг	Met	Ala	Val	Ala	Phe	Ala	Ket	Gln	Leu	Val	Lys	lle	Leu	Leu
				109	;				1100	)	•			1105	í	
	Val	Asp	Glu	Arg	Ser	Yal	Ala	His	Val	Thr	Glu	Ala	Asp	Lev	Phe	His
15			1110	)				1115	5				1120	)		
	Thr	He	Glu	Thr	Leu	Met	Arg	Ile	Asn	Ala	His	Ser	Arg	Gly	Asn	Ala
		112					1130					113			_	
20	Pro	Glu	Gly	Leu	Ser	Gln	Leu	Met	Glu	Yal			Ser	Asn	Tyr	
	114					114					1150					1155
	Ala	Меt	Ile	Asp			His	Gly	Gly			Phe	Met	Met		
					116			_		116			•		117	
25	Gly	lle	Ser			Ser	Glu	Tyr			Pro	Pro	Gly			Glu
				117				٠.	118				-	118		A1-
	Lys	: Ala			Leu	Leu	Arg			Val	Asn	Leu			Ser	Ala
30			119			-	<b></b>	119		DL.	C	. 41-	120		C1	. C1-
	Ala			ALE	ASP	Ser			Ala	rne	261			vai	GIY	Gln
		120			٠.		121		- T-1			121		<b>Th</b> -		. DL.
			5 (.10	GIT.	ı Gly			Lys	inr	ASP			1 116		WI A	Phe 1235
35	122			<b>C</b>	. Th.	122		· · · · ·	. V. I	C1.	123		. Tu.	. A	. 41.	
	Pho	e Are	g I.eu	Cys			net	. Cys	val	124		361		IV1 E	125	s Gln sn
	47.	. 61.	. (1.		124 		D=4	. 41-	. 41-			. Th.	- Moi	116		, Ala
40	W19	3 611	1 617	12:		5 nSI	ric	, wre	126			, , ,,,,,	, pic (	126		,
	1	- C	a Tvi				. Aer				Arc	z I ei	ı 11a			. Leu
	1.9	s cy:	127		5 NSI	ı Lei	ı vət	121	_		, ,,,,	,	128			
	V.	1 1			- 61	v Cli	. 41.			Th	r Val	Th:			e Ası	n Leu
45 .	72		s <i>n</i> :: 85	3 ,76	UI	, 011	129		. 1131	• ••••		129				
	١۵			. Va	Lla	u 61s			l Va	ו הוי	v Va			ı Gli	n As	p Ilis
		00 u uz		, ·a		130					13			•		1315
50			1 Ar	. (:)	n Se			e GJ	n Gla	n Lei			r IIi:	s Ari	g 11	e Phe
	n.s	י ע				20										30

	Ile !	Met	Leu	Leu	Leu	Glu I	Leu	Asn	Ala	Pro	Glu	His	Val	Leu	Glu	Thr	
				1335					1340	ı				1345			
5	Ile .	Asn	Phe	Gln	Thr	Leu	Thr	Ala	Phe	Cys	Asn	Thr	Phe	His	lle	Leu	
•			1350	)				1355	,				1360	)			
	Arg	Рго	Thr	Lys	Ala	Pro	G] y	Phe	Val	Tyr	Ala	Trp	Leu	Glu	Leu	lle	
10		1365	i				1370	)				137	5				
	Ser	His	Arg	Ile	Phe	Ile	Ala	Arg	Met	Leu	Ala	His	Thr	Pro	Gln	Gln	
	1380	)				1385	i				1390	)				1395	í
	Lys	Gly	Trp	Pro	Met	Tyr	Ala	Gln	Leu	Leu	Ile	Asp	Leu	Phe	Lys	Tyr	
15					1400	)				1405	5				141	0	
	Leu	Ala	Pro	Phe	Leu	Arg	Asn	Val	Glu	Leu	Thr	Lys	Pro	Het	Gln	lle	
				141	5				1420	0 .				142	5		
20	Leu	Тут	Lys	Gly	Thr	Leu	Arg	Val	Leu	Leu	Val	Leu	Leu	His	Asp	Phe	
			143	D				143	5				144	0			
	Pro	Glu	Phe	Leu	Cys	Asp	Tyr	His	Tyr	Gly	Phe	Cys	Asp	Val	He	Pro	
		144	5				145	0				145	5				
25	Pro	Asn	Cys	Ile	Gln	Leu	Arg	Asn	Leu	Ile	Leu	Ser	Λla	Phe	Pro	Arg	
	146	0				146	5				147	0				147	5
	Asn	Met	Arg	Leu	Pro	Asp	Pro	Phe	Thr	Pro	Asn	Let	Lys	s Val	Asp	Met	
30					148	10			`	148	15				149	90	
	Leu	Ser	- Glu	Ile	Asn	lle	Ala	Pro	Λrg	Ile	Lei	Th	r Ası	n Phe	Th	Gly	
				149	15				150	00				150	15		
	Val	Met	Pro	Pro	Glr	n Phe	Lys	Ly:	s Asp	Lei	ı Ası	Se	r Ty	r Leu	ı Ly:	s Thr	•
<i>35</i>			151					15					15				
	Arg	g Se	r Pro	ya!	Thi	r Phe	Lei	s Se	r Ası	o Lei	J Ar	g Sc	r As	n Lei	ı Gli	n Val	i
		15					15:					15					
40	Ser	r Ası	n Gli	ı Pro	GI;	y Asr	Arı	қ Ту	r Ası	n Lei	u G1	n Le	u II	e Ası	1 Al		
	15-					154					15					- 15	
	Val	l l.e	u Ty	r Va	1 G1	y Thi	r Gli	n Al	a Ile	e Al	a Hi	s II	e Ili	s Ası	n l.y	s Gl	f
					15					15						70	
45	Se	r Th	r Pr	o Sc	r Me	t Se	r Th	r Ii	e Th	r II i	s Se	r Al	a IIi	s He		p II	2
			•	15	-				15					15			
	Ph	e Gl	n As	n Le	u Al	a Va	l As	p Le	u As	p Th	r Gl	u Gl	y Ar	g Ty	r l.e	u Ph	C
50				90					95					00			
	Le	u As	n Al	a II	e Al	a As	n GI	n Le	u Ar	g Ty	r Pr			er Ili	s Th	r IIi	S
		16	05				. 16	10				u	115				

	Tyr Phe	Ser Cys	Thr y	let Leu	Tyr Let	Phe	Ala Glu	Ala	Asn	Thr Glu	
	1620		1	625			1630			1635	
5	Ala Ile	Gln Glu	Gln I	le Thr	Arg Val	Leu	Leu Gli	ı Arg	Leu	Ile Val	
			1640			1645	5			1650	
	Asn Arg	Pro His	Pro 1	rp Gly	Leu Lei	ı Ile	Thr Ph	e Ile	Glu	Leu Ile	
10		165	5		160	50			1665	5	
	Lys Asn	Pro Ala	Phe I	Lys Phe	Trp As	n His	Glu Ph	e Val	His	Cys Ala	
		1670			1675		•	1680	0		
	Pro Glu	Ile Glu	Lys 1	Leu Phe	Gln Se	r Val	Ala Gl	n Cys	Cys	Met Gly	
15	1685	5		169	0		16	95	•	•	
	Gln Lys	Gln Ala	a Gl <sub>i</sub> n (	Gin Val	Met Gl	u Gly	Thr Gl	y Ala	Ser		
	1700			1705			1710				
. 20											
	(210) 59	9									
	<211> 5	178									
	(212) Di	NA									
25	<213> H	omo sap	iens								
	<b>&lt;400&gt;</b> 5	9									
30										agaaactatc	60
	ctcacca	itgg lag	ccaat I	g cagt	maigti a	itgaai	aagg co	agaca	acc	accaccigga	120
										tcctgttcag	
•										ccctcacacc	
35										tcagtcacca	
										tggtattgga	
										tggtalagga	
40										gasactgggc	
40										ggactigtct	
										agcaaacago	
										tgaggtatto	
45										atttaactgt	
	_									taaagugtta	
										LLACUIGEC	
50										atcennut	
50	tattat	ltcg gx	attgcl	ge acta	nga taga	tttaa	anaca g	allga	agga	ctateccea	960

tatatigagi atggacagca gictagagai colocigiga aaatgcaagg cictatcaca 1080 acccctggaa gtattgcact ggctcaggcc caggctcagg cccaggttcc agcaaaagct 1140 cctcttgctg gtcaagttag cactatggta accacctcaa caactaccac tgttgctaaa 1200 acggitacgg teaccaggee saciggagte ageittaaga aagaigigee accitetati 1260 aatactacaa atatagatac gitgciigig gccacagatc aaactgagag aattgiggag 1320 cccccagasa statccagga gasastigct titattitca ataatctctc acagtcaaat 1380 10 atgacacasa aggitgaaga gotaaaggaa acggigaaag aagaatttat gootigggit 1440 tcacagiate tggttatgaa gagagtcagt attgagccas actitcatag cetgtattca 1500 aacticcitg acacgetgaa gaateetgaa titaacaaga tggtteigaa tgagacetae 1560 agasacatta sagtgeteet gacetetgat asagetgeag cesattiete agategitet 1620 tigcigaaga actigggaca tiggciagga atgatcacat tagciaaaaa caaacccatc 1680 tlacacacig actiggatgt gaaalcattg cigctagagg citatgitaa aggacaacaa 1740 gaattgetet atgtagtgee etttgttgee aaagtettag aatetageat tegtagtgig 1800 gtttttaggc caccaaaccc tiggacaatg gcaattatga atgtattagc tgagctacat 1860 caggageatg acttamaget amacttgmag titgmasteg aggitetetg campaseett 1920 genttagaca teaatgaget aaaacetgga aaceteetaa aggataaaga tegeetgaag 1980 aatttagatg agcaactete tgeteeaaag aaagatgtea agcageeaga agaacteeet 2040 cccatcacaa ccacaacaac ttctactaca ccagctacca acaccacttg tacagccacg 2100 gticcaccae agecacagta cagetaccae gacatcaatg tetatteet tgegggettg 2160 gcaccacaca ttactctgaa tccaacaatt cccttgtttc aggcccatcc acagttgaag 2220 30 cagigigige gicaggeaat igaacggget giccaggage iggiccalce igiggiggat 2280 cgalcantta agatigocat gactactigi gagcaaatag teaggaagga tittgeeetg 2340 gatleggagg satelegaat gegaatagea geteatesea igsigegias ettgacaget 2400 ggaalggela igattacaig cagggaacci ligeleatga geatalelac caactlaaaa 2460 35 ARCHGILLEG CCLCAGCCCL LCGLACIGCL LCCCCACAAC ARAGAGAAAL GALGGALCAG 2520 gcagcigcic aattagcica ggacaattgi gagiiggcii gcigilliai icagaagaci 2580 gcagtagaaa aagcaggccc tgagatggac aagagattag caactgaatt tgagctgaga 2640 40 anacatgeta ggenagaagg acgeagatae tgtgateetg ttgttttaac atateaaget 2700 gaacggaige cagageaaat caggeigaan giiggiggig iggacceana geagiiggei 2760 gillargang agtitgcacg caatglicci ggcitcliac chachaatga citaagtcag 2820 cccacgggat tittagccca gcccatgang caagettggg caacagatga tgtagctcag 2880 45 atttatgata agigtattae agaactggag caacatctae atgeeateec accaacttig 2940 geentgaace etcaagetca ggetettega agtetettgg aggttgtagt titatetega 3000 ancicleggy algoratage ignicitgga tignicana aggrigiaga gggnitacia 3060 50 gatgeenean giggigeiga igeigaeett eigeigeget aengggmaig eenceteiig 3120 gleetmanny etelgengga tygeegggen talggglete enlygigenn enmengale 3180

55

15

20

	acaaggtgcc	taattgaatg	tcgagatgaa	tataaatata	atgtggaggc	tarkaakcik	3240
	ctaattcgca	atcatttggt	taatatgcag	cagtatgatt	ttcacctagc	gcagtcaatg	3300
	gagaatggct	tamactacat	ggctgtggca	tttgctatgc	agitagtaaa	aatccigcig	3360
	gtggatgaaa	ggagtgttgc	tcatgttact	gaggcagatc	tgttccacac	cattgaaacc	3420
	ctcatgagga	ttaatgctca	ttccagaggc	aatgctccag	aaggattgtc	ccagctgatg	3480
	gaagtagtgc	gatccaacta	tgaagcaatg	attgatcgig	ctcatggagg	cccasactii	3540
	atgatgcatt	ctgggatctc	tcaagcctca	gagtatgatg	accctccagg	cctgagggag	3600
	aaggcagagt	atcttctgag	ggaatgggtg	aatctctacc	attcagcagc	agctggccgc	3660
		aagctttctc					
		tcataacaag					
		aggctgagca					
		acaacctgga					
		ccaacactgt					
		tccttcagga					
,		ttatcatgct					
		agacacttac					
		ttgtatatgc					
		atacgccaca					
		atttagcgc					
		g gcactttaag					
		attatgggt1					
		a gigoctito					
		a tgttgagtga					
		c ctcagttca					
		t ctgatctgc					
		c tcatcaatg					
		g gcagcacac					
		i iggetgtgg					
		c teeggtace					
		g aggccaata					
		g tasataggc					
		g cgtttaagt					
	aagitalic	c agtoggtog	c acagtgetg	c algggacag	a agcaggccc	a gcaagtaat	
	gaagggaca	g glgccagt					517

<210≥ 60

	<211> 548	57								
	<212> DN/	4								
5	<213> Hoo	no sapie	ns							
	<200>									
10	<221> CD5	S								
	<222> (8)	) (5185)	)			•				
	(000)									
15	<220>		_							
	<221> si <222> (8		t						•	
	(222) (0	, ( <del>10</del> )								
20	(220>									
	<221> ma	t peptid	e							
	<222> (4	7) (518	5)							
25	<400> 60					•				
		aig iig								
		Het Leu		Leu Gln	Ala Cy		Gly Ser	Val Ser		
30		-13	-10			. <del>-</del> 5			]	
	- •	tca gua								
	GIU Leu	Ser Glu	inr ije	ren iur	io io	IT WIS	ASII CYS	Jer Asn	741	
<i>35</i>	210 221	ang gcc	agu caa	cca -cca		a gtt	ate cca	-	. cgi 145	
	-	Lys Ala	_						•	
		20		25			30		•	
40	cct cct	agi gci	agc agc	tta gat	gcc at	t tct	cct gtt	cag att	gac 193	ļ
40	Pro Pro	Ser Ala	Ser Ser	Leu Asp	Ala II	e Ser	Pro Val	Gln Ile	Asp	
	35			40			45			
	cct ctt	get gga	atg aca	tet ett	agt at	a ggt	ggl tca	gct gcc	cct 241	
45	Pro Leu	Ala Gly	Het Thr	Ser Leu	Ser II	le Gly	Gly Ser	Ala Ala	Pro	
	50		55			60			65	
		cag agt								)
5 <u>0</u>	His Thr	Gln Ser		Gly Phe			Leu Gly			
			70			75		80		•
	agt acc	cet cag	tea eca	gca aiui	gca ti	lt cca	ccc ctt	tea acc	: ccc 337	

	Ser	Thr	Pro	Gln	Ser	Pro	Ala	Lys		Phe	Pro	Pro	l.eu		Thr	Pro	
_				85					90					95			205
•				act													385
	Asn	G1n		Thr	Ala	Phe	Ser		He	GIY	Gly	Leu		Ser	GIN	Leu	
			100					105					110				422
10				ggt													433
	Pro		Gly	Gly	Leu	Gly		Gly	5er	Leu	inr		116	GIÀ	inr	CIA	
		115					120					125					481
15	-			ctc													401
15		Leu	Gly	Leu	Pro		Val	ASN	ASN	ASP		rne	181	GIR	vr.R	145	
	130					135					140			201	227		529
				tct													363
20	Leu	Gly	lhr	Ser		Leu	ASII	UIN		155		0111	Q1II	261	160	me.	
			<b>.</b>	gac	150			a t a	1 00			gra	990	rag		ttt	577
				. Asp													•••
25	Lys	rio	361	165		363	<b>U1</b> 11	•41	170		0.0			175			
	201	900	. crac	ata		gat	gaa	gca			lat	itc	cag			tat	625
•	-			. Ile													
	` oć.	-,-	180		,.			185			·		190				
30	aat	cat		a cca	cat	cca	acc	atg	tct	gti	gat	gag	gta	tta	gaa	atg	673
				o Pro													
		198					200					205					
35	cts	z ca	gaga	a tti	. aaa	gac	: LCt	act	ata	เลล	g agg	ga:	cg:	gaa	gta	ttt	721
																Phe	
	210	)				215	;				220	)				225	
40	28	c tg	t at	g cta	age	aac	tte	z iti	gae	a gaa	a tu	L cg	LIT	ı ıı	t cc	cag	769
40	Asi	n Cy:	s Ne	t Lei	ı Are	, Ast	ı Lei	, Pho	e Glu	ı Glı	υ Ty	r Are	z Pho	. Ph	e Pro	o Gln	
					230	)				23	5				240	)	
	ta	t cc	ιga	t 88	a ga	, tis	a ca	t ata	a ace	e gc	c tg	c cta	a El	ı gg	gg s	t ata	817
45	Ty	r Pr	o As	p Ly:	s Glu	ı Let	ı His	s II	e Th	r Ala	a Cy	s l.c	u Ph	e GI	y G1:	y Ile	
				24					250					25			
																a cga	865
50	11	e GI	u l.y	s GI	y l.e	u Va	l Th	r Ty	r He	c Al	a Le	u G1			a i.e	u Arg	
			26					26					27				
	t si	1 91	: ::	t ga	a gc	c [1	a cr	c aa	g cc	t ti	t gr	a lc	ะ ลห	a at	g ta	t at	913

	Tyr	Val	Leu	Glu	Ala	Leu	Arg	Lys	Pro	Phe	Gly	Ser	Lys	Met	Tyr	Tyr	
		275					280					285					
1				gct													961
	Phe	Gly	Ile	Ala	Ala	Leu	Asp	Arg	Phe	Lys	Asn	Arg	Leu	Lys	Asp	Туг	
	290					295					300					305	
10				tgt													1009
	Pro	Gln	Tyr	Cys	Gln	His	Leu	Ala	Ser	lle	Ser	His	Phe	Met	Gln	Phe	
					310					315					320		
				tta													1057
15	Pro	His	His	Leu	Gln	Glu	Tyr	Ile	Glu	Tyr	Gly	Gln	Gln	Ser	Arg	Asp	
				325					330					335			
				aaa													1105
20	Pro	Pro	Val	Lys	Ket	Gln	Gly	Ser	lle	Thr	Thr	Pro	Gly	Şer	lle	Ala	
			340					345					350				•
	ctg	gct	cag	gcc	cag	gct	cag	gcc	cag	gtt	cca	gca	888	gct	cct	ctt	1153
	Leu	Ala	Gln	Ala	Gln	Ala	Gln	Ala	Gln	Val	Рто	Ala	Lys	Ala	Pro	Leu	
25		355	;				360					365					
	gct	ggt	caa	gtt	agc	act	atg	gta	acc	acc	tca	aca	act	acc	acı	gtt	1201
	Ala	Gly	G1n	Val	Ser	Thr	Met	Val	Thr	Thr	Ser	Thr	Thr	Thr	Thr	Val	
30	370	)				375					380	)				385	
	gct	888	ace	gtt	acg	gtc	acc	agg	cca	act	gga	gto	ago	ttt	. គពទ	ลอย	1249
٠.	Ala	Lys	Thi	· Val	Thr	Val	Thr	Arg	Pro	Thr	Gly	<b>Val</b>	Ser	Pho	. Lys	Lys	
					390	1				395	i				400	)	
35	gat	gts	g cca	cct	LC	att	aat	acı	aca	aat	. ata	a gal	ace	tti	cu	glg	1297
	Asp	Ya!	l Pro	Pro	Ser	· He	: Asn	Thr	Thr	Asn	H	e Ası	Thi	Lei	ı l.ec	Yal	
				405	5				410	)				413	5		
40	gco	: BC	a ga	t car	act	gag	aga	att	gtg	gag	cc.	c cca	gas	ยลา	t ato	cag	1345
,,,	Ala	a Thi	r Ası	o Gla	1 The	Gli	ı Are	; Ile	Yal	GI	, Pro	o Pro	Glu	ı Ası	n Ile	Gln	
			420	)				425	;				430	)			
,	ga	g aa	a at	t gc	tti	at	tte	: aal	. aat	. ct	: tc	ล ca	z lca	ล ลส	t at	x aca	1393
45	Gle	u Ly	s Il	e Ala	a Pho	110	e Pho	: Asr	n Asr	Lei	ı Se	r Gli	n Sei	r As	n Ve	Thr	
		43	5				4-10	)				4-1:	5				
•	ca	n aa	g gt	t ga	y &sri	g eta	a aai	ga:	ı acş	ggu	g aa	a ga	a ga	a tt	t at	cct	ાંના
50	Gl	n I.y	s Va	l Gli	u Gli	ı Lei	u Ly:	s Glu	ı Thi	· Ya	l l.y	s Gl	u Gl	u Ph	e Ne	t Pro	
JU	-150	0				45	5				-16	0				√เธิจิ	
							o ert	1 29 8 1	r state	7 33172	. 01	r ng	t at	L	z cc	a aac	1489

	Trp	Val	Ser	Gin	Tyr	Leu	Val	Яet	Lys	Arg	Val	Ser	Ile	Glu	Pro	Asn	
					470					475					480		
5	ttt	cat	agc	ctg	tat	tca	aac	ttc	cit	gac	acg	ctg	aag	aat	cct	gaa	1537
	Phe	His	Ser	Leu	Tyr	Ser	Asn	Phe	Leu	Asp	Thr	Leu	Lys	Asn	Pro	Glu	
				485					490					495			
10	ttt	aac	aag	atg	gtt	ctg	aat	gag	acc	tac	aga	aac	att	aaa	gtg	ctc	1585
	Phe	Asn	Lys	Met	Val	Leu	Asn	Glu	Thr	Tyr	Arg	Asn	Ile	Lys	Val	Leu	
			500					505			•		510				
	ctg	acc	tct	gat	888	gct	gca	gcc	aat	ttc	tca	gat	cgt	tct	ttg	ctg	1633
15	Leu	Thr	Ser	Asp	Lys	Ala	Ala	Ala	Asn	Phe	Ser	Asp	Arg	Ser	Leu	Leu	
		515					520					525					
	aag	aac	ttg	gga	cat	tgg	cta	gga	atg	atc	aca	tta	gct	888	aac	888	1681
20	Lys	Asn	Leu	Gly	His	Trp	Leu	Gly	Met	Ile	Thr	Lev	Ala	Lys	Asn	Lys	
	530					535					540					545	
											tca						1729
	Pro	lle	Leu	His	Thr	Asp	Leu	Asp	Val	Lys	Ser	Leu	Leu	Leu			
25					550					555	•				560		
		-														gcc	1777
	Тут	Val	Lys	Gly	Gln	Gln	Glu	Leu			· Val	Val	Pro			Ala	
30				565					570					575			100-
																aac	1825
	Lys	· Val			. Ser	Ser	. 110		_	YA	Ya1	rne			rro	Asn	
			580	)				583	)				590	,			
35						- • •										7 520	1873
																g gag n Glu	1010
	Pro		_	r ne	L Ala	1 116	600		) va	LE	J 1110	609			3 01	. 0.0	
40		59: 			~		_			t ga	ומצ			t ct	c tø	c aag	1921
																s Lys	
	61		p t.e	uy.	3 1.0	61	_	u 1.,	., , , , ,		620				,	625	
			t ac	a 11:	2 (72)			t oa	e et	. aa			aa	c cl	c ct	a aag	1969
																u I.ys	
	n3	1.6	J AL		63			•••		63			_		6-1		
	<b>(731</b>	ព្រភ	a ga	t co			gaa		a ga			ı ct	; tc	L gc		а аас	2017
50																o Lys	
		,		61					65					65			

	888	gat	gtc	aag	cag	cca	gaa	gae	ctc	cct	ccc	alc	aca	acc	aca	aca	2065
	Lys	Asp	Val	Lys	Gln	Pro	Glu	Glu	Leu	Pro	Рго	lle	Thr	Thr	Thr	Thr	
5			660					665					670				
	act	tct	act	aca	cca	gct	acc	aac	acc	act	tgt	aca	gcc	acg	gtt	cca	2113
	Thr	Ser	Thr	Thr	Pro	Ala	Thr	Asn	Thr	Thr	Cys	Thr	Ala	Thr	Val	Pro	
10		675					680					685					
	сса	cag	ссв	cag	tac	agc	tac	cac	gac	atc	aat	gtc	tat	tcc	ctt	gcg	2161
	Pro	Gln	Pro	Gln	Tyr	Ser	Tyr	His	Asp	Ile	Asn	Val	Tyr	Ser	Leu	Ala	
	690					695					700					705	
15	ggc	ttg	gca	сса	cac	att	act	ctg	aat	cca	aca	att	ccc	ttg	ttt	cag	2209
	Gly	Leu	Ala	Pro	His	lle	Thr	Leu	Asn	Pro	Thr	Ile	Pro	Leu	Phe	Gln	
					710					715					720		
20	gcc	cat	cca	cag	ttg	aag	cag	tgt	gtg	cgī	cag	gca	att	gaa	cgg	gct	2257
	Ala	His	Pro	Gln	Leu	Lys	G1n	Cys	Val	Arg	Gln	Ala	Ile	Glu	Arg	Ala	
				725					730					735			
	_										cga						2305
25	Yal	Gln	Glu	Leu	Val	His	Pro	Val	Val	Asp	Ārg	Ser	lle	Lys	Ile	Ala	
			740	)				745					750				
	_										gat						2353
30	Met	Thr	Thi	Cys	G1u	Gln	Ile	Val	Arg	Lys	Asp	Phe	Ala	Leu	Asp	Ser	
<b></b>		755					760			•		765					
	-															ttg	2401
	Glu	ı Glu	. Se	r Arg	Met	Arg	110	Λla	Ala	llis	llis	Vict	Met	۸rg	Asr	Leu	
35	770					775					780					785	
																agc	2449
	Thi	r Ala	a Gl	y Met	. Ala	Met	110	Thr	Cys	: Ar	Glu	Pro	l.eu	ı l.eu		Ser	
40					790					795					800		
<del></del> -																gct	2497
	R	e Sc	r Th	r Ası	ı I.cı	ı i.ys	. Asr	ı Şer	Pho	: Ala	a Ser	· Ala	ı l.eı			r Ala	
				80					810					81			
45																gct	25-15
	Se	r Pr	o Gl	n Gli	n Arı	g Çlı	ı Ne	t Mei	۸st	Gli	n Ala	A Ala			n Lei	ı Ala	
			82					825					830			•	
50																H gla	2593
	Gl	n As	p yz	n Cy	s Gt	u I.e	u Ala	ı Çy	s Cys	s Pho	e Ho		_	s Th	ı Al	a Val	
		83	3				81	O				818	5				

130

. **55** 

	gaa	aaa	gca	ggc	cct	gag	atg	gac	aag	aga	tta	gca	act	gaa	ttt	gag	2641
	Glu	Lys	Ala	Gly	Pro	Glu	Het	Asp	Lys	Arg	Leu	Ala	Thr	Glu	Phe	Glu	
5	850					855					860					865	
	ctg	aga	aaa	cat	gct	agg	caa	gaa	gga	cgc	aga	ιac	tgt	gat	cct	gtı	2689
	_														Pro		
			-		870					875					880		
10	gtt	tta	aca	tat	caa	gct	gaa	cgg	atg	cca	gag	caa	atc	agg	ctg	aaa	2737
															Leu		
				885					890					895			
15	gtt	ggt	ggt	gtg	gac	cca	aag	cag	ttg	gct	gti	tat	gaa	gag	ttt	gca	2785
															Phe		
			900					905					910				
	cgc	aat	gtt	cct	ggc	ttc	tta	cct	aca	aat	gac	tta	agt	cag	ccc	acg	2833
20	Arg	Asn	Val	Pro	Gly	Phe	Leu	Pro	Thr	Asn	Asp	Leu	Ser	Gln	Pro	Thr	
		915					920					925					
	gga	tti	tta	gcc	cag	ccc	atg	BBB	çaa	gct	tgg	gca	aca	gat	gat	gta	2881
25	Gly	Phe	Leu	Ala	Gln	Pro	Met	Lys	Gln	Ala	Ţrp	Ala	Thr	Asp	Asp	Val	
	930					935					940					945	
	gct	cag	ลเเ	tat	gat	aag	tgt	att	aca	gaa	ctg	gag	caa	cat	cta	cat	2929
	Ala	Gln	lle	Tyr	٨sp	Lys	Cys	Ile	Thr	Glu	Leu	Glu	Gln	llis	Leu	His	
30					950	+				955					960		
	gcc	atc	CCA	cca	act	ttg	gcc	atg	aac	cct	caa	gct	cag	gct	cut	cga	2977
	Ala	ile	Pro	Pro	Thr	Leu	Ala	Met	Asn	Pro	Gln	Λla	Glr	Ala	Leu	Arg	
35				965	,				970	)				975	;		
	agt	cto	. Ltg	gag	gLt	gta	gtt	. tta	tct	cga	aac	tct	. cgg	gat	gco	ata	3025
	Ser	Leu	ı I.cu	Glu	Val	Val	Val	Leu	Ser	· Arg	Asn	Ser	Arg	Ast	Ala	lle	
-			980	)				985	<b>i</b>				990	)			
40	gci	gct	cu	gge	tte	cto	caa	aag	gct	. gta	gag	ggc	tte	cla	gat	gcc.	3073
	Ala	a Ala	ı I.cı	ı Gly	Leu	ı Lei	Glo	Lys	. Ale	. Val	Glu	Gly	r Lei	ı l.eı	ı Ast	Ala	
•		99:					100					100					
45																cac	3121
	Thi	r Sei	r Gl	Ale	ı Ası	n Ala	a Asr	l.cu	ı l.eı	ı La	1 Vet	Tyt	Λr <sub>j</sub>	g Glu	ı Cy:	s Ilis	
•	10					10					102					1025	
																t cea	3159
50	l.c	u Lec	ı Va	l l.et	ı I.y:	s Ala	a Lei	ı Gli	n Ası	Gly	Arş	: Ala	а Ту	r Gl		r Pro	
					10:	30				10:	<b>15</b>				10	10	

	tgg	tgc	aac	aaa	cag	atc	aca	agg	t gc	cta	att	gaa	tgt	cga	gat	gaa	3217
	Trp	Cys	Asn	Lys	Gin	lle	Thr	Arg	Cys	Leu	Ile	Glu	Cys	Arg	Asp	Glu	
5				1045	i				1050					1055	i		
	tat	aaa	tat	aat	gtg	gag	gct	gtg	gag	ctg	cta	att	cgc	aat	cat	ttg	3265
	Tyr	Lys	Tyr	Asn	Val	Glu	Ala	Val	Glu	Leu	Leu	Ile	Arg	Asn	His	Leu	
			1060	)				1063	5				1070	)			
10	glt	aat	atg	cag	cag	tat	gaı	ttt	cac	cta	gcg	cag	tca	atg	gag	aat	3313
	Val	Asn	Net	Gln	Gln	Туг	Asp	Phe	His	Leu	Ala	Gln	Ser	Met	Glu	Asn	
		107	5				1080	)				1085	;				
15	ggc	tta	aac	tac	atg	gct	gtg	gca	ttt	gct	atg	cag	tta	gta	aaa	atc	3361
				Tyr													
	109	0				1099	5				1100	)				1105	
1.	ctg	ctg	gtg	gat	gaa	agg	agt	gtt	gct	cat	gtt	act	gag	gca	gat	ctg	3409
20	Leu	Leu	Val	Asp	Glu	Arg	Ser	Val	Ala	His	Val	Thr	Glu	Ala	Asp	Leu	
					1110	0				111	5				112	0	
	ttc	cac	acc	att	gaa	acc	ctc	atg	agg	att	aat	gct	cat	tcc	aga	ggc	3457
25	Phe	His	Thr	lle	Glu	Thr	Leu	Met	Arg	Ile	Asn	Ala	His	Ser	Arg	Gly	
				112	5				113	0				113	5		
	aat	gct	CC8	gaa	gga	ttg	ιςς	cag	ctg	atg	gaa	gta	gtg	cga	tcc	aac	3505
	Asn	Ala	Pro	Glu	Gly	Leu	Ser	Gln	Leu	Met	Glu	Val	Val	Arg	Ser	Asn	-
30			114	10				114	5				115	0			
	tat	gas	gca	ate	all	gat	cgt	gct	cat	gga	ggc	cca	aac	ttt	atg	alg	3553
	Tyı	r Glu	Ala	a Het	lle	Asp	Arg	Ale	llis	Gly	Gly	Pro	Asn	Phe	Met	MeT	
35 .		115	55				116	i0				116	5				
																ctg	3601
	Hi:	s Se	r Gl	y Ile	e Ser	- Glr	n Als	Ser	· Glu	Tyr	Asp	Asp	Pro	Pro	G1)	Leu	
40	117					117					118					1185	
40																cat	3649
	Arı	g Gl	u i.y	s Ala	Gli	ı Tyı	r I.e.	ı Let	ı Are	Gli	Tr	\Va	Asr	Lei	ı Tyı	His	
					119					119					120		
45																git	3597
	Se	r Al	a Al	a Al	a Gl	, Arı	g Ası	o Sei	: Thi	· Ly:	s Ala	s Pho	: Sei			2 Val	
				12		-			121					12			
50																a aca	3745
~	Gl	y Gl	n He	ţ Ili	s Gl	n Gl	n G1			ı l.y:	s Thi	r Ası			וונ	e Thr	
			12	20				123	25				123	30			

	agg	ttc	ttt	cgt	ctg	tgt	act	gaa	atg	tgt .	gtt	gaa	atc	agt	tac	cgt	3793
	Arg	Phe	Phe	Arg	Leu	Cys	Thr	Glu	Ket (	Cys	Val	Glu	lle	Ser	Tyr	Arg	
i		1235	,				1240	)				1245					
	gct	cag	gct	gag	cag	cag	cac	aat	cct	gct	gcc	aat	ccc	acc	atg	atc	3841
	Ala	Gln	Ala	Glu	Gln	Gln	His	Asn	Pro	Ala	Ala	Asn	Pro	Thr	Met	lle	
0	1250	)				1255	j				1260	)				1265	
	cga	gcc	aag	tgc	tat	cac	aac	ctg	gat	gcc	ttt	gtt	cga	CLC	att	gca	3889
	Arg	Ala	Lys	Cys	Tyr	His	Asn	Leu	Asp	Ala	Phe	Val	Arg	Leu	Ile	Ala	
					1270	)				1275	;				1286	)	
15	ctg	ctc	gtg	888	cac	tca	888	gag	gcc	acc	aac	act	gtc	aca	aag	att	3937
	Leu	Leu	Val	Ĺys	His	Ser	Gly	Glu	Ala	Thr	Asn	Thr	Val	Thr	Lys	Ile	
				128	5				1290	)				129	5		
20	aat	ctg	ctg	aac	aag	gtc	ctt	ggt	ata	gta	gtg	gga	gtt	ctc	ctt	cag	3985
	Asn	Leu	Leu	Asn	Lys	Val	Leu	Gly	Ile	Yal	Val	Gly	Val	Leu	Leu	Gln	
			130	0				130	5				131	0			
	gat	cat	gat	gtt	cgt	cag	agt	gaa	ttt	cag	caa	ctt	ccc	tac	cat	cga	4033
25	Asp	His	Asp	Val	Arg	Gln	Ser	Glu	Phe	Gln	Ģln	Leu	Pro	Tyr	His	Arg	
		131	5				132	0				132	5				
	att	ttt	ato	atg	ctt	ctc	ttg	gaa	ctc	aat	gca	cct	gag	cat	gtg	tlg	4081
3 <i>0</i>	He	Phe	Ile	: Het	Leu	Leu	Leu	Glu	Leu	Asn	Ala	Pro	Glu	His	Val	Leu	
	133	10				133	5				134	0				1345	
	gas	acc	at1	aal	tic	cag	aca	ctt	aca	gct	tto	tgc	aat	aca	tte	: cac	4129
	Glu	. Thi	He	e Àst	n Phe	Glr	1 Thi	Leu	Thr	Ala	Pho	Cys	Asr	Thi	- Pho	e Ilis	
35					135	50				135	อ๋อ์				136	<b>30</b>	
	ate	c tte	g ag	g cc	t acc	: aaa	a gc	cct	ggc	ttt	gta	ı tat	gco	: tgg	ct	t gaa	-1177
	H	e Lei	ı Arı	g Pro	o Thi	r Lys	s Ala	a Pro	Gly	Phe	· Va	Ty	- Als	Tr	Le	u Glu	
40				13	65				137	0				131	75		
	ct	gat	t to	с са	t cg	gat	a tt	t ati	gca	age	at	g Ct	g gca	a ca	t ac	g cca	4225
	Le	u Il	e Se	r Hi	s Ar	g Il	e Ph	e Ile	. Ala	. Are	, Mc	t l.e	ιΛl	a Hi	s Th	r Pro	
			13	80				138	35				139	90			
45	ça	g ca	g aa	g gg	g tg	g cc	t at	g ta	L gca	cap	g ct	a ct	g at	t ga	ιιι	a ttc	4273
	Gl	n Gl	n Ly	s Gl	y Tr	p Pr	o Ne	t Ty	r Ala	Gli	n Le	u Lei	ı Il	c As	p I.e	u Phe	
		Í3	95				14	00				140	05				
50																ı atg	1321
	l.y	s Ty	r l.e	u Ąl	a Pr	o Ph	c Le	u Ar	g Ası	n Val	l GI	u I.e	u Th	r Ly	s Pr	o VeT	
		10				1.1	15				1.1	20				1 12.5	;

	caa	atc	ctc	tac	BBB	ggc .	act	tta	aga (	gtg	ctg	etg	gtt	ctt	ttg	CBC	4309
	Gln	He	Leu	Tyr	Lys	Gly	Thr	Leu	Arg '	Val	Leu 1	Leu	Val :	Leu	l.eu	His	
					1430					1435					1440		
	gat	ιιc	cca	gag	ttc	ctt	tgt	gat	tac	cat	tat .	BBB	ttc	tgt	gat	gtg	4417
											Tyr						
_				1445					1450					1455			
0	atc	ссв	cct	aat	tgt	atc	cag	tta	aga	aat	ttg	atc	ctg	agt	gcc	ttt	4465
										_	Leu						
	•		1460					1465					1470				
	cca	aga			agg	ctc	ccc	gac	сса	ttc	act	cct	aat	cta	aag	gtg	4513
		_									Thr						
		1479					1486					1485					
	280			agt	gaa	att	aac	att	gct	ccc	cgg	att	ctc	acc	aat	ttc	4561
20											Arg						
	149					149					1500					1505	
			gta	alg	cca	cct	cag	ttc	888	aag	gat	ttg	gat	tcc	tat	ctt	4609
25											Asp						
					1516	_				151	_				152		
	ава	act	сда	tca	cca	gtc	act	ttc	ctg	tct	gat	cig	cgc	agc	aac	cta	4657
••											Asp						
	•			152		•			153					153	_		
	cas	gta	tec	aat	gaa	cct	888	aat	cgc	tac	aac	ctc	cag	ctc	atc	aat	4705
											Asn						
35			154					154	_				155				
	gca	a ctg	gu	cic	tat	gto	gge	act	cag	gcc	att	gcg	cac	ato	cac	aac	4753
	Ala	a Lei	Val	Leu	Tyr	Val	Gly	Thr	Gln	Ala	Ile	Ala	His	ile	His	Asn	
40		155	55				156	50				156	5				
40	aa	g gg	ago	: aca	cct	. tca	ati	g ago	acc	ato	act	cac	tca	gca	cac	atg	4801
																HeT	
	15					157					158					1585	
45	gn	t at	c 11	c cat	, ลก <b>เ</b>	i ii	g gc	t gtį	g gao	: Lta	g gad	act	gaş	gr	cgo	tat	4849
																у Туг	
					159					159					160		
50	cl	c tt	c ti	ឌ្គ ឧស	ı ge:	ı at	t gc	a na	t ca	g cle	c cgg	, Lac	: cca	เลล	t age	cac	4897
==																- Ilis	
				160					16					lß			

	act	cac	tac	ttc	agt	tgc	8CC	atg	ctg	tac	ctt	ttt	gca	gag	gcc	aat	4945
	Thr	His	Tyr	Phe	Ser	Cys	Thr	Met	Leu	Tyr	Leu	Phe	Ala	Glu	Ala	Asn	
5			1620	)				1625					1630	)			
	acg	gaa	gcc	atc	caa	gaa	cag	atc	aca	aga	gtt	ctc	ttg	gaa	cgg	ttg	4993
	Thr	Glu	Ala	lle	Gln	Glu	Gln	Ile	Thr	Arg	Val	Leu	Leu	Glu	Arg	Leu	
10		1635	5				1640	)				164	5				
	att	gta	aat	agg	cca	cat	cct	tgg	ggt	ctt	ctt	att	acc	ttc	att	gag	5041
	Ile	Val	Asn	Arg	Pro	His	Pro	Trp	Gly	Leu	Leu	Ile	Thr	Phe	lle	Glu	
	165	0				1655	5				166	0				1665	
15	ctg	att	888	aac	cca	gcg	ttt	aag	ttc	tgg	aac	cat	gaa	ttt	gta	cac	5089
	Leu	lle	Lys	Asn	Pro	Ala	Phe	Lys	Phe	Trp	Asn	His	Glu	Phe	Val	His	
					167					167					168		
20																tgc	5137
	Cys	Ala	Pro	Glu	Ile	Glu	Lys	Leu	Phe	Gln	Ser	Val	Ala			Cys	
				168					169					169			- 10-
																agt	5185
25	Met	Gly	Gla	Lys	Gln	Ala	Gln			Met	Glu	Gly			Ala	Ser	
			1700					1705					1710				
																gagttca	
30																tigtggg	
																caaagti	
											iaga	t gc	igig:	lata	tea	(tttgaa	5457
	ct	tgtg	taaa	tac	atgaa	aaa a	18888	aaaa	ia aa	3							.,,,,,,,
35	40		٠.														
		10>															
		.11> :12>															
40		127			ione												
	\2	137	пошо	Sap	16112												
	6.1	(00)	61														
45				as Le	u Va	1 11	e Le	u Le	u Ph	e Sc	r Gl	y l.c	u II	e Th	ır Gl	y Phe	
43	-1		3 40			-1						ว				1	
			er As	o Sc	r Se			r Le	u Pr	o Pr	n Ly	s l.c	u Lo	u Lo	u Va	ıl Ser	
				,	5					0					15		
50	Pi	ie As	sp G!	y Pi		g Al	a As	р Ту	r I.c	u Ly	s As	n Ty	rr G1	u Pt	ie Pi	ro Ilis	
				20					5					80			

	Leu	Gln	Asn	Phe	He	Lys	Clu	Gly	Val	Leu	Val	Glu	His	Val	Lys	Asn
		35					40					45				
5	Val	Phe	He	Thr	Lys	Thr	Phe	Pro	Asn	His	Тут	Ser	lle	Val	Thr	Gly
	50					55					60					65
	Leu	Tyr	Glu	Glu	Ser	His	Gly	Ile	Val	Ala	Asn	Ser	Xet	Tyr	Asp	Ala
					70					75					80	
10	Val	Thr	Lys	Lys	His	Phe	Ser	Asp	Ser	Asn	Asp	Lys	Asp	Pro	Phe	Trp
			•	85					90		•			,95		
	Trp	Asn	Glu	Ala	Val	Pro	Ile	Trp	Va]	Thr	Asn	Gln	Leu	G] n	Glu	Asn
15			100					105					110			
	Arg	Ser	Ser	Ala	Ala	Ala	Het	Trp	Pro	Gly	Thr	Asp	Val	Pro	lle	His
		115					120					125				
20	Asp	Thr	lle	Ser	Ser	Tyr	Phe	Het	Asn	Tyr	Asn	Ser	Ser	Val	Ser	Phe
	130					135					140					145
	Glu	Glu	Arg	Leu	Asn	Asn	Ile	Thr	Met	Trp	Leu	Asn	Asn	Ser	Asn	Pro
					150					155					160	
25	Pro	Val	Thr	Phe	Ala	Thr	Leu	Tyr	Trp	Glu	ĊJn	Рго	Asp	Ala	Ser	Gly
				165					170					175		
	His	Lys	Туг	Gly	Pro	Glu	Asp	Lys	Glu	Asn	Net	Ser	Arg	Val	Leu	Lys
30			180	١.				185					190			
	Lys	: Ile	Asp	Asp	Leu	Ile	Gly	Asp	Leu	Val	Gln	Arg	Leu	l.ys	Met	Leu
		195	i				200	)				205	•			
	Gly	r Leu	Trp	Glu	Asn	Leu	Asn	Val	He	He	Thr	Ser	Asp	llis	Gly	Met
35	210	)				215	•				220	1				225
	Thr	c Glr	ı Cys	Ser	GIn	Asp	Arg	, Leu	He	Asn	Leu	Λsp	Ser	Cys	(le	Asp
					230	)				2:35	i				240	)
40	His	s Sei	r Tyı	Ty	Thr	Lei	illo	: Asc	Lei	Ser	Pro	Val	Ala	ιΛla	He	Leu
				245	5				250	)				255	,	
	Pro	o Lys	s Ile	e Ası	ı Arg	Thi	Cli	ı Vai	Tyı	- Asr	l.y:	: l.e	ı Lys	Asr	Cy:	Ser
			260	)				263	5				270	)		
45	Pro	o Hi	s Ne	t Ası	n Val	Tyı	r I.e	ı Ly:	s Gli	ı Asp	110	: Pro	o yeu	ı Arg	Pho	: Tyr
		27	5				280	)				28	5			
	Ty	r Gl	n Hi:	s Ası	n Ast	) Arı	3 110	e Gli	ı Pro	H	H	l.e	υ Va	Ala	. Ast	Glu
50	290	0				29	5				300	)				305
50	GI	y Tr	p Th	r H	e Val	l l.e	ı Ası	n Gli	ı Se	r Sei	r Glo	ı l.y:	s Lei	Gly	, yzi	n His
					310	)				31	i				320	)

	Gly Tyr Asp Asn Ser Leu Pro Ser Met His Pro Phe Leu Ala Ala His	
	325 330	
5	Gly Pro Ala Phe His Lys Gly Tyr Lys His Ser Thr Ile Asn Ile Yal	
	340 345 350	
	Asp Ile Tyr Pro Met Met Cys His Ile Leu Gly Leu Lys Pro His Pro	
10	355 360 365	
7.5	Asn Asn Gly Thr Phe Gly His Thr Lys Cys Leu Leu Val Asp Gln Trp	
	370 375 380 385	
	Cys Ile Asn Leu Pro Glu Ala Ile Ala Ile Val Ile Gly Ser Leu Leu	
15	390 395 400	
	Val Leu Thr Met Leu Thr Cys Leu Ile Ile Ile Met Gln Asn Arg Leu	
	405 410 415	
20	Ser Val Pro Arg Pro Phe Ser Arg Leu Gln Leu Gln Glu Asp Asp Asp	
20	420 425 430	
	Asp Pro Leu Ile Gly	
	435	
25		
	(210) 62	
	<211> 1359	
	(212) DNA	
30	(213) Homo sapiens	
	<400> 62	
35	atgaagitat tagtaatact titgiliici ggacitataa ciggilliag aagigacici 🦸	30
	tectetagit igecacciaa gitactacia giateetiig aiggetteng ageigatiat 12	20
	ctgaaguact atgaattice teateteeag aattitutea aagaaggigt titgglagag 18	90
	catgitanan atgittitat cacaaaaaca tilccaaacc actacagial igigacagge 2-	10
40	tigiaignag maagecaigg catigiggel mailcenigi algaigeagi cacamagaan 30	00
	cactificin actoraatga caaggateet tilinggiggu angaggeagt acctatings 36	60
	gigaccanic ageticagga assessates agigeigeig etalgiggee iggiacigal	20
45	guaccentic acgatuccat ciclicatat tilanganti acaacteele agigicatii 40	80
	gagganagae taaalaatat tactatgigg claaacaatt cgaacccacc agteacctit 5	10
	BCHICKETHE HEEBBRURG SCORUTER IN THE PROPERTY OF THE PROPERTY	100
	gamamentun geografigit gandanaatu galgaletta leggigaett agleenaaga (8	60
50	cicanguigt ingggetatg ggamnatett malgigatea thacangiga tealgggaty ?	20
	acceasignt cheaggacag actgatamac organized gentegaten treatmetae 7	80

	actettatag attigagece agtigeigea ataetteeca aaataaatag aacagaggti	840
	tataacsaac tgaaaaactg tagccctcat atgaatgitt atctcaaaga agacattcct	900
5	aacagattit attaccaaca taatgalcga atlcagccca ttattttggt tgccgatgaa	960
	ggciggacaa tigigciaaa igaatcatca caaaaattag gigaccatgg tialgataat i	020
	tettigecta giatgealee atticiaget geccaeggae etgeatitea caaaggelae l	080
40	aagcatagca caattaacat igiggatatt tatccaatga igigccacat ccigggatta l	140
10	aaaccacate ccaataatgg gacctitggt catactaagt gettgttagt tgaccagtgg l	200
•	tgcattaatc tcccagaagc calcgcgatt gttatcggtt cactcttggt gttaaccatg l	260
	ctaacatgcc tostastast catgoagaat agactitetg tacctogice attitetega l	320
15	cttcagctac aagaagatga tgatgatccc ttaattggg	1359
	<210> 63	
20	(211) 2044	
	<212> DNA	
	(213) Homo sapiens	
25	(200)	
	(221) CDS	
	<222> (70) (1428)	
30	<220>	
	(221) sig peptide	
	<222> (70)(114)	
35		
	⟨220⟩	
	<221> mai pepiido	
40	(222) (115) (1428)	
	•	
	<400> 63	
	gitcegegea tiggaangun gegueegegg eggetggane eetgaliget gieelleane	
45	gigiteatt aig ang ith the gia ain cit itg itt ict gga cit ain	108
	Het Lys Leu Leu Val IIe Leu Leu Phe Ser Gly Leu IIe	
	-15 -10 -5	156
50	act ggt til nga ngt gar tel ter tet agt tig era eet ang tin eta	tat
	The Gly Phe Arg Ser Asp Ser Ser Ser Ser Leu Pro Pro Lys Leu Leu	

	cta	gta	tcc	itt	gat	ggc	ttc	aga	gct	gat	tat	ctg	ang	aac	tat	gaa	204
	Leu	Yal	Ser	Phe	Asp	Gly	Phe	Arg	Ala	Asp	Tyr	Leu	Lys	Asn	Tyr	Glu	
5	15					20					25					30	
											ggt						252
	Phe	Pro	His	Leu	Gln	Asn	Phe	He	l.ys	Glu	Gly	Val	Leu	Val	Glu	His	
10					35					40					45		
10											CCA						300
	Yal	Lys	Asn	Val	Phe	lle	Thr	Lys	Thr	Phe	Pro	Asn	His	Tyr	Ser	lle	
				50					55					60			
15											att						348
	Yal	Thr	Gly	Leu	Tyr	Glu	Glu	Ser	His	Gly	Ile	Val	Ala	Asn	Ser	MeT	
			65					70	•				75				
20											gac						396
	Tyr	Asp	Ala	Val	Thr	Lys	Lys	His	Phe	Ser	Asp	Ser	Asn	Asp	Lys	Asp	
		80					85					90					
											tgg						444
25	Pro	Phe	Trp	Trp	Asn	Glu	Ala	Val	Pro	Ile	Trp	Val	Thr	Asn	Gin	Leu	
	95					100					105					110	
	_															gta	492
30 '	Gln	Glu	Asn	Arg	Ser	Ser	Ala	Ala	Ala	Met	Trp	Pro	Gly	Thr		Val	
					115					120					125		
																: tca	540
	Pro	Ile	llis	Asp	Thr	116	Ser	Ser			e Met	Asn	Tyt			r Ser	
35				130					135					140			500
																aat	588
	Va	Sei		_	ı Glu	ı Arı	z Lei			1 110	e int	тяе		_	I AS	n Asn	
40			143					150					15:				636
																a gat	030
	Se			o Pro	ya.	1 111:	_	_	ומני	LC	u iyi			U 1011	<i>y</i>	o Asp	
45		160					16				•	170		1		- 25	68-1
45																c aga	004
		_	r GJ	y Hi	s I.y			y rr	5 011	. A.S.		_	u ns	11 46		ı: Arg 190	
	17					18					18			, ,,,			732
50																n cic	, ,,,
	٧a	ı Le	u Ly	s l.y			p 1.S	p L.c	u III			) I.C	U 731	. 111	n Ai 20	g læu S	
					19					20	v				40	•	

	aag	atg	t ta	ggg	cta	tgg	gaa	aat	CIL	aat	gtg	atc	att	aca	agı	gal	780
	Lys	Жеt	Leu	Gly	Leu	Trp	Glu	Asn	Leu	Asn	Val	He	Ile	Thr	Ser	Asp	
5				210					215					220			
	cat	ggg	atg	acc	cag	tgt	tct	cag	gac	aga	ctg	ata	aac	ctg	gat	tcc	828
	His	Gly	Met	Thr	Gln	Cys	Ser	Gln	Asp	Arg	Leu	Ile	Asn	Leu	Asp	Ser	
10			225					230					235				
	tgc	atc	gat	cat	tca	tac	tac	act	ctt	ata	gat	ttg	agc	сса	gtt	gct -	876
	Cys	Ile	Asp	His	Ser	Tyr	Tyr	Thr	Leu	lle	Asp	Leu	Ser	Pro	Va]	۸la	
		240					245					250					
15	gca	ata	ctt	ccc	888	ata	aat	aga	aca	gag	gtt	tat	aac	aaa	ctg	aaa	924
	-							Arg									
	255					260					265					270	
20		tgt	agc	cct	cat	atg	aat	gtt	tat	ctc	888	gaa	gac	att	cct	aac	972
20								Yal									
					275					280					285		
	aga	ııı	tat	tac	caa	cat	aat	gat	cga	att	cag	ccc	att	att	itg	gtt	1020
25	-							Asp									
			- 7	290					295		•			300			
	gcc	gat	gaa	RRC	LEE	aca	att	gig	cta	aat	gaa	tca	tca	caa	aan	ιta	1068
_								Yal									
30			305		•			310					315				
	<b>221</b>	gac			tat	gat	aat	tct	tig	cct	agı	alg	cat	cca	ιιι	cta	1116
		_														Leu	
35	<b>U</b> .,	320		•••,			325					330					
	gre: t			gga	cct	gca			aaa	ggc	tac	aag	cat	ago	aca	att	1164
		-														lle	
	335			,		340			•	•	345					350	
40			øts	r gat				alg	ate	tgo	cac	ato	CLE	t gga	ı Lta	aaa	1212
																ı i.ys	
	11.31				355					360				•	36		
45	CC			- 221	-		, ,,,,		gøt			กลด	. Lgc	: Lts			1260
																ı Val	
	111	, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		370		,	, ,,,,		375			•••	,	380			
	<b></b>						cte	• ~			. 210	· Wes	rati		-	: ggt	1308
50																Gly	
	vel	, 1111	יטני יטני			. nai		308		. ,,,,			393	_			

	tea etc tig gig tha ace aig eta aca ige etc ata ata ate aig cag 135	6
	Ser Leu Leu Val Leu Thr Met Leu Thr Cys Leu Ile Ile Het Gin	
5	400 405 410	
	aat aga cit tot gia cot egi coa iti ici ega cii cag cia caa gaa 140	4
	Asn Arg Leu Ser Val Pro Arg Pro Phe Ser Arg Leu Gln Leu Gln Glu	
	415 420 425 430	
10	gat gat gat ccc tta att ggg tgacatgtgc tagggcttat acaaagtgtc 145	8
	Asp Asp Asp Pro Leu Ile Gly	
	435	
15	tttgattaat cacaaaacta agaatacatc canagaatag tgttgtaact atgaaaaaga 15	8
	atactitgas agacasagas citagacias gcatgitass attattacti igititceti 15	
	gigilitgit teggigeatt igetaataag ataacgeiga eeatagtaaa atigitagta 16	
20	aatcattagg taacatctig iggiaggaaa icaliaggia acatcaatcc taactagaaa 16	<del>)</del> 8
20	tactaaaaat ggcttitgag aaaaatactt colotgottg tattttgcga tgaagatgtg 17	58
	atacatetti aaatgaaaat ataccaaaat tiagtaggea tgittiteta ataaattiat 18	18
	atattigtaa agaaaacaac agaaatctit atgcaattig tgaattitgt atattaggga 18	78
25	ggasaagett cetatatttt tatatttace tilaattagt tigtatelea agtaceetet 19	38
•	tgaggtagga aatgetetgt gatggtaaat aasattggag cagacagaaa agatatagca 19	98
	aatgaagaaa tattttaagg aaacctatti gaaaaaaaaaa aacaaa 20	44
30		
	<210> 64	
	<211> 708	
	<212> PRT	
35	<213> Homo sapiens	
	,	
	<400> 64	
40	Met Lys Asp Net Pro Leu Arg Ile His Val Leu Eeu Gly Leu Ala Ile	
	-22 -20 -15 -10	
	Thr Thr Leu Val Gin Ala Vai Asp Lys Lys Val Asp Cys Pro Arg Leu	
Ď.	- <del>5</del> 1 5 10	
45	Cys Thr Cys Glu Ile Arg Pro Trp Phe Thr Pro Arg Ser Ile Tyr Met	
	15 20 25	
	Glu Ala Ser Thr Val Asp Cys Asn Asp Leu Gly Leu Leu Thr Phe Pro	
50	30 35 40	
	Ala Arg Leu Pro Ala Asa The Gla He Leu Leu Leu Gla The Asa Asa	
	15 50 55	

	lle	Ala	Lys	lle	Glu	Tyr :	Ser	Thr	Λsp	Phe	Pro	Val	Asn	Leu	Thr	Gly	
		60					65					70					
	Leu	Asp	Leu	Ser	Gln	Asn	Asn	Leu	Ser	Ser	Val	Thr	Asn	Ile	Asn	Val	
	75					80					85					90	
	Lys	Lys	¥et	Pro	Gln	Leu	Leu	Ser	Val	Туг	Leu	Glu	Glu	Asn	Lys	Leu	
o	,				95					100					105		
	Thr	Glu	Leu	Pro	Glu	Lys	Cys	Leu	Ser	Glu	Leu `	Ser	Asn		Gln	Glu	
				110					115					120			
	Leu	Tyr	Ile	Asn	His	Asn	Leu	Leu	Ser	Thr	Ile	Ser			Ala	Phe	
5			125					130					135				
	Ile	Gly	Leu	His	Asn	Leu	Leu	Arg	Leu	llis	Leu			Asn	Arg	Leu	
		140					145					150					
20	Gln	Het	lle	Asn	Ser	Lys	Trp	Phe	Asp	Ala			A\$n	Leu	Glu		
	155					160					165					170	
	Leu	Met	Ile	Gly			Pro	He	lle			Lys	ASP	Met		Phe	
					175			_		180			C1.		185		
25	Lys	Pro	Leu			Leu	Arg	Ser			ite	: Ala	1 (1)			Leu	
				190					195			. 61.		200			
	Thr	Gli			Asp	Asn	Ala			61)	Let	1 611			1 610	Ser	
30			205					210				1 D-	219		1 41.	. 1	
	H			? Tyr	Asp	) Asn			1110	e Lys	รงก			s va.	i wra	. Leu	
		22					223					23			. D.,	. IIa	
			s Va	i Va	l Asr			Pho	e Lei	u Asi			пц	5 ns	1 110	250	
35	23					240				_	2-1: - V-		11:				
	As	n Ar	g II	e Arı			/ ASJ	יחיו פ	e 2c	26		LLE	u 111	5 LE	26	s Glu s	
					25			- 61				<b>-</b> [1	^ As	n S0			
40	Le	u Cl	y 13			n Me	וייי	0 ()1	u Le 27		e se		e va	p 36 28		u Ala	
				27							<b>~</b> (3)	41	a Th			n Pro	
	٧a	I As			u Pr	O AS	p Le			5 (1	G (II	ע תו	29		11 /13	n Pro	
			28		• •		ο	29		- Ph	o Ph	. Ar			n lv	c len	
45	λr			r Ty	r 11	e Hi			וא ח	a rn	ie i i	31			V L,	s Leu	
			00			. 4.	30		ا اد ۔	1 .	Se			Ts	r Hi	e Gly	•
			er Lo	in yic	i Le			r AS	ar Al		33			,		s Gly	
50	31					32 0		n 1		e Cl				le IIi	is So	er Asn	
	17	ır I	ie lil	n Se			o as	11 I.C		3.1			•••		3.1		
					33	.,				• • • •	• •-				•		

	Pro	lle	Arg	Cys	Asp	Cys	Val	He	Arg	Trp	Het	Asn	Net		Lys	Thr	
				350	•				355					360			
	Asn	He	Arg	Phe	Met	Glu	Pro	Asp	Ser	Leu	Phe	Cys		Asp	Pro	Pro	
			365					370					375				
	Glu	Phe	Gln	Gly	Gln	Asn	Val	Arg	Gln	Val	His	Phe	Arg	Asp	Het	Met	
o		380					385					390					
	Glu	Ile	Cys	Leu	Pro	Leu	He	Ala	Pro	Glu	Ser	Phe	Pro	Ser	Asn	Leu	
	395					400					405					410	
_	Asn	Val	Glu	Ala	Gly	Ser	Tyr	Val	Ser	Phe	His	Cys	Arg	Ala	Thr	Ala	
5					415					420					425		
	Glu	Pro	G1n	Pro	Glu	He	Tyr	Trp	Ile	Thr	Pro	Ser	Gly	Gln	Lys	Leu	
				430					435					440			
o o	Leu	Pro	Asn	Thr	Leu	Thr	Asp	Lys	Phe	Tyr	Yal	His	Ser	Glu	Gly	Thr	
			445					450					455				
	Leu	Asp	lle	Asn	Gly	Yal	Thr	Pro	Lys	Glu	Gly			Tyr	Thr	Cys	
? <b>5</b>		460					465					470					
			Thr	Asn	Leu			Ala	Λsp	Leu		Ser	Val	Met	116		
	475			_	٠.	480					485	C			11_	490	
	Val	Asp	Gly	Ser			Gin	ASP	A A S			Ser	Leu	ASN		Lys	
30					495		•	·	- V-1	500		c	. т	. 1	505		
•	ile	VLE	ASP			A J A	ASI	Ser		_	181	Sei	114	520		Ser	
	٠.		. 71.	510			٠ ٢٨.	. Val	515		The	. Ala	Pha			The	
35	5er	. r.			ı ı.ys	Ser	361	530		> 11 j.	, 1111	nic	533		Lys	The	
	C 1		525 		- Al-		. (1)			Arc	, []e	Pro			. Val	Lys	
	010	54(		1113	, nie		548				, ,,,	550		,		-,-	
	Val			100	. The	- Hi:			n Pro	n Sei	- Thr			r Lvs	: []	c Cys	
10	555		, Mai			560					565		,.	,.		570	
			. 114	Pro	. Thi			r Gla	n I.v.	s Ası			s l.v:	s Cy:	s Va.	l Asn	
					57:	_	,.		,	580	_	,,	•		58		
45	Val	l Th	r Thi	r I.v.			ı Hi:	s Pr	o As			s G1:	и Ту	r Gla	ı l.y:	s Asn	1
				. 57 59(		,			59					60			
•	Λsı	n Th	r Th			u Me	L Al	a Cy	s l.e	u Gl	y Gl	y Lei	u I.e	u G1	y 11	e Ho	•
50			60.					61					61				
<i></i>	G1 <sup>s</sup>	y Yn			s Lei	u H	e Se	r Cy	s Le	u Se	r Pro	o GI	u Me	ιΛs	n Cy	s Ası	)
		62					62					63					

	Gly Gly His Ser Tyr Val Arg Asn Tyr Leu Gln Lys Pro Thr Phe Ala	
	635 640 645 650	
5	Leu Gly Glu Lou Tyr Pro Pro Leu Ile Asn Leu Trp Glu Ala Gly Lys	
	655 660 665	
	Glu Lys Ser Thr Ser Leu Lys Val Lys Ala Thr Val Ile Gly Leu Pro	
40	670 675 680	,
10	Thr Asn Met Ser	
	685	
15	(210> 65	
	<211> 2124	
	<212> DNA	
	(213) Homo sapiens	
20		
	<400> 65	
	atgaaggaca tgccactccg aattcatgtg ctacttggcc tagctatcac tacactagta 60	1
25	caagcigtag ataaaaaagt ggattgtcca cggttatgta cgtgtgaaat caggccttgg 120	)
	titacaccca gatecatita tatggaagea tetacagigg atigtaatga titaggiett 180	)
	ttaactitice cagecagatt gecagetaac acacagatte ttelectaca gactaacaat 240	0
20	attgcaaaaa tigaatacte cacagactit ecagtaaace tiactggcet ggatttatet 300	0
30	casaacaatt tatciicagi caccaatati aatglaaana agatgootoa gotootitoi 36	0
	gigiacciag aggaaaacaa acitacigaa cigucigaaa aaigicigic cgaacigage 42	0
	aacttacaag aactctatat taatcacaac tigctitcia caatticacc tggagccttt 48	0
35	attggeeine ataatettei tegnettent eteaattena atngattgea gatgateaac 54	0
	aglaagiggi tigatgotot tocaaatola gagattotga igaligggga aaatocaatt 60	0
	atcagaatca aagacatgaa ciitaagcet ettaleaale tiegeageet ggitataget 66	0
	ggialaaacc icacagaaal accagalaac gccliggiig gaciggaaaa cilagaaagc 72	
40	atcicititi acgalaacag golialiaaa glaccocalg ligolotica aaaagtigia 78	10
	aatotoaaat ittiggatoi aaalkkaani oolallaata ganlaogaag gggtgattii 84	10
	agcaataige tacacttaan agagtigggg ataantaata tgcctgaget gatttecale 90	
45	gatagictig etgiggataa eelgeeagat ttaagaanna tagaagetae taacaaccel 96	
	agatigicit acaticacce cantgentit ticagactee econgetega atenetenig 102	20
1	ctgaacagea atgeteteng tgecetgine entggtacen tigngletet gecaaacele 100	30
50	anggaunten gentheseng thacceente nggtgtgaet giglesteeg tiggsigase 11-	10
W	atgrachana conacattes attentignic consultent lightitizest genecoacci 12	(A)
	gnatteening greatest teggenagts cattlenging heatgatgen auttigiete 12	5()

	conclining coccigagag contected aatchaatg tagaagcigg gagciatgit 1320
	tectiticant gragagetae tgeagaacea cageetgaaa tetaetggat aacacettet 1380
5	ggicaaaaac tetigeetaa taeeetgaca gacaagttet atgiceatte tgagggaaca 1440
	ctagatataa atggcgtaac teccaaagaa gggggtttat ataettgtat agcaactaac 1500
	ctagitggcg cigacitgaa gictgitatg atcaaagigg atggalctit iccacaagat 1560
10	aacaatggct ciitgaatat taaaataaga gatatteagg ceaatteagt titggtgtee 1620
10	tggaaagcaa gtictaaaat tctcaaatct agtgttaaat ggacagcctt tgtcaagact 1680
	gaasattete atgetgeges asgtgetegs atscenietg atgtesaggt atstaatett 1740
	actgatetga atccatcaac tgagtataaa atttgtattg atatteecac catetateag 1800
15	aaaaacagaa aaaaatgtgt aaatgtcacc accaaaggtt tgcaccctga tcaaaaagag 1860
	tatgaaaaga ataataccac aacacttatg gcctgtcttg gaggcctict ggggattatt 1920
	ggtgtgatat gtettateag etgeetetet ceagaaatga aetgtgatgg tggacacage 1980
20	tatgigagga attacttaca gasaccaacc titigcattag gigagcitta tectecteig 2040
20	atamatetet gggaageagg ammagamma agtacateme tgamagtamm agemmetgit 2100
	ataggittac caacaaatai gicc 2124
25	<210> 66
	<211> 3068
	<212> DNA
30	<213> Ilomo sapiens
•	<200>
	(221) CDS
35	<222> (89·l) (3017)
	(220)
40	(221) sig peptide
	<222> (89·I) (959)
	(220)
45	(221) mut peptide
	<222> (960) (3017)
50	<400> 66
	greighages arriggereer eletggggas iggaggggigt teagratia argaeesets 60
	ageaggeage accatgleag tgtgacaact gategggtga acgatgeace actaaccace 120

	atggaaacaa ggaaaaataa agccagcica caggatetet etteactgga tigagageet 1	KO
	cagcotgong actgagaaaa agagttocag gaaaaagaag gaatconggo tgcagcotco 2	10
i	tgccttcctt tatattttaa aatagagaga taagattgcg tgcatgtgtg catatctata 3	00
	gtatatatit tgtacacttt gttacacaga cacacaaatg cacctattta taccgggcaa 3	60
	gaacacaacc atgtgattat ctcaaccaag gaactgagga atccagcacg caaggacatc 4	20
	ggaggtgggc tagcactgaa actgcttttc aagacgagga agaggaggag aaagagaaag 4	80
10	aagaggaaga igiigggcaa catitatita acatgcicca cagceeggac ceiggcaica 5	140
	tgcigctatt cctgcaaata ctgaagaagc atgggattta aatattttac ttctaaataa 6	00
	atgaattact caateteeta tgaccateta tacatactee acetteaaaa agtacateaa 6	60
15	tattatatea ttaaggaaat agtaacette tetteteeaa tatgeatgae atttttggae T	720
	aatgcaattg tggcactggc acttatttca gtgaagaaaa actttgtggt tctatggcat	780
	tcatcatttg acasatgcas gcatcttcct tatcastcag ctcctattgs acttactage	340
20	actgacigtg gaatcettaa gggcccatta cattictgaa gaagaaagct aag atg	396
	MeT	
	-22	
	aag gac atg cca ctc cga att cat gtg cta ctt ggc cta gct atc act	944
25	Lys Asp Met Pro Leu Arg Ile His Val Leu Leu Gly Leu Ala Ile Thr	
	-20 -15 -10	
	SCS CIS SIS COS SCE BIS SEE SEE SEE SEE SEE SEE SEE SEE SEE S	992
30	Thr Leu Val Gln Ala Val Asp Lys Lys Val Asp Cys Pro Arg Leu Cys	
	-5 1 5 10	
	ack the has are ask cer the treatment and the tree are	010
	Thr Cys Glu Ile Arg Pro Trp Phe Thr Pro Arg Ser Ile Tyr Met Glu	
35	15 20 25	
	BCH ICI HCH BIS BAL ISI AME GAL TIL AND THE AN	088
	Ala Ser Thr Val Asp Cys Asn Asp Leu Gly Leu Leu Thr Phe Pro Ala	
40	30 35 40	1126
	aga tig cca get aat ata tag att ett ett ett ett ett	1136
	Arg Leu Pro Ala Asn Thr Gln Ile Leu Leu Leu Gln Thr Asn Asn Ile	
45	45 50 55	1184
45	ges and are grant the test data get the data get the	1104
	Ala Lys He Glu Tyr Ser Thr Asp Phe Pro Val Asn Leu Thr Gly Leu	
	80	1232
50	gat the fee can me and the fee too go me and	1 -17-
	Asp Leu Ser Gln Asn Asn Leu Ser Ser Val Thr Asn He Asn Val Lys	

	aag	alg	cct	cag	ctc	CII	tci	gtg	lac	cta	gag	gaa	aac	aaa	ctt	act	1280
	Lys	Met	Рго	Gln	Leu	Leu :	Ser	Val	Tyr	Leu	Glu	Glu	Asn	Lys	Leu	Thr	
5				95					100					105			
	gaa	ctg	cct	gaa	aaa	tgt	CLE	tcc	gaa	ctg	agc	aac	tta	CBB	gaa	ctc	1328
	Glu	Leu	Pro	Glu	Lys	Cys	Leu	Ser	Glu	Leu	Ser	Asn	Leu	Gln	Glu	Leu	
40			110					115					120				
10	tat	att	aat	cac	aac	ttg	cti	tct	aca	att	tca	cct	gga	gcc	ttt	att	1376
				His							•						
	•	125					130					135					•
15	ggc			aat	ctt	ctt	cga	ctt	cat	ctc	aat	tca	aat	aga	ttg	cag	1424
				Asn													
	140					145					150					155	
			Bac	agt	aag	tgg	ttt	gat	gct	ctt	cca	aat	cta	gag	att	ctg	1472
20	_			Ser													
	••••				160					165					170		
	ats	att	RES	gaa	aat	cca	ατι	atc	aga	atc	aaa	gac	atg	aac	ttt	aag	1520
25	-			Glu													
				175					180					185			
	cci	cti	t ato	aat		cgc	ago	ctg	gti	ata	gct	ggt	ata	aac	cte	aca	1568
																Thr	
30	. •••	,	190					195					200				
	<b>7</b> 9:	. at			ะสถอ	gcc	tls	z gil	. gga	ctr	gaz	aac	tta	gas	ago	atc	1616
	-															· Ile	
35	01	20					210	_	·			215					
	**			r øa:	1 480	. คระ			เลลย	a Rta	3 CC	: cai	gti	gc	cti	caa	166-1
																Gln	
	22		,	. 1967		22:					230					235	
40				A AA	t cti			1 11	z ga	t cu			88	cc.	t at	t aat	1712
																e Asn	
	L	<b>3</b> 'a			24			• •••		24	_				25		
45		a at	3 65	2 20				Lag	c aa			a ca	: 11	1 aa	a ga	g ttg	1760
43																u Leu	
	AI	Rin	ני או	25		, 113	, ,		26					26			
	_					ur een	1 77	17 2-1			c at	c <i>ຊ</i> ຄ	t ag			ιgtg	1808
50																a Val	
	G	y II			ii uc	C FF	, (1	u 1.0 27		. 50		_ ,,,,	,, oc 28	_			
			27	W				ات	• 7				٠.,	-			

	gat	aac	ctg	cca	gat	tta	aga	asa	ata	gaa	gct	ac t	aac	aac	ccl	aga	1856
	Asp	Asn	Leu	Pro	Asp	Leu	Arg	Lys	Ile	Glu	Ala	Thr	Asn	Asn	Pro	Arg	
5		285					290					295					
	ttg	tct	tac	att	CBC	ccc	aat	gca	ttt	ttc	aga	ctc	ccc	aag	ctg	gaa	1904
	Leu	Ser	Tyr	Ile	His	Pro	Asn	Ala	Phe	Phe	Arg	Leu	Pro	Lys	Leu	Glu	
	300					305					310					315	
10	tca	ctc	atg	ctg	aac	agc	aat	gct	ctc	agt	gcc	ctg	tac	cat	ggt	acc	1952
	Ser	Leu	Het	Leu	Asn	Ser	Asn	Ala	Leu	Ser	Ala	Leu	Tyr	His	Gly	Thr	
					320					325					330		
15	att	gag	tct	ctg	cca	аас	ctc	aag	gaa	atc	agc	ata	cac	agt	aac	ccc	2000
	Tle	Glu	Ser	Leu	Pro	Asn	Leu	Lys	Glu	lle	Ser	Ile	His	Ser	Asn	Pro	
				335				•	340					345			
	atc	agg	tgt	gac	tgt	gtc	atc	cgt	tgg	atg	aac	atg	aac	aaa	acc	880	2048
20	Ile	Arg	Cys	Asp	Cys	Val	He	Arg	Trp	Het	Asn	Ket	Asn	Lys	Thr	Asn	
			350					355					360				
	att	cga	ttc	atg	gag	cca	gat	tca	ctg	tτι	tgc	gtg	gac	cca	cct	gaa	2096
25	Ile	Arg	Phe	Met	Glu	Pro	Asp	Ser	Leu	Phe	Çys	Val	Asp	Рго	Pro	Glu	
		365	•				370					375					
	tto	cas	ggt	cag	aat	gtt	cgg	caa	gtg	cat	tic	agg	gac	atg	atg	gaa	2144
	Phe	e Glr	Gly	Gln	Asn	Vai	Arg	Gln	Val	llis	Phe	Arg	Asp	Met	Met	Glu	
30	380	)				385	i				390	)				395	
	ati	t tgt	cto	cct	ctt	មពេ	gcı	cct	gag	ago	ttt	cct	tct	aat	cte	aat	2192
	$\mathbf{I}$ 1	e Cys	s Lei	Pro	Leu	He	Ala	Pro	Glu	Ser	Pho	Pro	Ser	Asr	Lei	) Asn	
35					400	)				405	j				410	)	
	gta	a gaa	a gc	ggg	g ago	tat	gtt	tcc	ttt	Cac	tg1	aga	gct	acı	t gca	gaa	2240
	٧a	l Clu	u Ala	a Gly	, Ser	Tyr	· Val	Ser	Pho	His	Cy:	. Are	, Ala	1 Thi	r Ala	Glu	
				419	5				420	)				423	5		
40	cc	a ca	g cc	t ga	a ato	: lac	: tgs	z ata	aca	a cct	L tc	l gg	t caa	1 88	a ct	ttg	2288
	Pr	o Gl	n Pr	o Gli	u Ile	? Tyı	r Trp	llo	: Thi	r Pro	Se	r Gl	/ G1:	ı Ly:	s I.e	ı l.eu	
			43					439					44(				
45																a cta	2336
	Pr	o As	n Th	r Le	u Thi	r Ási	p Ly:	s Pho	. Ty	r Va	l Hi:	s Se	r Gli	u Gl	y Th	r Leu	
		44					450					45:					
																t ata	2384
50	٨s	p II	e As	n Gl	y Va	l Th	r Pr	o Ly:	s Gl	u GI:	y GI	y I.e	u Ty	r Th	r Cy	s lle	
	46	in o				16	ភ				47	0				-175	

	gca	ac t	aac	cta	gtt	ggc	gct	gac	tig	aag	tct	gtt	atg	atc	888	gtg	2432
	Ala	Thr	Asn	Leu	Val	Gly	Ala	Asp	Leu	Lys	Ser	Val	Met	Ile	Lys	Val	
5					480					485					490		
	gat	gga	ιςι	ιιι	cca	caa	gat	aac	aat	ggc	tct	ttg	aat	att	aaa	ata	2480
•	-			Phe													
	•	·		495					500					505			
10	202	gat	att	cag	gcc	aat	tca	gtt	ttg	gtg	tcc	tgg	aaa	gca	agt	tct	2528
				Gin													
	M B	Nop	510	· · ·				515					520				
15				888	tet	aot	g t t		tgg	aca	gcc	ttt	gtc	aag	act	gaa	2576
				Lys													
	Lys	_	ren	Lys	Der	Ser	530	2,5	,	****		535		,-			
		525							669	010	cca		øst	gtc	225	gta	2624
20				gct													
			HIS	Ala	W18		Ser	MIR	VLR	116		Jei	uah	101	Lys	555	
•	540					545					550				٠		2672
05				act													2012
25	Tyr	· Asn	Leu	Thr	His	Leu	Asn	Pro	Ser			lyr	Lys	116			
					560					565					570		
	-			acc													2720
30	Ast	lle	Pro	Thr	lle	Tyr	Gln	Lys	Asn	Arg	Lys	Lys	Cys	Val	Asn	Val	
				575	;				580	)				585	5		
	acc	c acc	: ani	a ggt	ttg	cac	cct	gat	. caa	aaa	gag	tat	gae	aag	aal	BAL	2768
	The	r Thi	Ly	s Gly	Leu	His	. Pro	Asp	Gln	Lys	Glu	Тут	Glu	Lys	s Ası	n Asn	
35			59	0				595	5				600	)			
	ac	c ac	a ac	a cti	ate	gco	tgt:	. cti	. gga	ggo	: ctt	cte	ggg	at	t at	t ggt	2816
																e Cly	
		60					610					613	_				
40	gt			t ct	t ato	age	c tgo	cti	e tel	L cca	n gaz	atı	z aac	: tg	t ga	t ggt	286-1
																p Gly	
	62		c c,	.,	• • • •	62					630			•		635	
45								t ta		a ra			a ac	: tt	L gc	a ila	2912
•																a Leu	
	U	y 111	5 30	ec ty			R 1/2	. 17		64	_	• • •	- '''		65 65		
•					64												2960
50																a gaa	
	GI	y Gl	u Le			o Pr	n I.C	11 II			U 17	p (r)	u :11		_	s Glu	
				65	ก์				66	()				66	ວ		

	aaa a	gt a	ca t	.ca (	ctg	aa g	gla 8	iaa į	çca :	acı	gila	ata (	ggt	tta	cca	aca	3008
•	Lys S	er T	hr S	er l	Leu l	.ys \	/al l	.ys #	Ala '	Thr	Val 1	[]e (	Gly	Leu	Pro	Thr	
5		6	70				6	575					680				
	aat a	itg t	cc t	aaa	aacc	ac ca	aagga	aaco	c ta	ctcc	aaaa	atg	aaca	888			3057
	Asn M	let S	er														
10	6	85															
-	88888	18888	ıa a														306
											•						
	<210	67															
15	(211)	> 255	5														
	(212)	> PR	T														
	(213	> Ho	100 S	apie	ns												
20																	
	<400																
	Met	Ser '	Tyr	Tyr	Gly	Ser	Ser	Tyr	His	lle	lle	Asn	Ala	Asp		Lys	
	1				5					10					15		
25	Tyr	Pro	Gly	Tyr	Pro	Pro	Glu	His		lle	ŅÌа	Glu	Lys			Ala	
				20					25	_				30			
	Arg	Arg		Leu	Leu	His	Lys		Gly	Ser	Cys	Asn			rne	Lys	
30			35			_	۵.	40	<b>-</b>	V . 1	V - L	<b>.</b>	45		TL	TL.	
	His		Phe	Gly	Glu	Trp		26L	ıyr	Vai	Val		116	rne	100	Inr	
		50				T	55		ile.	Dha	Val	50 110	Pho	. Sa <b>r</b>	يوا د	Sor	
35		Val	Asp	Ihr	Lys		Mrg	ais	Met	rne	Vai 75	116	rne	Ser	Leu	80	
	65	71.	1	C	т	70	110	Dha	Cle	Sor		Pho	Tre	رما د	. []e	Ala	
	ıyr	116	ren	Ser	85		110	THE	Uly	90			,	, ,	95		
	Dha	uic	u:.	Civ			Leu	Asn	Asn	_	Asp	He	Thr	- Pro			
40	rne	1112	піз	100		1,00	240	11311	105		, ,,,,,,,			110			
,	Acn	Acn	V., 1			Pho	The	Clv			Leu	Pho	Sei			Thr	
	nsp	пэн	115		Jei	,		120					125				
45	Glo	The			Gly	Tvr	Gly			. Cys	; Val	Thr			u Cys	Ser	
	<b>41.</b>	130		•••	,	.,.	135		•			1-10					
	Val			Leu	ı Hei	Vai	He	Leu	Gtr	ı Sei	· lie	Leu	Sei	r Cy:	s ile	lle	
50	145			.,		150					155					160	
50			Phe	He	e He			Ala	l.e.	Ala	ı l.ys	Me	. Ala	n Th	r Ala	ı dıg	
					163					170					17	_	

•

	Lys Arg Ala Gin Thr 11c Arg Phe Ser Tyr Phe Ala Leu Ile Gly Met 180 185 190	
5	Arg Asp Gly Lys Leu Cys Leu Met Trp Arg Ile Gly Asp Phe Arg Pro	
	Asn His Val Val Glu Gly Thr Val Arg Ala Gln Leu Leu Arg Tyr Thr	
	015	
10	210	
	Glu Asp Ser Glu Gly Arg Met Thr Met Ala Phe Lys Asp Leu Lys Leu	
	225 230 235 240	
15	Val Asn Asp Gln lle lie Leu Val Thr Pro Val Thr IIe Val Pro	
	245 250 255	
	<210> 68	
20	⟨211⟩ 765	
	(212> DNA	
	(213) Homo sapiens	
25	⟨400⟩ 68 .	
	atgagetatt acggeageag ctalcatatt atcaatgegg acgessasata ceeaggetae 6	0
	ccgccagagc acattatagc tgagaagaga agagcaagaa gacgattact tcacaaagat 12	:0
30	ggcagcigta aigiciacii caagcacali tilggagaat ggggaagcia igiggilgac 18	0
	atelicacca cicligigga caccaagigg egecataigt tigigatait tictitatet 24	10
	tataticiet egiggitgat attiggetet giettitgge teatageett teateatgge 30	)0
	gatetatiaa atgateeaga cateacacci igigtigaca acgiccatic iticacaggg 36	50
35	gcctttttgt teleculaga gaccenauce accataggat alggitateg eigigitact 42	30
	gaagaatgit cigiggcogi geleatggig atectecagt ceatettaag tigeateata 48	30
	aataccitta teatiggage tgeetiggee aanatggeaa etgelegana gagageeena 5	40
40	accallegit teagetactt tgeacttata ggtatgagag atgggaaget ttgeeteatg 60	00
	tggcgcattg gigattiteg gccanaccae giggtagang gaacagttag agcccaacit 6	60
	ctccgctata садылдяслу tgangggagg atgacgatgg catttanaga cctcaaatta 7	20
45		6ភ
	<210> 69	
	(211) 907	
50	<212> D\A	
•	(213) Homo sapiens	

<200>

	<2212	CDS	5														
5	(222	(78	8)	(842)	)												
	<400	> 69															
	caaa	ccaa	ga a	atag	caac	a ag	tcta	gaat	tct	tact	act	acaa	aact	cac	ctgg	atccc	60
10	taag																110
	Lucy	50**	J								er S						
						1		•	•	5					10		
15		aea	gac	aca	222	_	сса	RRC	tac	ccg	cca	gag	cac	att.	ata	gct	158
,,,			Asp														
	กจแ	N10	nəp	15	-,-	•,-		,	20					25			
	725	926	aga		σca	аоя	aga	cga	tta	ctt	cac	888	gat	ggc	agc	tgt	206
20			Arg														
	010	LJS	30	6				35				-•	40	-			
	100	gt c	tac	110	887	cac	att	ttt	gga	gaa	teg	gga	agc	tat	gtg	gtt	254
25		_	Тут														
25	ASII	45	•,,•	1	-,0		50		,	•	• • •	55					
	<b>~~</b>		ııc	8 <i>rc</i>	act	ctt		gac	acc	aag	tgg	CEC	cat	atg	ııı	gtg	302
	-		Phe														
30	60	110	riie	1111	1111	65			••••	,	70					75	
			ıcı	• • •		•••	211	ctc	tro	100		ata	ttt	FEC	tet	gtc	350
			Ser														
	110	rne	261	LEU	80	.172	,,,,			85		•••			90		
<b>35</b>			clc	212		***	rat	cat	770			t ta	aat	gat			398
																Asp	
	rite	rcp	1.60	95		1110	,,,	, ,,,,	100			•••		105		-•	
40						<b>79</b> C		otr			ttc	aca	. ggg			itg	-146
																l.eu	
	116	. 1111			, vai	//St	, nai	115		, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	, ,,,	• • • • • • • • • • • • • • • • • • • •	120				
•			110									eet			. 191	. gtt	494
45																. Val	
	ľħ¢			1 610	1 101	GU		•	110	. 01)	, ,,,	135		6	, -/.	,	
		125					130							· ca	, ,,,	n atc	5-12
50																atc e He	** ***
			ı GİL	) Lys	s Sei			1 78	i LCI	u we			Let	. (11	. 50	r []c 155	
	140	)				1-1	)				150	,				199	

	tta	agt	t gc	atc	ata	aat	acc	ttt	atc	att	gga	gct	gcc	ıtg	gcc	aaa	590
	Leu	Ser	Cys	He	Ile	Asn	Thr	Phe	Ile	Ile	Gly	Ala	Ala	Leu	Ala	Lys	
5					160					165					170		
	atg	gca	act	gct	cga	aag	aga	gcc	caa	acc	att	cgt	ttc	agc	tac	ttt	638
	Иеι	Ala	Thr	Ala	Arg	Lys	Arg	Ala	Gln	Thr	Ile	Arg	Phe	Ser	Tyr	Phe	
40				175					180					185			
10	gca	ctt	ata	ggt	atg	aga	gat	888	aag	ctt	tgc	ctc	atg	tgg	cgc	att	686
	Ala	Leu	Ile	Gly	Met	Arg	Asp	Gly	Lys	Leu	Ċys	Leu	Met	Trp	Arg	Ile	
			190					195					200				
15	ggt	gat	ttt	cgg	cca	aac	cac	gtg	gta	gaa	gga	aca	gtt	aga	gcc	caa	734
		_														Gln	
	•	205					210					215					
	cti	ctc	cgc	tat	aca	gas	gac	agt	gaa	888	agg	atg	acg	atg	gca	ttt	782
20																Phe	
	220	1				225					230					235	
	aaa	gac	cto	aaa	tta	gtc	aac	gac	caa	atc	atc	ctg	gto	acc	ccg	gta	8:30
25	Lys	Asp	Leu	Lys	Leu	Val	Asn	Asp	Gln	Ile	Įle	Leu	Val	Thr	Pro	Val	
					240	)				245	;				250	)	
	act	. att	gto	: cc8	tga	ccct	gcc	aaat	cccc	ct c	tgtg	agàa	a ca	ccca	aaaa	ı	882
20	Thr	- 11e	e Ya	Pro	,												
30				25	5												
	aar	าลลล	aaaa	вааа	3885	aa a	1228	l .									907
				_													
35	(2)	10>	70														
	<2	11>	859														
	<2	12>	PRT														
40	<2	13>	Homo	sap	iens												
																•	
	<4	00>	70														
	Яe	t Al	a Cy	s Ar	g Tr	p Se	r Th	r Ly:	s Gl	u Se	r Pr	o Ar	g Tr	р Аг	g Se	r Ala	
45	-2	7	-2	5				-2	0				-1	ว์			
	Le	u Le	u l.e	u l.e	u Ph	e Le	u Ala	n G1	y Va	i Ty	r Gl	y As	n Gl	y Al	a Le	u Ala	
		-1	0				-	5					1	•		ว์	
50	GI	u Ili	s Sc	r Gl	u As	n Va	t IIi	s H	e Se	r Gi	y Ya	l Sc	r Th	r Al	a Cy	s Gly	
					i	0				ŧ	5				2	0	
	GI	u Th	ır Pı	o GI	u Gl	n [[	e Ar	g Al	a Pr	o Se	r Gl	y Il	e II	e Th	r Se	r Pro	

				25					30					35		
	Gly	Trp	Pro	Ser	Glu	Tyr	Pro	Ala	Lys	lle	Asn	Cys	Ser	Trp	Phe	lle
			40					45					50			
	Arg	Ala	Asn	Pro	Gly	Glu	lle	He	Thr	lle	Ser	Phe	Gin	Asp	Phe	Asp
		55					60					65				
0	lle	Gln	Gly	Ser	Arg	Arg	Cys	Asn	Leu	Asp	Trp	Leu	Thr	lle	Glu	Thr
	70					75					. 80					85
	Tyr	Lys	Asn	lle	Glu	Ser	Tyr	Arg	Ala	Cys	Gly	Ser	Thr	He	Pro	Pro
					90					95					100	
5	Pro	Tyr	Ile	Ser	Ser	Gln	Asp	His	lle	Trp	lle	Arg	Phe		Ser	Asp
				105					110			_		115		
	Asp	Asn		Ser	Arg	Lys	Gly		Arg	Leu	Ala	Tyr		Ser	Gly	Lys
o			120					125			٠.		130	<b>61</b>		C)
	Ser			Pro	Asn	Cys		Cys	Asp	Gin	Phe	_	Cys	CIÀ	ASI	GIY
		135		_	۵,	• • •	140		C	<b>A</b>	A	145	4	C1	Cuc	Clv
25			116	PTO	GIU			Lys	Cys	ASII	160		nsp	GIU	Cys	165
5	150		· C		C1	155		Cuc	Ala	ive			Asn	Pro	Pro	
	ASP	Ser	. Ser	ASP	170		116	Cys	, via	175		nto	ASII		180	
	41-	. A1.	. 41-	Dha			. rve	Δla	Tur			Pho	- Glo	Cvs		Ser
30	HIG	, ute	1 110	185		110	. 6,3	, MIG	190		•			195		
	A	, Ph	a The			Tvr	· Thr	Cvs			Glu	Ser	· Leu			Asp
		, 1 114	200		, , ,	. ,,.	••••	205					210		•	·
35	Gly	, Ası			Cys	Leu	. Asp			/ Asp	Glu	H	. Asp	Cys	Λsp	Val
	•••	21					220					223				
	Pro			s Gly	Glr	ı Tr	Leu	ı Ly:	s Tyt	r Pho	. Tyr	- G1 <sub>2</sub>	Thi	. Pho	Asr	Ser
	23					239					240					245
40	Pro	o As	n Ty	r Pro	o Asi	p Phe	e Tyr	r Pro	o Pro	Gly	, Sei	r Ası	ı Cys	s Thr	Tri	Leu
					250	0				255	5				260	)
	11	e As	p Th	r Gl	y As	p Hi	s Arg	g Ly:	s Va	H	e l.e	ו ארן	g Pho	e Thi	. Ası	) Phe
45				26	5				270	0				27	5	
	Ly	s Le	u As	p Gl	y Th	r Gl	у Ту	r Gl:	y Ası	р Ту	r Va	l Ly:			r Ası	Gly
			28					28					29			
50	Le	u Gl	u Gl	u As	n Pr	o Ili	s l.y	s i.c	u Lei	ս ձո	g Va			r Ala	a Ph	e Asp
<del></del>		29					30				.•	30				
	Se	r Ili	s Al	a Pr	n l.e	u Th	r Va	l Va	I Se	r Sc	r Se	t Gl	y Gl	n II	e Ar	g Val

	310					315					320					325
	His	Phe	Cys	Ala	Asp	Lys	Val	Asn	Ala	Ala	Arg	Gly	Phe	Asn	Ala	Thr
5					330					335					340	
	Tyr	Gln	Val	Asp	Gly	Phe	Cys	Leu	Pro	Trp	Glu	He	Pro	Cys	Gly	Gly
	.,.	•••	•	345	•		·		350					355		
	Acn	Trp	Glv		Tvr	Thr	Glu	Gln	Gln	Arg	Cys	Asp	Gly	Tyr	Tro	His
10	n 3ii		360	0,0	.,.	••••		365					370		•	
	Cun	Pro		C1v	Ara	Asn	Glu		Asn	Cvs	Thr	Met		Gln	Lvs	Glu
	Cys		V211	01)	· • •	пар	380	••••		-,-		385	-,-		-,-	***
15	<b>C1</b>	375 Phe	D	C	C 0=	A=a		Clv	Val	Cve	Tur		Aro	Ser	Acn	Arp
		rne	PTO	Cys	Sel		non	Gly	141	0,3	400		1,77 8	561	пор	405
	390		<b>T</b>	C1-	4	395	C	0	4	C 1 v		Aco	CI.	Lve	Acn	
	Cys	Asn	ıyr	מגט		nis	Cys	FIO	NS(1	415	Set	veh	010	Lys	420	Cys
20	~	O1 .	C	C1-	410	C1	۸	Dha	u: a		1	Acn	Acn	Ara		Val
	rne	Phe	Cys	•	PTO	GIA	AŞII	rne	430	Cys	Lys	изн	r311	435	U) 3	101
	~	Glu	C	425	V-1	C	4	Sa-		Acn	Acn	Cue	Clv		Glv	Sar
25	rne	610		ırp	vai	Cys	мър		0111	ush	nsp	Cys	450	лэр	01)	Jei
20		۵,	440		C	D	V-1	445	Val	D-0	The	A-~		110	The	A1a
	ASD		CIU	ASN	Cys	Lto			191	FIO	1111			116	1111	Ala
		455					460		C1	•	1	465			41.	1
30			lie	Gly	Ser			Lys	GIY	Leu			vai	116	. WIS	Leu
	470					475		_			480					485
	Gly	Cys	Thr	Cys	l.ys	Leu	Tyr	Ser	Leu			Phe	Glu	Arg		Ser
					490					495					500	
35	Phe	Glu	Thr	Glo	Lev	ı Set	Ars	, Val			Glu	Leu	l.eu			Glu
•				505					510					515		_
	Ala	Pro	Pro	Ser	Ty	Gly	Glr	ı I.eu	H	Λla	Glr	Gly			: Pro	Pro
40			520					525					530			
40	Val	Glu	Asp	Phe	e Pro	ya!	l Cys	s Sei	- Pro	) Asr	Glr	Ala	Set	· Val	Let	ı Glu
		535	i				540	)				5-13	5			
-	Asr	1 Leu	Arg	, Lei	A1a د	a Val	l Arı	g Sei	r Gli	ı Lei	ı Gly	/ Pho	. Thi	- Sei	Ya.	l Arg
45	550	)				55	5				560	)				565
	Lei	ı Pro	No.	. Ala	a Gl	y Ar	g Se	r Se	r Asi	n He	: Tri	) Ası	י אנו	z Ile	e Pho	e Asn
					57	0				573	5				586	0
	Pho	e Ala	. Ar	g Se	ר אה	g Ili:	s Sc	r Gl	y Sei	r Lei	ι Ala	ı l.e	ı Va	l Se	r Ala	a Asp
50				58	5				590	)				59	ŝ	
	Gl	y Asp	Gli	u Ya	ı Ya	l Pr	o Se	r Gli	n Se	r Th	r Se	r Ar	g Gli	u Pro	n Gl	u Arg

			600					605					610			
	Asn	His	Thr	His	Arg	Ser	Leu	Phe	Ser	Yal	Glu	Ser	Asp	Asp	Thr	Asp
5		615					620					625				
	Thr	Glu	Asn	Glu	Arg	Arg	Asp	Met	Ala	Gly	Ala	Ser	Gly	Gly	Val	Ala
	630					635					640					645
	Ala	Pro	Leu	Pro	Gln	Lys	Val	Pro	Pro	Thr	Thr	Ala	Val	Glu	۸la	Thr
					650					655					660	
	Val	Gly	Ala	Cys	Ala	Ser	Ser	Ser	Thr	Gln	Ser	Thr	Arg	Gly	Gly	His
				665					670					675		
15	Ala	Asp	Asn	Gly	Arg	Asp	Val	Thr	Ser	Val	Glu	Pro	Pro	Ser	Val	Ser
			680					685					690			
	Pro	Ala	Arg	His	Gln	Leu	Thr	Ser	Ala	Leu	Ser	Arg	Met	Thr	Gln	Gly
20		695					700					705				
	Leu	Arg	Trp	Val	Arg	Phe	Thr	Leu	Gly	Arg	Ser	Ser	Ser	Leu	Ser	
	710					715					720		_			725
	Asn	Gln	Ser	Pro	Leu	Arg	Gln	Leu	Asp			Va]	Ser	Gly		Glu
25					730					735	•	_			740	
	Asp	Asp	Asp	Asp	Val	Glu	Met	Leu			He	Ser	Asp	_	Ser	Ser
				745			_	_	750					755		C
30	Asp	Phe			Asn	Asp	Cys			Pro	Leu	LCC			ліа	Ser
			760					765		<b>T</b>		41-	770		Dua	Cl.
	Asp			r Gln	Gly	Leu			ı ı'rc	ıyr	ASI	78.		NSI	rro	Gly
		775		. c	. 4		780		. D		. (1)			C.I.v	116	Val
35			rr	) 2et	ASI	795		, (()	110	, 0, :	800		, 0,2	0.,	•••	805
	790 u:		- 41-	a Cle	He			Thi	- Cvs	: Lei			i The	Leu	Lys	Asn
	DI:	> 1111		2 011	810				,.	815	_				820	
40	Gli	u Thi	r Sei	r Ası			Ala	ı Lei	ı l.eı			3				
	-			82					830							
					-											
45	(2	10> 1	7 L													
		11> :														
	⟨2	12> 1	DNA													
50	<2	13> 1	lono	sap	iens											
50																
,	(4	00>	7 i													

	atggcctgtc g	ctggagcac a	aaaagagict	ccgcgglgga	ggicigcgii	gctcttgctt	60
	ttcctcgctg g						120
5	tcaggagtgt c						180
	atcacaagee o	aggctggcc	ttctgaatat	cctgcaaaaa	tcaactgtag	ctggttcata	240
	agggcaaacc c	aggcgaaat	cattactata	agiticagg	attttgatat	tcaaggatcc	300
	agaaggtgca	ittiggactg	gtigacaata	gaaacataca	agaatattga	aagt tacaga	360
10	gcttgtggtt						420
	titcaticgg 8	atgacaacat	ctctagaaag	ggtttcagac	tggcatattt	ttcagggasa	480
	tctgaggaac (						540
15	gaagcctgga a	aatgtaataa	catggatgaa	tgtggagata	gttccgatga	agagatcigt	600
	gccaaagaag (	casatcctcc	aactgctgct	gcttttcaac	cctgtgctta	caaccagttc	660
	cagigittat	cccgttttac	caaagtttac	acttgcctcc	ccgaatcttt	aaaatgtgat	720
20	gggaacattg	actgccttga	cctaggagat	gagatagact	gtgatgtgcc	aacatgtggg	780
20	caatggctaa	aatatttta	tggtactttt	aattctccca	attatccaga	cttttatcct	840
	cctggaagca	attgcacctg	gttaatagac	actggtgatc	accgtaaagt	cattitacgc	900
	ttcactgact	ttaaacttga	tggtactggt	tatggtgatt	atgtcaaaat	atatgatgga	960
25	ttagaggaga	atccacacaa	gcttttgcgt	gtgttgaçag	cttttgattc	tcatgcacct	1020
	cttacagttg	tttcttcttc	tggacagata	agggtacatt	tttgtgctga	taaagtgaat	1080
	gctgcaaggg	gatttaatgc	tacttaccaa	gtagatgggt	tetgtttgee	atgggaaata	1140
20	ccctgtggag	gtaactgggg	gtgttatact	gagcagcago	gttgtgalgg	gtattggcat	1200
30	tgcccanatg	gaagggatga	asccantigt	accatgtgco	agaaggaags	atttccatgt	1260
	tcccgauatg	gigicigita	tectegitei	galogotgo	actaccagaa	tcaltgccca	1320
	aatggctcag	atgassasaa	cigcitiiii	l gccaacca	g gasatticca	tiglaaaaac	1380
35	aatcgttgtg	tgittgaaag	ttgggtgtgt	galteteaa	g algacigigs	g tgatggcage	1440
	gatgaaguaa	attgcccagt	Batcgtgcci	аснадавтся	a tcactgctgc	cgtcataggg	1500
	agcoteatot	gtggcctgtt	actogicata	gcattggga	t gtacttgtaa	a gctttattct	1560
	ctgagaalgt	ttgaaagaag	atcattiga	acacagitg	t caagagtgg	a agcagaattg	1620
40	tlaagaagag	aagctcctcc	cicgiatege	a coattgatt	g ctcagggti	L BALLCCACCS	1680
	gitgaagatt	Liccigitte	ttcacctan	caggettet	g ittiggaaa	a telgaggeta	1740
	gcggtacgat	cicagettgg	attlactic	a gicaggett	c ctatggcag	g cagatcaago	1800
45						c attggcttlg	
	gictcagcag	atggagatga	ggitgiccc	t agtcagugt	a ccagtagug	accigagaga	1920
	antcatactc	acagaagtt	t gtttlecgt	g gagicigat	g atacagaca	c agaaaatgag	1980
						a aaaagtcccl	
50	cecacanegg	cagtagaag				e tengagtae	
					~ ! ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~	er market er farrætt	2160

	ccagcacgte accagettae aagtgeacte agtegtatga etcagggget acgetgggta 222	0
	cgttttacat taggacgate aagtteecta agteagaace agagteettt gagacaactt 228	0
5	gataatgggg taagtggaag agaagatgat gatgatgttg aaatgctaat tccaatttct 234	0
	galggatett cagacitiga igigaatgae igeteeagae etettetiga tettgeetea 240	0
	galcaaggac aagggettag acaaccatat aatgcaacaa ateciggagt aaggecaagt 246	0
_	aatcgagatg geceetgtga gegetgtggt attgteeaca etgeceagat accagacaet 252	:0
10	tgcttagaag taacactgaa saacgasacg agtgatgatg aggctttgtt actttgt 257	7
	•	
	<210> 72	
15	(211> 3088	
	<212> DNA	
	<213> Homo sapiens	
20		
20	<200>	
	<221> CDS	
	(222> (41) (2617)	
25	·	
	⟨220⟩	
	<pre>&lt;221&gt; sig peptide</pre>	
30	(222) (41) (121)	
	<200>	
	(221) mat peptide	
35	<b>&lt;222&gt; (122) (2617)</b>	
	· <400>	
		55
40	Het Ala Cys Arg Trp	
	-27 -25	
		103
	Ser Thr Lys Glu Ser Pro Arg Trp Arg Ser Ala Leu Leu Leu Leu Phe	
45	-20 -15 -10	
		151
	Leu Ala Gly Val Tyr Gly Asn Gly Ala Leu Ala Glu His Ser Glu Asn	
50	-5 I 5 10	
	gis cat att tea aga gig ten act get igi ggu gag act een gag ean	199
	·	

	Val	His	lle	Ser	Gly	Val	Ser	Thr	Ala		Gly	Glu	Thr	Pro		Gln	
•					15					20					25		
5											cca						247
	Ile	Arg	Ala	Pro	Ser	Gly	Ile	Ile	Thr	Ser	Pro	Gly	Trp	Pro	Ser	Glu	
				30					35					40			
10	tat	cct	gca	8aa	atc	aac	tgt	agc	tgg	ttc	ata	agg	gca	aac	cca	ggc	295
	Tyr	Pro	Ala	Lys	lle	Asn	Cys	Ser	Trp	Phe	Ile	Arg	Ala	Asn	Pro	Gly	
			45					50			•		55				
	gaa	atc	att	act	ata	agt	ttt	cag	gat	ttt	gat	att	caa	gga	tcc	aga	343
15	Glu	He	Ile	Thr	Ile	Ser	Phe	Gln	Asp	Phe	Asp	[le	Gln	Gly	Ser	Arg	
		60					65					70					
	agg	tgc	aat	ttg	gac	tgg	ıtg	aca	ata	gaa	aca	tac	aag	aat	att	gaa	391
20	Arg	Cys	Asn	Leu	Asp	Trp	Leu	Thr	He	Glu	Thr	Tyr	Lys	Asn	Ile	Glu	
	75					80					85					90	
	agt	tac	aga	gct	tgt	ggt	tcc	aca	att	cca	cct	ccg	tat	atc	tct	tca	439
	Set	Tyr	Arg	Ala	Cys	Gly	Ser	Thr	Ile	Pro	Pro	Pro	Tyr	Ile	Ser	Ser	
25					95					100					105		
	caa	gac	cac	atc	tgg	att	agg	ttt	cat	lcg	gat	gac	aaç	atc	tct	aga	487
	Gln	Asp	His	Ile	Trp	Ile	Arg	Phe	His	Ser	Asp	Asp	Asn	lle	Ser	Arg	
30				110					115					120	•		•
	aag	ggt	ttc	aga	ctg	gca	tat	ttt	tca	eck	aaa	tct	gag	gaa	cca	aat	535
	Lys	Gly	Phe	Arg	Leu	Ala	Tyr	Phe	Ser	Cly	l.ys	Ser	Glu	Glu	Pro	. Asn	
			125	•				130	)				135				
35	tgt	gct	tgt	gat	cag	ttt	cgu	Lgt	ggt	aat	gga	aag	igt	ata	cca	gaa	583
	Cys	: Ala	Cys	Asp	Gin	Phe	Arg	Cys	Cly	Asn	Gly	l.ys	Cys	116	Pro	Clu	
		140	)				145	•				150	)				
40	gç	t gg	g aaa	tgi	: aat	aac	atg	gat	gaa	tgt	gga	gal	agt	tco	gat	gaa	631
	Ala	Tr	Ly:	s Cys	Asn	A Sr	) Met	. Ast	Glu	Cys	Gly	Asp	Ser	· Sei	r Asp	61u	
	15					160	•	•			165					170	
																caa	679
45	Gle	ı He	e Cy:	s Ala	l.ys	s Glu	ı Ala	y yei	Pro	Pro	Thi	Ale	ı Ala	Ala	a Phe	: GIn	
					175					180					183		
																git	727
50	Pn	o Cy:	s Ala	a Ty	r Ası	Glo	n Pho	e Gli	ı Cys	Lei	ı Sei	· Ars	? Pho			s Val	
				190	3				19	5				200	0		
	tar	r ac	1 10	c ct	c cce	e gau	n le		1 1111	ı iri	gat	. 881	દુ શાહ	at:	gne	c tgc	775

	Tyr	Thr	Cys	Leu	Pro	Glu	Ser	Leu	Lys	Cys	Asp	Gly	Asn	lle	Asp	Çys	
			205					210					215				
				gga													823
	l.eu	Asp	Leu	Gly	Asp	Glu -	He	Asp	Cys	Asp	Val	Pro	Thr	Cys	Gly	Gln	
		220			,		225					230					
o				tat													871
	Trp	Leu	Lys	Tyr	Phe	Tyr	Gly	Thr	Phe	Asn	•	Pro	Asn	Tyr	Pro		
	235					240					245					250	
-				cct													919
5	Phe	Tyr	Pro	Pro	Gly	Ser	Asn	Cys	Thr	Trp	Leu	Ile	Asp	Thr	Gly	Asp	
					255			·		260					265		
		-		gtc													967
20	His	Arg	Lys	Val	Ile	Leu	Arg	Phe		Asp	Phe	Lys	Leu			Thr	
				270					275					280			1017
				gat													1015
25	Gly	Tyr		Asp	Tyr	Val	Lys			Asp	Gly	Leu			Asn	PTO	
			285					290			•		295				1002
																ctt	.1063
	His			ı Leu	Arg	Val			. VIS	Phe	Asp			Ala	rro	Leu	
30		300					305					310				_0_	
																gat	1111
•	Thi	r Va.	l Va.	Set	- Ser			r Glf	ılie	e Arg			Pnc	: Lys	ALE	ASP	
35	313					320					325					330	. 1150
																E BBR	1159
	Ly	s Va	i Ası	n Ala			3 613	rne	? AST			' iyi	Gir	ı va	34:	o Gly	
					338					340							1207
40																t tat	1201
	Ph	e Cy	s Le			9 611	J 110	e rr			, 01)	7 1131	111	36		s Tyr	
				35					35							200	1255
45																a agg	
	Th	r Gl			n Ar	g Cy:	s As			rırı	рис	s cy	37		11 01	y Arg	
			36		. <b>.</b> .			370			a an				a te		1303
																t tcc e Sor	
50	λs			ır As	n Cy	s in			5 (1)	n 1.y	5 U U	39 39		e re	U ()	s Ser	•
		38					38							a 1	c	6 DU:	1351
	cg	in ni	IL RH	il kl	c lg	ı ta	r cc	r ck	ı (C	( Bij	CR	c cg	C All	ב נוו	c ch	g aal	1.3.11

	Arg	Asn	Gly	Ya]	Cys	Tyr	Pro	Arg	Ser	Asp	Arg	Cys	Asn	Тут	Gln	Asn	
	395					400					405					410	
5	cat	tgc	cca	aat	ggc	ıca	gat	gaa	aaa	aac	tgc	ttt	ttt	tgc	caa	cca	1399
	His	Cys	Pro	Asn	Gly	Ser	Asp	Glu	Lys	Asn	Cys	Phe	Phe	Cys		Pro	
					415					420					425		
10	gga	aat	ttc	cat	tgt	aaa	aac	aat	cgt	tgt	gtg	ttt	gaa	agt	tgg	gtg	1447
	Gly	Asn	Phe	His	Cys	Lys	Asn	Asn	Arg	Cys	Val	Phe	Glu	Ser	Trp	Yal	
				430					435					440			
											agc						1495
15	Cys	Asp	Ser	Gln	Asp	Asp	Cys	Gly	Asp	Gly	Ser	Asp	Glu	Glu	Asn	Cys	
			445					450					455				
											gct						1543
20	Pro	Yal	lle	Val	Pro	Thr	Arg	Val	Ile	Thr	Ala	Ala	Yal	Ile	Gly	Ser	
		460					465					470					
											ttg						1591
25	Leu	lle	Cys	Gly	Leu			Val	Ile	Ala	Leu	Gly	Cys	Ihr	Lys		
	475					480					485					490	1620
											tca						1639
	Leu	Tyr	Ser	Leu			Phe	Glu	Arg		Ser	rne	610	ınr			
30					495					500					505		1687
																tat Tvr	1001
	Sei	r Arg	z vai			GIU	Leu	Lec	515		, 010	MIG		520		Tyr	
35				510		Cut		***			cca	σti	gaa	_		cct	1735
																. Pro	
	01,	, 01.	52					530					535				
40	gt	r. 1.97			aat	cas	z gc	t tc	i gt	t tt	g gaa	a aa	t Cti	g ags	g cta	a gcg	1783
40																) Ala	
		5-1					54					550					
	gt	a cg	a tc	ı ca	g cti	L ggs	a ii	i ac	t tc	a gt	c ag	z ct	t cc	t at	g gc:	a ggc	1831
45																a Gly	
	55					560					56					570	
	ag	a tc	a ag	c an	c at	t tg	g an	c Cg	t at	t tt	t aa	l tt	t gc	a ag	a tc	a cgt	1879
50	٨r	g Sc	r Se	r Ası	n Ile	e Tr	p As	n Ar	g []	e Ph	e Ası	n Ph	e Al	a Ar	g Sc	r Arg	
					57	วิ				58	0				58	5	
		1 10	ים אי	e te	n Lt	Z KC	1 11	g gt	c tc	a gc	a ga	l gg	a ga	t ga	g gt	l gtc	1927

	His	Ser	Gly	Ser	Leu	Ala	Leu			Ala	Asp	Gly	Asp		Val	Val	
_				590					595					600			
5															cac		1975
	Pro	Ser	Gln	Ser	Thr	Ser	Arg		Pro	Glu	Arg	Asn	_	Thr	His	Arg	
			605					610					615				0000
10															gag		2023
	Ser			Ser	Val	Glu		Asp	ASP	lhr	ASP •		Glu	ASN	Glu	Arg	
		620					625					630					2071
															cct		2071
15			Met	Ala	Gly		Ser	Gly	Gly	vai		Ala	PTO	Leu	Pro		
	635					640					645					650	2119
							•								tgt		2113
20	Lys	Yal	Pro	Pro		lhr	V19	ASI	GIU		ınr	Val	GIJ	ита	Cys 665	VIG	
					655					660	-01	<b></b>	en t	991			2167
															gga		2.0.
	261	. 26I	. Set			Ser	Lint	VI R	675		1113	N10	nap	680	Gly		
25				670				***			991	cca	gcs		cac	cag	2215
															His		
	ns	781	683		Val	010	110	690		****	561		695				
30					cto	201	cgt			CAR		cta			gta	cgl	2263
																Arg	
	LU	70					705					710					
25	**			a 1797	a cgs	tca			cta	agt	. cas	aac	: ca	g agi	cct	ltg	2311
35																Leu	
	71				,,	720					725					730	•
			a ct	t ga	t aai	L ggs	g gta	agt	gga	n aga	gaa	gal	ga	L gai	gai	gtt	2359
40																Val	
		•			73					740					7:13		
	ga	a at	g ct	a at	t cca	a at	t tc	t gal	gga	n Lc	L tca	RRG A	: 11	t ga	t gt	z ant	2407
45																i Asn	
40				75					75					76			
	ga	c tg	c tc	c ag	a cc	t ct	t ct	t gn	t cl	t gc	c LC	ı ga	t ca	n sk	n ca	egg 1	2-เจิจิ
																n Gly	
50			76					77					77				
	ct	L ag	a ca	a cc	ત દશ	t an	t gc	n AC	a da	l cc	l gg	a gt	n ng	k cc	a ag	t aat	2503

. 162

	Leu Arg Gln Pro Tyr Asn Ala Thr Asn Pro Gly Val Arg Pro Ser Asn
	780 785 790
5	cga gat ggc ccc tgt gag cgc tgt ggt att gtc cac act gcc cag ata 2551
	Arg Asp Gly Pro Cys Glu Arg Cys Gly Ile Val His Thr Ala Gln Ile
	795 800 805 810
10	cca gac act tgc tta gaa gta aca ctg aaa aac gaa acg agt gat gat 2599
,5	Pro Asp Thr Cys Leu Glu Val Thr Leu Lys Asn Glu Thr Ser Asp Asp
	815 820 825
	gag gct tig ita cit igi taggiacgaa tcacataagg gagatigtat 2647
15	Glu Ala Leu Leu Cys
	830
	acaagtigga gcaatatcca titattatti tgtaactita cagtiaaact agtittagti 2707
20	tasaaagaaa aaatgcaggg tgattictta ttattatatg ttagccigca tggttaaatt 2767
	cgacaacttg taactctatg aacttagagt ttactatttt agcagctaaa aatgcatcac 2827
	ataticatat igitcaataa igiccilica iligiticig aligitica iccigataci 2887
	gtagticact gtagaaatgt ggcigcigaa actcattiga tigtcattit tatctatcci 2947
25	atgitaaatg gitigitiil acaaaataat accitatiit aatigaaacg titatgcitt 3007
	igccaacaca ictigiaaci taatatacta gatgitaagg tigitaatgi acaaaaaaaa 3067
	авававава ваававава а 3088
30	
	<210> 73
	<211> 687
	<212> PRT
35	(213) Homo sapiens
	<400> 73
40	Het Thr Pro Gin Ser Leu Leu Gin Thr Thr Leu Phe Leu Leu Ser Leu
	-25 -20 -15 -10
	Leu Phe Leu Val Gln Gly Ala His Gly Arg Gly His Arg Glu Asp Phe
	-5 l 5
45	Arg Phe Cys Ser Gln Arg Asn Gln Thr His Arg Ser Ser Leu His Tyr
	10 15 20
	Lys Pro Thr Pro Asp Leu Arg He Ser He Glu Asn Ser Glu Glu Ala
50	25 30 35
	Leu Thr Yal His Ala Pro Phe Pro Ala Ala His Pro Ala Ser Arg Ser
	10 45 50 53

	Phe	Pro	Asp	Pro	Arg	Gly	l.eu	Tyr	llis	Phe	Cys	Leu	Туг	Trp	Asn	Arg
					60					65					70	
5	His	Ala	Gly	Arg	Leu	His	l.eu	Leu	Tyr	Gly	Lys	Arg	Asp	Phe	Leu	Leu
				75					80					85		
	Ser	Asp	Lys	Ala	Ser	Ser	l.eu	Leu	Cys	Phe	Gln	His	Gln	Glu	Glu	Ser
10			90					95					100			
	Leu	Ala	Gln	Gly	Pro	Pro	Leu	Leu	Ala	Thr	Ser	Val	Thr	Ser	Trp	Trp
		105					110					115				
	Ser	Pro	Gln	Asn	Ile	Ser	Leu	Pro	Ser	Ala	Ala	Ser	Phe	Thr	Phe	Ser
15	120					125					130					135
	Phe	His	Ser	Pro	Pro	His	Thr	Ala	Ala	His	Asn	Ala	Ser	Vai	Asp	Ket
					140					145					150	
20	Cys	Glu	Leu	Lys	Arg	Asp	Leu	Gln	Leu	Leu	Ser	Gln	Phe	Leu	Lys	His
				155					160					165		
	Рто	Gln	Lys	Ala	Ser	Arg	۸rg	Pro	Ser	Ala	Ala	Pro		Ser	Gln	GIn
o <del>c</del>			170					175					180			ė
25	Leu	Gln	Ser	Leu	Glu	Ser	Lys	Leu	Thr	Ser	<u>Yal</u>	Arg	Phe	Ket	Gly	Asp
		185					190					195		_		
	Met	Va]	Ser	Phe	Glu	Glu	Аsр	Arg	lle	Asn		Thr	Val	Trp	Lys	
30	200					205					210					215
	Gln	Pro	Thr	Ala		Leu	Gin	Asp	Leu			His	Ser	Arg	_	
				_	220				_	225					2:30	
<b>35</b>	Glu	Glu	Gln			He	Net	Glu			Val	Leu	Leu	_		Thr
				235					240				٠,	245		
	Leu	Phe			Thr	Lys	Gly			, 61)	, G10	Ala			AT8	l.eu
			250		DL -	· C	·	255		. 1	. Dha	C1-	260			
40	Lei			ASP	rne	) Ser			1 MIS	ı Lei	Life	275		Lys	, uzi	Ser
	C	265		1	CI.		270		1 1 0.	. <b>c</b> i	. 11.			Cla	. Aei	Thr
			1 491	Leu	(1)			· va	LEI	, 01)	290		1 121	011	ı ASı	Thr 295
45	280		Ala		10	285 . The		Dec	Val	l Vai			- Pho	Glo	ı Iti e	Gin
	ı.y:	o tai	, MIS	nau	300		OIL	1.,,,	, , ,	303		• • • • •			310	
	1 0	. Cle	. Dec	Live			The	· Lei	: 61			Phe	Trr	Val		, Asp
	ı.vı	n 011		, Lys 315			,,,,	-,01	320					325		
50	p,	n The	- 10			e Pro	GIV	- 11i			: Se	- Ala	ı Glv			. Thr
	•••							33					3-10			

	Val	Arg	Arg	Glu	Thr	Gla	Thr	Ser	Cys	Phe	Cys	Asn	His	Leu	Thr	Tyr
		345					350					355				
5	Phe	Ala	Val	Leu	Met	Val	Ser	Ser	Val	Glu	Val	Asp	Ala	Val	His	Lys
	360					365					370					375
	His	Tyr	Leu	Ser	Leu	Leu	Ser	Tyr	Val	Gly	Cys	Val	Val	Ser	Ala	Leu
10					380					385					390	
	Ala	Cys	Leu	Val	Ser	Ile	Ala	Ala	Tyr	Leu	Cys	Ser	Arg	Arg	Lys	Pro
				395					400		•			405		
	Arg	Asp	Tyr	Thr	lle	Lys	Val	His	Met	Asn	Leu	Leu	Leu	Ala	Val	Phe
15			410					415					420			
	Leu	Leu	Asp	Thr	Ser	Phe	Leu	Leu	Ser	Glu	Pro		Ala	Leu	Thr	Gly
		425					430					435			_	
20	Ser	Glu	Ala	Cly	Cys		Ala	Ser	Ala	Ile		Leu	His	Phe	Ser	
	440		_		_	445	••				450	-			<b>T</b>	455
	Leu	Thr	Cys	Leu		irp	Met	GIA	Leu		GIY	ıyr	Asn	Leu		Arg
25		W - 1	W = 1	C 1	460 Val	Dha	<u>د</u> 1 س	The	Turn	465	D-0	C1v	Туг	1	470	lve
25	Leu	vai	vaı	475		rne	017	11117	480		(10	01)	1,11	485	Leu	Lys
	Lau	. Ca=	Ala			Tro	Glv	Phe			Phe	J en	Val		1.eu	Val
	Leu	Set	490		Uly	117	UI,	495		110		200	500		200	
30	Δ1s				Val	Asn	Asn			Pro	lle	ile			Val	His
	NIG	505		11.51			510		,			515				
	Arc			Glu	Gly	Val			Pro	Ser	Met	Cys	Trp	Ile	Arg	Asp
35	520				•	525		•			530					535
			Val	Ser	· Tyr	. 11e	Thr	Asn	Leu	Gly	Leu	Pho	. Ser	Leu	Val	Phe
					540					545					550	
40	Lei	ı Pho	: Asr	. Met	Ala	Met	Leu	Ala	Th	Met	Yal	Va	Glr	Ile	Leu	Arg
40				555	;				560	)				565	•	
	Le	. Are	, Pro	His	Th:	·Gln	l.ys	Tr	Set	- His	Va i	Le	. The	Lec	Let	Gly
			570	)				575	5				580	)		
45	Lei	u Sei	r I.e.	ı-Val	l Lei	Gly	Lei	Pro	Tr	sl۸٠c	Lei	ı Ile	e Pho	: Phe	: Se	r Phe
		585	5				590	)				59	5 .			
	A1	a Sei	r Gty	y Thi	r Phe	e Glr	Leu	yai	l Va	Leu	ı Tyı	r Le	u Pho	s Se	- 11	e lle
50	60					603					610					615
	Th	r Se	r Pho	e Gli	n Gły	y Pho	e I.eu	s He	e Pho	e Ile	Tr	р Ту	r Tr	s Se		t Arg
					620	1				62	5				63	0

Leu Gln Ala Arg Gly Gly Pro Ser Pro Leu Lys Ser Asn Ser Asp Ser

635 640 Ala Arg Leu Pro Ile Ser Ser Gly Ser Thr Ser Ser Ser Arg Ile 660 655 650 <210> 74 10 <211> 2061 <212> DNA <213> Homo sapiens 15 <400> 74 atgactecce agtegetget geagacgaea etgtteetge tgagtetget etteetggte caaggtgccc acggcagggg ccacagggaa gactttcgct tctgcagcca gcggaaccag 120 20 acacacagga gcagceteca etacaaacce acaccagace tgcgcatete categagaac 180 teegnagagg coeteacagt coatgeocet treectgeag eccaecetge treecgatee 240 ticcctgace ccaggggeet ctaccactic tgeetetact ggaacegaca tgetgggaga ttacatette tetatggeaa gegtgaette itgetgagtg acaaageete tageeteete 25 tgcttccagc accaggagga gagcctggct cagggccccc cgctgttagc cacttctgtc 420 acctectggt ggagecetes gasesteage etgeceagtg eegecagett eacettetee 480 ticcacagic ciccccacae ggccgcicae aaigccicgg iggacaigig cgagcicaaa 540 30 agggactice agetgeteag congilectg aagcateece agaaggeeic aaggaggeec 600 toggetgeec cegecageea geagitgeag ageetggagi egaaactgae etelgigaga 660 ttcatggggg acatggtgtc cttcgaggag gaccggatca acgccacggt gtggaagetc 720 cagoccacag coggectoca ggacotgoac atocactoco ggoaggagga ggagcagago 780 35 gagateatgg agtacteggt getgetgeet egaacaetet tecagaggae gaaaggeegg 840 aggggggagg ctgagaagag actectectg gtggactica geagecaage cetgitecag 900 gacaagaatt ccagccaagt ccigggigag aaggtotigg ggaltgiggt acagaacacc 960 40 anagtagees accleacega geoegiggig eleacelice agenceagel acageegang 1020 satgtgacte tgeaatgtgt gitetgggit gangaceeca cuttgageag ceeggggeat 1080 tggagcagtg ctgggtgtga gaccgtcagg agagaaaccc anacatcctg cttctgcaac 1140 45 cactigacet actitigeagt getgatggte teeleggtigg aggtggaege egtgeaeaag 1200 cactacetga geolectete chaegiggge igigiegici etgecetgge etgecitgie 1260 ageattgueg cetacetety etcenggagg anaceteggg actuencent chaggigese 1320 alganeetye igetggeegi etteetgetg gaeacgaget icetgeteag egageeggig 1380 50 geoeigican getetgagge iggetgeega geoagtgeea tetteetgea etteteeetg 1440 etencetgee titeetggat gageetegag ggatacimee tetneegaet egtggtggag 1500

166

	gtcitiggea cetatgiece iggetaceta cicaageiga gegecaiggg eiggggette l	1560
	cocatettic tggtgacget ggtggccctg gtggatgtgg acaactatgg ccccateate l	1620
5	ttggctgtgc ataggactee agagggcgte atctaccett ccatgtgctg gatccgggac	1680
	tecetggica getacateae caacetggge cicticagee iggigittet giteaacatg	1740
	gccatgctag ccaccatggt ggtgcagatc ctgcggctgc gcccccacac ccaaaagtgg	1800
10	teacatgige tgacactget gggeeteage etggteetig geetgeeetg ggeetigate	1860
. · · ·	ttetteteet tigettetgg caccilecag ettgtegtee tetacetitt cagcateate	1920
	accidentee auggetteet calcileate iggineiggt cealgegget geaggenegg	1980
	ggtggcccct cccctctgaa gagcaactca gacagcgcca ggctccccat cagctcgggc	2040
15	agcacctcgt ccagccgcat c	2061
	(210) 75	
20	<b>&lt;211&gt; 3564</b>	
	<212> DNA	
	<213> Homo sapiens	
25	•	
	<200> .	
	<221> CDS	
	(222) (43) (2103)	
30	/200\	
	(220)	
	<pre>&lt;221&gt; sig peptide </pre> <pre>&lt;222&gt; (43)(117)</pre>	
35	(2027 (437 \1117	
•	<221> mat peptide	
	(222) (118) (2103)	
40		
40	<400> 75	
	attacaggig gigacticca agagigacte egleggagga aa alg act eee cag	54
	Net Thr Pro Gln	
45	-25	
	teg etg etg eag acg aca etg tie etg etg agt etg ele tie etg gte	102
	Ser Leu Leu Gin Thr Thr Leu Phe Leu Leu Ser Leu Leu Phe Leu Val	
50	-20 -15 -10	
	can get gee cae gee and gee cae agy gan hae til ege tie ige age	เกิด
	Gln Gly Ala His Gly Arg Gly His Arg Glu Asp Phe Arg Phe Cys Ser	

	-5					1				5					10		
	cag	cgg	aac	cag	aca	cac	agg	agc	agc	ctc	cac	tac	aaa	ccc	aca	cca	198
i	Gln	Arg	Asn	Gln	Thr	His	Arg	Ser	Ser	Leu	His	Tyr	Lys	Pro	Thr	Pro	
				15					20					25			
	gac																246
10	Asp	Leu	Arg	lle	Ser	He	Glu	Asn	Ser	Glu	Glu	Ala	Leu	Thr	Val	llis	
			30					35					40				
													ttc				294
	Ala	Pro	Phe	Pro	Ala	Ala	His	Pro	Ala	Ser	Arg		Phe	Pro	Asp	Pro	
15		45					50					55					
													cat				342
	_	Gly	Leu	Tyr	His		Cys	Leu	Tyr	Trp	_	Arg	His	Ala	Gly		
20	60					65					70					75	200
													agt				390
	Leu	His	Leu	Leu		Gly	Lys	Arg	Asp			Leu	Ser	ASP		WIN	•
ne					80					85		0.00		<b>***</b>	90	777	438
25													ctg				100
	Ser	Ser	Leu			rne	GTU	1115	100		010	361	Leu	105		ULY	
				95		ogt	***	<b>71</b> C			100	100	200			Rac	486
30																Asn	
	710	) F10	110		n10		561	115		00.			120				•
	910	agr			. 201	gcc	ecc			aco	: 1tc	: tco			agt	. cct	534
35																Pro	
	•••	125	_				130					13					
	cco			g gcc	gc1	cac	aaı	gco	: leg	ggt	g gad	at	g Lgo	gag	cle	aaa	582
												-				Lys	
40	140					14	_				150	_				155	
	aga	g gae	c Cti	c cas	z cta	z cti	c age	c ca	giti	c ct	g aa	g ca	t cc	: ca	g aa	g gcc	630
	Arı	g Asi	p i.e	u Gli	n I.e	ı l.e	y Se	r Gli	n Pho	c Le	u Ly	s Ili	s Pro	o Gli	ı I.y	s Ala	
45					160	כ				16	5				170	0	
	tc	n ag	g ag	g cc	c to	g gc	t gc	c cc	c gc	c ag	c ca	g ca	gtt	g ca	g ag	cctg	678
	Se	r Ar	g Ar	g Pr	o Se	r Al	a Al	a Pr	ιλ ο	n Se	r Gl	n Gl	n I.e	u Gl	n Se	r i.eu	
50				17	ลื				เล	0			. •	18	5		
50																e itc	726
	Gl	u Se	r Ly	s le	u Th	r Sc	r Va	l Ar	g Ph	c Ne	t GI	y As	p Ne	t Va	1 Se	r l'he	

•			190					195					200				
	gag	gag	gac	cgg	atc	aac	gcc	acg	gtg	tgg	aag	ctc	cag	ccc	aca	gcc	774
5	Glu	Glu	Asp	Arg	lle	Asn	Ala	Thr	٧al	Trp	Lys	Leu	Gln	Pro	Thr	Ala	
		205					210					215					
	ggc	ctc	cag	gac	ctg	cac	atc	cac	tcc	cgg	cag	gag	gag	gag	cag	agc	822
10	Gly	Leu	Gln	Asp	Leu	His	lle	His	Ser	Arg	Gln	Glu	Glu	Glu	Gln	Ser	
	220					225					230					235	
	gag	atc	atg	gag	tac	tcg	gtg	ctg	ctg	cct	cga	aca	ctc	ttc	cag	agg	870
	Glu	He	Met	Glu	Tyr	Ser	Val	Leu	Leu	Pro	Arg	Thr	Leu	Phe	Gln	Arg	
15					240					245					250		
	acg	aaa	ggc	cgg	agg	888	gag	gct	gag	aag	aga	ctc	ctc	ctg	gtg	gac	918
	Thr	Lys	Gly	Arg	Arg	Gly	ĢIu	Ala	Glu	Lys	Arg	Leu	Leu	Leu	Val	Asp	
20				255					260					265			
		_	•		-	_		_	_	_			_		gtc	-	966
	Phe	Ser	Ser	Gln	Ala	Leu	Phe		Asp	Lys	Asn	Ser		Gln	Val	Leu	
			270					275					280				
25															gcc		1014
	Gly		Lys	Va)	Leu	Gly		Val	Val	Gln	Asn		Lys	Val	Ala	Asn	
		285					290					295					
30															ccg		1062
		Thr	Glu	Pro	Val		Leu	inr	Pne	GIU		טנט	Leu	GIN	Pro		
	300					305					310					315	
				_		-					-	_			Ltg		1110
35	Asn	Val	ihr	Leu		Lys	Val	rne	ırp		ĢΙU	ASP	Pro	inr	Leu	Ser	
					320		•			325					330		1158
	_	_								_					aga		1136
40	Ser	FTO	GLY		ırp	Ser	Ser	niu	340	Cys	GIU	1111	va.:	345	Arg	010	
				335				000			200					017	1206
					_		_								gtg		1200
	ınr	OIU	350	Ser	Cys	rne		355		1.60	tht	171	360		. Val	FEO	
45	***	<b>41.</b>		100	~.~	<b>646</b>				<b>71</b> 17	cac	ยอด			ctg	900	125-1
															l.eu		
	MCL	365		501	1111	.,.0	370		,,,,,			375		.,.		<b>J</b> .	
50	ctr			Lac	gto	gge			gte	101	gcc			lge	ctt	RIC	1302
															Leu		

	380				;	385					390					395	
	agc	att	gcc	gcc	tac	ctc	tgc	tcc	agg	agg	888	cc t	cgg	gac	tac	acc	1350
5	Ser	He	Ala	Ala	Tyr	Leu	Cys	Ser	Arg	Arg	Lys	Pro	Arg	Asp	Tyr	Thr	
					400					405					410		
	atc	aag	gtg	cac	atg	aac	ctg	ctg	ctg	gcc	gtc	ttc	clg	ctg	gac	acg	1398
10	Ile	Ĺys	Val	His	Met	Asn	Leu	Leu	Leu	Ala	Val	Phe	Leu	Leu	Asp	Thr	
		•		415					420					425			
	-			ctc													1446
46	Ser	Phe	Lev	Leu	Ser	Glu	Pro	Val	Ala	Leu	Thr	Gly		Glu	Ala	Gly	
15			430					435					440				
				agt													1494
	Cys		Ala	Ser	Ala	Ile		Leu	His	Phe	Ser		Leu	Thr	Cys	Leu	
20		445					450					455					1540
		_		ggc													1542
		Ттр	Ket	Gly	Leu		GIÀ	ıyr	ASN	Leu	470	wrg	ren	491	va1	475	
25	460				• • •	465		<b>440</b>	***	<b>C</b> 1 0		220	61.0	300	acc		1590
	-			acc Thr													1000
	val	rne	013	1111	480	*41	110	01)	• • • •	485	LCU	Lys	200	JC1	490		
	aec	1	990	tic		atc	**1	cte	ata		ctg	gta	RCC.	CLE			1638
30				Phe													
	01,	•••	0.,	495					500					503		·	
	gtg	gac	aac	tat	ggc	ccc	atc	atc	tlg	gct	gtg	cat	agu	act	cca	gag	1686
35				Tyr													
			510	)				515	,				520	1			
	ggc	gto	ato	tac	cct	LCC	atg	tgo	tgg	ato	cgg	gac	tcc	ctg	gtc	agc	1734
40	Gly	Val	He	Tyr	Pro	Ser	Met	Cys	Trp	Ile	Агд	Asp	Ser	l.eu	Val	Ser	
		525	;				530	)				535					
	tac	ato	acc	aac	ctg	ggc	cto	ito	ago	ctg	gtg	tti	ctg	LLC	aac	atg	1782
	Tyr	Ile	The	· Asn	Leu	Gly	l.eu	Phe	Ser	Leu	\ Yal	Phe	Leu	Pho	. Asn	MeT	
45	540					5/15					550					555	
	_															CHC	1830
	Ala	a Het	Lei	ı Ala			. Val	Yal	Glr			Arg	Leu	, yr.s		llis	
50					560					565					570		1071
																gtc	1878
	Thi	r Gli	ı Ly:	s Tri	Ser	· Hi:	; V.1	l l.e	ı Thi	: Lei	Leu	Gly	Let	i Sei	· I.eu	ı Varl	

. 170

	!	575		580	580	
	ctt ggc ctg					
5	Leu Gly Leu	Pro Trp Al	a Leu lle	Phe Phe Ser	Phe Ala Ser	Gly Thr
•	590		595		600	
				ttc agc atc		
10	Phe Gin Leu	Val Val Le	u Tyr Leu	Phe Ser Ile	He Thr Se	r Phe Gln
	605		610		615	
				tgg tcc atg		
	Gly Phe Leu	Ile Phe Il	le Trp Tyr	Trp Ser Met		
15	620	62	_	630		635
				aac tca gac		
	Gly Gly Pro		eu Lys Ser	Asn Ser Asp	Ser Ala Ar	650
20		640		645		
						gcccacctgc 2123
	lle Ser Ser		ur ser ser	Ser Arg Ile	•	
25		655		•••		cgagccaggc 2183
						agagatgggc 2243
						g ggactactcg 2303
						gggtacigic 2363
30						tgggcccagc 2423
						t aatootgige 2483
						a ccctgagggc 2543
35						g ggcccagggc 2603
						c acagcagcag 2663
						c teeetecate 2723
						c agetgggggt 2783
40						g igictgcigt 2843
						g taccgatgcg 2903
	tgggctgggc	taggiccete	c tgtccate	tg ggcctitgt	a tgagetgea	t tgecettget 2963
45						c cetetigigg 3023
	cangaactgl	ggaccatgc	c agtcccg	ci ggitices	LC CCHCCACLO	c aaggactgag 3083
						g giteleteca 3143
50						t gtссявсиля 3203
<b></b>	cacacacakk	tagattget	g goolgii	ıla ggtggtagı	gg acacagatg	ра седяссідді 3263
	esetectect	vecanent t	c agtetes	tat glgaggeg	tg egignige.	m ganeteetgg 3323

	agcıa	cag	gg a	cagg	gagc	c at	catt	cctg	cct	ggga	atc	clgg	Baga	cl t	ccig	саяяя	3383
	gtcag	gegt	tc a	atct	tgac	c tt	gaag	atgg	gaa	ggat	gtt	cttt	t tac	gt a	ccaa	ticit	3443
5	ttgto	ettt	tg a	tatt	8888	a ga	agta	catg	ttc	attg	tag	agaa	tttg	ga a	actg	tagaa	3503
	gagas	atca	ag a	agaa	aaat	a aa	aatc:	agct	gtt	gtaa	tcg	ccta	gcaa	aa a	aaaa	aaaaa	3563
	a																3564
10																	
	<210	> 76															
	<211	> 70	4							•	•						
	(212	> PR	τ														
15	<b>&lt;213</b>	> Ho	no s	apie	ns									•			
	(400	> 76	i														
20	Met	Phe	Thr	Phe	Leu	Leu	Thr	Cys	Ile	Phe	Leu	Pro	Leu	Leu	Arg	Gly	
20	-16	-15					-10					-5					
	His	Ser	Leu	Phe	Thr	Cys	Glu	Pro	lle	Thr	Val	Pro	Arg	Cys	Met	Lys	
25	1				5					10					15		
	Het	Ala	Tyr	Asn	Met	Thr	Phe	Phe	Pro	Asn	Leu	Ket	Cly	His	Tyr	Asp	
				20					25					30			
30	Gln	Ser	He	Ala	Ala	Val	Glu	Met	Glu	llis	Phe	Leu	Pro	Leu	Ala	Asn	
			35					40					45				
	Leu	Glu	Cys	Ser	Pro	Asn	lle	Glu	The	Phe	Leu	Cys	Lys	Ala	Phe	Va I	
		จึ0					กิจี					60					
35	Pro	Thr	Cys	He	Glu	Gln	Ile	His	Val	Val	Pro	Pro	Cys	٨rg	Lys	Leu	
	65					70					75					80	
	Cys	Glu	lys	Val	Tyr	Ser	Asp	Cys	Lys	Lys	Leu	He	Asp	Thr	Phe	Gly	
40					85					90					95		
•	lle	Arg	Trp	Pro	Glu	Glu	Leu	Glu	Cys	Λsp	Arg	Leu	Gln	Tyr	Cys	Asp	
-				100					105					110	İ		
	-Glu	Thr	Val	Pro	Val	Thr	Phe	Asp	Pro	llis	Thr	Glu	Phe	Leu	Gly	Pro	
45	,	•	115	,				120					125				
	Gln	Lys	l.ys	Thr	Glu	Gln	Val	Gln	Arg	٨sp	Ile	Gly	l'he	Trp	Cys	Pro	
		130					135					140	ı				
50	Arg	His	1.eu	l.ys	The	Ser	Gly	Gly	Gln	Gly	Tyr	l.ys	Phe	l.eu	Gly	He	
	145					150					เจิจิ					160	
	λsp	Gla	Cys	Ala	Pro	Pro	Cys	Pro	Asn	Met	Tyr	Phe	Lys	Ser	Asp	Glu	

					165					170					175		
	Leu	Glu	Phe	Ala	Lys	Ser	Phe	Ile	Gly	Thr	Val	Ser	Ile	Phe	Cys	Leu	
5				180					185					190			
	Cys	Ala	Thr	Leu	Phe	Thr	Phe	Leu	Thr	Phe	Leu	He	Asp	Val	Arg	Arg	
			195					200			•		205				
	Phe	Arg	Tyr	Pro	Glu	Arg	Pro	lle	Ile	Tyr	Tyr	Ser	Val	Cys	Tyr	Ser	
10		210					215					220					
	He	Va]	Ser	Leu	Met	Tyr	Phe	Ile	Gly	Phe	Leu	Leu	Gly	Asp	Ser	Thr	
	225					230					235					240	
15	Ala	Cys	Asn	Ĺys	Ala	Asp	Glu	Lys	Leu	Glu	Leu	Gly	Asn	Thr	Yal	Val	
					245					250					255		
	Leu	Asp	Ser	Gln	Asn	Lys	Ala	Cys	Thr	Val	Leu	Phe	Ket	Leu	Leu	Tyr	
20				260					265					270			
20	Phe	Phe	Thr	Net	Ala	Gly	Thr	Val	Ţrp	Trp	Val	He	Leu	Thr	lle	Thr	
			275					280					285				
	Trp	Phe	Leu	Ala	Ala	Gly	Arg	Lys	Trp	Ser	Cys	Glu	Ala	lle	Glu	Gln	
25		290					295					300					
	Lys	Ala	Val	Trp	Phe	His	Ala	Val	Ala	Trp	Gly	Thr	Pro	Gly	Phe	Leu	
	305					310					315					320	
30	Thr	Val	Net	Leu	Leu	Ala	Met	Asn	Lys	Val	Glu	Gly	Asp	Asn	lle	Ser	٠
					325					330					335		
	Gly	Val	Cys	Phe	Val	Gly	Leu	Tyr	Asp	Leu	Λsp	Λla	Ser	Arg	Tyr	Phe	
				340					3-15					350			
35	Val	Leu	Leu	Pro	Leu	Cys	Leu	Çys	Val	Pho	Val	Gly	Leu	Ser	Leu	l.eu	i
			355					360					365				
	Leu	Λla	Gly	Ile	Ile	Ser	Leu	Asr	llis	. Vai	Arg	Gln	Val	Ile	Gin	llis	i
40		370					375					380					
	Asp	Gly	Arg	Asn	G1n			Leu	ı i.ys	: Lys	Pho	Net	Ile	Arg	lle		
	385					390					395					400	
	Val	Phe	Set	Gly		•	Leu	Va1	Pro	Leu	Yal	Thi	Leu	Leu	Gly	Cys	;
45					405					410					415		
	Tyr	· Val	Tyr	Glu	Gln	\ Val	Asn	Arı			Tr	Gle	ile			Va	ĺ
				420					425				_	430			
50	Ser	. yst			: Arg	Glr	Tyr			: Pro	Cys	i l're	Tyr		n Ala	ı Ly:	;
			435					4-10			••		445		•	,,	
	Ala	ı l.y:	s Ali	Arg	Pro	Glu	ı l.cı	ı Ala	Leu	i Pho	: He	i Ile	: I.ys	Typ	· Leu	4c	L

		450					455					460				
	Thr	Leu	He	Val	Gly	lle	Ser	Ala	Val	Phe	Trp	Val	Gly	Ser	Lys	Lys
5	465					470					475					480 .
	Thr	Cys	Thr	Glu	Тгр	Ala	Gly	Phe	Phe	Lys	Arg	Asn	Arg	Lys	Arg	Asp
					485					490					495	
10	Pro	lle	Ser	Glu	Ser	Arg	Arg	Val	Leu	Gln	Glu	Ser	Cys	Glu	Phe	Phe
10				500					505					510		
	Leu	Lys	His	Asn	Ser	Lys	Val	Lys	His	Lys	Lys	Lys	His	Tyr	Lys	Pro
			<b>5</b> 15					520					525			
15	Ser	Ser	His	Lys	Leu	Lys		Ile	Ser	Lys	Ser		Gly	Thr	Ser	Thr
		530					535		_			540		_	_	
		Ala	Thr	Ala	Asn		Gly	Thr	Ser	Ala		Ala	He	Thr	Ser	
20	545	•	1	C1	C1-	550	<b>T</b> L_	t	Th-	C1	555	C1-	Th-	°	D	560 Cl::
	ASP	iyr	Leu	GIY	G1n 565	GIU	ınr	Leu	ınr	570	116	GIII	IIII	Ser	575	610
	Th-	Sar	Val	Aro	Glu	Vol	lvc	Ala	Asn	-	Ala	Ser	Thr	Pro	-	l eu
<b>25</b>	1111	JEI	NEL	580		.01	Lys		585	<b>U</b> 1,			••••	590		
	Arg	Glu	Gln	• • •	Cys	Gly	G] u	Pro		Ser	Pro	Ala	Ala	Ser	Ile	Ser
			595		·	•		600					605			
	Arg	Leu	Ser	Gly	Glu	Gln	Val	Asp	Gly	Lys	Gly	G]n	Ala	Gly	Ser	Val
30		610					615					620				
	Ser	Glu	Ser	Ala	۸rg	Ser	Glu	Gly	Arg	He	Ser	Pro	Lys	Ser	Asp	Ile
	625					630					635					640
35	Thr	Asp	Thr	Gly	Leu	۸la	Gln	Ser	Asn	Asn	Leu	Gln	Val	Pro	Ser	Ser
					6-15					650					655	
	Ser	Glu	Pro	Ser	Ser	Leu	l.ys	Gly	Ser	The	Ser	Leu	Leu			Pro
40				660					665					670		
	Val	Ser			Arg	l.ys	Glu			Gly	Gly	Cys			Asp	Thr
			675	•				680	)				685			
45	<b>~</b> " 1	n> 1	-													
~		0> 7														
		2 לו) מיני														
		12> 0 13> 11		Suni	ens											
50	761		··/mit/	.76167												

(100) 77

55

	atguttacat titigitgae gigiattiti ciaccectee taagagggea cagicicile	60
	accigigaac caattacigi icccagaigi algaasaigg cctacaacai gacgilliic	120
j.	cctaatciga igggicatta igaccagagi attgccgcgg iggaaaigga gcattitcii	180
	cctctcgcaa atctggaatg ttcaccaaac attgaaactt tcctctgcaa agcatttgta	240
	ccaaccigca tagaacaaat tcaigiggii ccacciigic glaaaciiig igagaaagia	300
10	taticigati gcaaaaatt aattgacact tiigggatee gatggeetga ggagetigaa	360
	tgigacagat tacaatacig igaigagaci gilcciglaa cilligatce acacacagaa	420
	tttcttggtc ctcagaagaa aacagaacaa gtccaaagag acattggatt ttggtgtcca	480
	aggeatetta agaettetgg gggacaagga tataagtite tgggaattga ceagtgtgeg	540
15	cctccatgcc ccaacatgta ttttaaaagt gatgagctag agtttgcaaa aagttttatt	600
	ggascagtit castattitg tottigiges actorgics esticettee tittitasti	<del>66</del> 0
	gatgitagaa gattcagata cccagagaga ccaattatat attactcigt cigitacagc	720
20	attgtatete ttatgtaett cattggattt ttgctaggeg atagcacage etgcaataag	780
20 ,	gcagatgaga agctagaact tggtaacact gttgtectag acteteasaa taaggelige	840
	acceptitigt toatgottil gtattitic acaategote gcactelete gigggigatt	900
	cttaccatta cttggttctt agctgcagga agaaaatgga gligtgaagc catcgagcaa	960
25	assgragtgt ggtttcatgc tgttgcatgg ggascaccag gtttcctgac tgttatgctt	1020
	cttgctatga acaaagttga aggagacaac attagtggag tttgctttgt tggcctttat	1080
	gacciggatg citclegeta citigtacie tigecacigi geelligigi giligiiggg	1140
•	cicticite tittagetgg cattatitee tianateatg liegacaagt calacaacat	1200
30	gatggccgga accaagaasa actaasgasa ittatgatte gasttggagt cilcagegge	1260
	tigiatetig tgecaltagt gacacticie ggalgilacg telaigagen aglgaacugg	1320
	attacciggg agataactig ggicicigal caliglogic aglaccalat cucaigloci	1380
35	latcaggena aagcaaaagc tegaccagaa tiggetilat tlatgataaa ataccigalg	1440
	acattaattg tiggcatote tgetgtette tgggtiggaa gcaaaaagae atgcacagaa	
	igggoigggt titttaaacg aaalogcaag agagatocaa loagigaaag logaagagta	
	ctacaggaat catgigagit titcitaaag cacaattcta aagttaaaca caaaaagaag	
40	cactatasac caagitcaca caagcigaag gicatticca aatecatggg aaccagcaca	
	ggagctacag caaatcatgg cacttetgea gtagcaatta ctagccatga ttacctagga	
	cangasactt tgacagasat ccasaccica ccagnascat cantgagaga ggigasagcg	
45	gacggageta geacceccag gitaagagaa caggacigig gigaaccige elegecagea	
•	gentecatet ceagactete tggggaacug glegnegggu auggecagge aggeagtgta	
	tetganagig egeggagigh agganggatt agteenangu gigntatine igacacigge	
	ciggeneaga geascantit geaggieece agitelleag aaccaageag celeaanggi	
50	tecacatete tgettgtten eceggitten ggagtgngaa augagenggg aggiggitgt	
	cattengata et	2112

	<210> 78	
	<211> 3492	
5	<212> DNA	
	<213> Homo sapiens	
10	<200>	
-	<221> CDS	
	<b>(222) (6) (2117)</b>	
15	⟨220⟩	
	<pre>&lt;221&gt; sig peptide</pre>	
	(222> (6) (53)	
20		
	(220)	
	<221> mat peptide	
25	(222> (54) (2117)	
	<400> 78	
	tggaa atg tit aca tit tig tig acg tgt att itt cta ccc ctc cta	47
30	Het Phe Thr Phe Leu Leu Thr Cys IIe Phe Leu Pro Leu Leu	
	-16 -15 -10 -5	95
	aga ggg cac agt cic tic acc tgt gaa cca att act gtt ccc aga tgt	3.1
35	Arg Gly His Ser Leu Phe Thr Cys Glu Pro Ile Thr Val Pro Arg Cys  1 5 10	
	alg aga ang gee tae ane ang neg til the een aga eng ggl cal	143
	Met Lys Net Ala Tyr Asn Met Thr Phe Phe Pro Asn Leu Met Gly Ilis	
40	15 20 25 30	
	tat gae cag agt att gee geg gtg gaa atg gag cat itt eit eet ete	191
	Tyr Asp Gin Ser lie Ala Ala Val Giu Het Giu Ilis Phe Leu Pro Leu	
45	35 40 . 45	
	gea and ctg gas tgt ten ces use att gas set tte etc tge ann gen	239
	Ala Asn Leu Glu Cys Ser Pro Asn Ile Glu Thr Phe Leu Cys Lys Ala	
	50 55 60	
50	tit gia cea ace tge ata gan cha att ent gig git cea cet tgt egi	287
	Phe Val Pro The Cys He Glu Glu He His Val Val Pro Pro Cys Ark	

			65					70					75				
	aaa	ctt	tgt	gag	aaa	gta	tat	tct :	gat	tgc	aaa	aaa	tta	all	gac	act	335
5	Lys	Leu	Cys	Glu	Lys	Val	Tyr	Ser	Asp	Cys	Lys	Lys	Leu	lle	Asp	Thr	
		80					85					90					
	ttt	ggg	atc	cga	tgg	cct	gag	gag	ctt	gaa	tgt	gac	aga	t ta	caa	tac	383
10	Phe	Gly	lle	Arg	Trp	Pro	Glu	Glu	Leu	Glu	Cys	Asp	Arg	Leu	Gin	Tyr	
	95					100					105					110	
	_							act									431
15	Cys	Asp	Glu	Thr	Val	Pro	Val	Thr	Phe	Asp	Pro	His	Thr	Glu	Phe	Leu	
					115					120					125		
								сав									479
	Gly	Pro	Gln	Lys	Lys	Thr	Glu	Gln		Gln	Arg	Asp	Ile	_	Phe	Trp	
20 .				130					135					140			507
	-							tcı									527
÷	Cys	Pro			Leu	Lys	Inr	Ser	01 <b>y</b>	GIA	OIN	01 y	191 155	Lys	rne	Leu	
25			145			~~~		150	1.00	***		210		* * * 1	202	agt	575
								cca Pro									0.0
	GIA	160		ווגטיי	Cys	nıa	165		0,3		, ,,,,,,,	170			-, -	•••	
••	201			a a a a		gra		agt	111	att	228			Lca	ata	ttt	623
30																Phe	
-	175			. 010		180					185					190	
			. tgi	gca	act	cte	ttc	aca	itc	cti	act	. τιι	. tta	เลเเ	gat	gtt	671
35	-															Val	•
	•		_		195					200					203		
	aga	aga	tte	: aga	tac	cca	gag	aga	cca	ati	t ata	ta	tac	: 101	gto	tgt	719
40	Are	, Are	z Pho	e Are	3 Ty:	r Pro	Glu	, Arg	; Pro	110	e Ile	2 Tyı	Tyı	r Sei	· Ya	Cys	
				210	)				215	5				220	)		
																gat	767
45	Tyı	r Se	r 11	e Va	l Se	r Lei	J He	t Tyt	: Pho	e II	c GI	y Pho	e Lei	ı Lei	ı Gi	y Asp	
			22					230					23				
	_															e act	815
50	Se	r Th	r Al	а Су	s As	n I.y			o Gli	u l.y	s l.e			u GI:	y As	n Thr	
		24					24					25					orn
•	gi	L gL	C CE	a ga	c lc	t ca	a aa	t aay	K BC	t tg	c ac	C XL	1 1 1	gu	c at	g ett	863

	<b>Yal</b>	Val	Leu	Asp	Ser	Gln	Asn	Lys	Ala	Cys	Thr	Val	Leu	Phe	Met	Leu	
	255					260					265					270	
5	_							ggc									911
	l.eu	Туг	Phe	Phe	Thr	Met	Ala	Gly	Thr	Val	Trp	Trp	Val	Ile	Leu	Thr	
					275					280					285		44
10								gga									959
	lle	Thr	Trp	Phe	Leu	Ala	Ala	Gly		Lys	Trp	Ser	Cys	Glu	Ala	Ile	
				290					295					300			
								cat									1007
15	Glu	Gln	Lys	Ala	Val	Trp	Phe	His	Ala	Val	Ala	Trp		Thr	Pro	Gly	
			305					310					315				
		_						gct									1055
20	Phe	Leu	Thr	Val	Het	Leu		Ala	Het	Asn	Lys		Glu	Gly	ASP	ASN	
		320					325					330			• • •		1102
		-						ggc									1103
25			Gly	Val	Cys		Val	Gly	Leu	ıyr	<b>-</b>	Leu	ASD	NIN	Sel	350	
	335					340					345						1151
																tct Sor	1101
	Туг	Pho	Ya1	Leu			Leu	Cys	ren			rne	vai	GIY	365	Ser	
30					355			•••	•••	360			643				1199
																ata l lle	(,,,,
	1.eu	Lei	ı Leu			116	. 110	30)	375		1113	· • • • • •	, nu e	380			
35				370			ras					, 995				t cga	1247
																e Arg	
	UII	1 11112	:38:			, ,,,,,		390			. 0, .	,.	395	_			
	ati	1 00			ago	gg	: tt			gts	cce	i tis	gte	z ac	a ci	ı ctc	1295
40																u Leu	
		40					40	_				410					
	æ	a tg	l ta	c gto	: ta	t ga	g ca	a gtg	Baac	agg	at!	L ac	t g	g ga	gat	a act	1343
45																e Thr	
	41:	_				420					42					430	
	Lg	g gi	c lc	t ga	t ca	t ig	t cg	t ca	z ta	c ca	נ מני	c cc	a tg	t cc	t ta	ı cag	1391
50	Tr	p Ya	l Se	r As	p Hi	s Cy	s Ar	g (i)ı	Ty	r Hi	s 11	e Pr	о Су	s Pr	o Ty	r Glo	
					13	ล์				-1-10	0				4.1	5	
	ИC	ત સંસ	a gc	il ild	a gc	t cg	n cc	a ga	i 11	k Kc	l tt	n tt	t at	g at	N 841	n tac	1439

	Ala	Lys	Ala		Ala	Arg	Pro	Glu		Ala	Leu	Phe	Met		Lys	Tyr	
5				450					155					460			1407
3	_	_													gga		1487
	Leu	Met		Leu	116	Val	GIY		5er	ALA	ıaı	rne	_	vai	Gly	Ser	
			465					470					475				1525
10		-													cgc		1535
	Lys	•	Thr	Cys	Thr	610		Ala	GIY	rne	rne •		ALR	KSN	Arg	rys	
		480					485					490		•	•		1502
15	_	-													tgt		1583
		Asp	Pro	11e	Ser		Ser	WLR	Arg	781	505	GIN	010	Ser	Cys	510	
	495					500						202	996	227	cac		1631
															cac His		1001
20	rne	rne	reu	Lys	515	V211	Ser	LJS	Val	520	1113	L) 3	<b>0</b> ,3	2,3	525	•,,•	
	292	cca	AGT	tra		885	ctø	aag	gtc		tcc	aaa	tcc	atg	gga	acc	1679
			-												Gly		
25	د, 3	,,,		530		0,0		-,-	535			-•-		540			
	820	aca	222	-	aca	gca	8a t	cal		act	tct	gca	gta	gca	att	act	1727
															Ile		
30	•••		545					550					555				
30	ago	cat			cta	gga	caa	gaa	acı	ιtg	ละล	gaa	atc	caa	acc	tca	1775
																Ser	
		560					565					570					
35	cca	gas	a acı	ı Lca	atg	aga	gag	gta	, 1121H	gck	gac	gga	gct	ago	acc	ccc	1823
	Pro	Gli	. Thi	r Ser	Met	. Arg	Glu	Yal	Lys	: Ala	. Asp	Gly	Ala	Ser	Thr	Pro	
	578	5				580	)				585	,				590	
40	agg	3 118	a aga	ı gaz	cae	gac	: tgt	. ggl	. gaa	1 001	gcc	LCE	cca	a gca	gca	tcc	1871
	Ara	z Lei	υ Arg	g Glu	Gli	) Asp	Cys	Gly	Glu	ı Pro	Ala	Ser	Pro	Λla	a Ala	Ser	
					59:	5				600	)				605	i	
	ati	e te	c ag	a cto	: tc	REE	gaa	t cat	gle	gao	ggs	aas	ggc	: caย	g gca	ggc	1919
45	11	e Se	r Ar	g l.eu	s Sei	Gly	r Glu	Glo	ı Val	l Asr	Gly	l.ys	Gly	Glr	n Ala	Gly	
				610	)				613	5				620	)		
																agt	1967
50	Se	ı Va	l Se	r Gli	ı Se	r Ala	. Arı	s Sei	r Gli	u Gly	y An	: H	: Sei	r Pro	o Lys	s Ser	
			62	5				630	0				63	5			
																	2015

	Asp He Thr Asp Inr Gly Leu Ala Gln Ser Ash Ash Leu Gln Val Pro	
	640 645 650	
5	agt tot toa gaa coa ago ago oto aaa ggt too aca tot otg ott gtt 2063	3
	Ser Ser Ser Glu Pro Ser Ser Leu Lys Gly Ser Thr Ser Leu Leu Val	
	655 660 665 670	
40	cac ccg git tca gga gtg aga aaa gag cag gga ggt ggt tgt cat tca 211	t
10	His Pro Val Ser Gly Val Arg Lys Glu Gln Gly Gly Gly Cys His Ser	
	675 680 685	
	gat act tgaagaacat tttctctcgt tactcagaag caaatttgtg ttacactgga 216	7
15	Asp Thr	
	agigacciai gcacigitti giaagaatca cigitacgii cilcillige actiaaagii 222	7
	gcatigccia cigitataci ggaasasata gagitcaaga ataatatgac tcatitcaca 228	7
	caaaggitaa tgacaacaat ataccigaaa acagagaigi gcaggitaat aatatiitti 234	7
20	teatagigig ggaggacaga gitagaggaa tetteettit etatttatga agattetaet 240	7
	cttggtaaga gtattttaag atgtactatg ctattttact tttttgatat aaaatcaaga 246	7
	tatticitig eigaagtatt taaateitat eeligtatet tittataeat attigaaaat 252	7
25	aagettatat gtatttgaac tittitigaaa teetatteaa gtattittat catgetatig 258	7
	tgatatttta gcactitggt agcttttaca ctgaatttct aagaaaattg taaaatagtc 264	7
	tictittata etgiaaasaa agatatacca aaaagtetta taataggaat ttaactitaa 270	7
30	anaccentt attgatacet taccatetaa natgigigat tittatagie tegittingg 276	7
30	aattteneag aletanatta tgiagelgan ataaggiget taeleaaaga gigteeneta 282	:7
	tigatigial latgotgoto actgatoott olgoatatit aaaalaaaal glootaaagg 288	17
	gttagtagac aanaigitag tettiigtal allaggeesa gigeanliga etteeetitt 294	17
35	ttaatgtiic atgaccaccc atigaligia itataaccac ttacagtigo italaititi 300	
	igiillaaci tilgilitti aacatttaga alattacatt tigiattala cagtacctii 306	
	ctcagacatt tigiagaatt catticggca gcicactagg attitigciga acattamaan 312	
40	gigigalage galatlagig ceasteasal ggaaaaaagg tagtettast saacaagaes 318	
+0	caseguttu ataesaesta ettisaasta tisaggagti tiettaatti igitteetai 32-	
	taagtattat tettitgggea agattitetg atgettitga tittetetea attiageatt 330	
	igcittiggi ittiticici attiageati cigitaagge acaaaaaacta igtacigiat 336	
45	gggaantgit gtanatalla colliterae allitaanea gacaacttig aatacannan 3-12	
	cttigtitig igigalciti icallaataa aattalciti gtalaagaaa азаяналала 3-И	87
	ааала ::1	<b>32</b>
50		
<b>∞</b>	<210> 79	
	(211) 551	

(212) PRT

55

5	<400	> 79														
	¥et	l.eu	Cys	Ser	Leu	Leu	Leu	Cys	Glu	Cys	Leu	Leu	Leu	Val	Ala	Gly
	-18			-15					-10					-5		
10	Tyr	Ala	His	Asp	Asp	Asp	Trp	He	Asp	Pro	Thr	Asp	Het	Leu	Asn	Tyr
			1				5					10				
	Asp	Ala	Ala	Ser	Gly	Thr	Met	Arg	Lys	Ser	Gln	Ala	Lys	Tyr	Gly	lle
	15					20					25					30
15	Ser	Gly	Glu	Lys	Asp	Val	Ser	Pro	Asp	Leu	Ser	Cys	Ala	Asp	Glu	lle
					35					40					45	
	Ser	Glu	Cys	Tyr	His	Lys	Leu	Asp	Ser	Leu	Thr	Tyr	Lys	Ile	Asp	Glu
20				50					55					60		
	Cys	Glu	Lys	Lys	Lys	Arg	Glu	Asp	Tyr	Glu	Ser	Gln	Ser	Asn	Pro	Val
			65					70					75			
	Phe	Arg	Årg	Tyr	Leu	Asn	Lys	Ile	Leu	Ile	Glu		Gly	Lys	Leu	Gly
25		80					85				•	90				
	Leu	Pro	Asp	Glu	Asn	Lys	Gly	Asp	Het	His	Tyr	Asp	Ala	Glu	Ile	
	95					100					105					110
30	Leu	Lys	Arg	Glu	Thr	Leu	Leu	Glu	Ile		Lys	Phe	Leu	Asn		Glu
					115					120					125	
												_				
	Asp	Trp	Lys	Рто	Gly	Ala	Leu	Asp			Leu	Ser	Asp			He
35				130					135			_		140		
	Asn	Phe			His	Asp	Phe			Trp	Lys	Trp			Glu	Λsp
	_		1:15			_	<b>.</b>	150					155		c	1
40	Ser			Val	Asp	Pro			Va!	Leu	Met			ı.eu	Cys	Leu
		160				,	165			۵.		170			. V - 1	4
			lie	Ya l	Val			Λla	iht	. 610			ınr	ıyr	Val	Arg
	175					180					185		DI.		01	190
45	Тгр	Tyr	The	Glr			Arg	, Val	l.eu			Sei	r Pho	Leu		Ser
			_		195		_		-	200		41.	n.	. VI	205	
	Leu	Gly	Tro			Net	Tyr	· I.eu			I.cu	Ala	ı rne			llis
50				210				٠,	215		<b>A</b> = -	. 1 -	. 1/ •	220		
	Gln	Ala			Ala	Lys	NC!			) i.cu	ASI	ı ASI			. 411	l.vs
			225	•				2.30	)				235	)		

	Lys	Met	Asp	Trp	Thr	Gly	Ser	Ile	Trp	Glu	Trp	Phe	Arg	Ser	Ser	Trp
		2-10					245					250				
5	Thr	Tyr	Lys	Asp	Asp	Рго	Cys	Gln	Lys	Tyr	Tyr	Glu	Leu	Leu	Leu	Val
	255					260					265					270
	Asn	Pro	lle	Ттр	Leu	Val	Pro	Pro	Thr	Lys	Ala	Leu	Ala	Val	Thr	Phe
10					275					280					285	
	Thr	Thr	Phe	Val	Thr	Glu	Pro	Leu	Lys	His	lle	Gly	Lys	Gly	Thr	Gly
				290					295		•			300		
	Glu	Phe	lle	Lys	Ala	Leu	Met	Lys	Glu	Ile	Pro	Ala	Leu	Leu	His	Leu
15			305					310					315			
	Pro	Yal	Leu	Ile	lle	Met	Ala	Leu	Ala	Ile	Leu	Ser	Phe	Cys	Tyr	Gly
		320					325					330				
20	Ala	Gly	Lys	Ser	Val	His	Val	Ļeu	Arg	His	Ile	Gly	Gly	Pro	G] u	Ser
	335					340					345					350
	Glu	Pro	Pro	Gln	Ala	Leu	Arg	Pro	Arg	Asp	Arg	Arg	Arg	Gln	Glu	Glu
					355					360					365	
25	Ile	Asp	Tyr	Arg	Pro	Asp	Gly	Gly	Ala	Gly	Ąsp	Ala	Asp	Phe	His	Tyr
				370					375					380		
	Arg	Gly	Gln	Met	Gly	Pro	Thr	Glu	Gln	Gly	Pro	Tyr	Ala	Lys	Thr	Tyr
<b>30</b> .			385					390	)				395			
	Głu	Gly	Arg	Arg	Glu	lle	Leu	Arg	Glu	Arg	Asp	Val	Asp	Leu	Arg	Phe
		400					405					410				
	Gin	Thr	Gly	۸sn	l.ys	Ser	Pro	G1u	ı Val	Leu	Arg	(A)a	Phe	Asp	Val	Pro
35	415					420					425					430
	Asp	Ala	Glu	Ala	Arg	Glu	His	Pro	The	- Val	Va]	Pro	Ser	His	l.ys	Ser
					435					440					445	
40	Pro	Vai	Leu	Asp	Thr	. Lys	Pro	Lys	Glu	Thr	- G1;	Gly	Ile	Leu	Gly	Glu
				450					455					460		
	Gl	/ Thr	Pro	Lys	Glu	Se <sub>7</sub>	Ser	Th	r Glu	s Set	Set	Glr			Lys	Pro
	•		465					470					475			
45	٧a	l Ser	Gly	Glr	n Asp	The	· Sei	Gly	y Asr	1 The	· Gli			Pro	Λla	Ala
		480					483					490				
	Gli	ı Lys	: Ala	Glr	ı l.eu	ı Lys	Sei	· Gli	ιAla	a Als			r Pro	) Ast	Glr	Gly
50	-19					500					50					510
	Se	r Thi	· Tyı	Sei	r Pro	ilh c	ιΛn	g GI:	y Va			y Pro	o Arg	z Gły		ASP
					วิเรี	5				520	)				52	5

Pro Val Ser Ser Pro Cys Gly 530

5

15

20

25

30

35

40

45

<210> 80 <211> 1653 <212> DNA

10 (213) Homo sapiens

<400> 80

atgcigtgit citigcicci tigigaatgi cigitgcigg tagciggila igcicatgat gatgactgga ttgaccccac agacatgctt sactatgatg ctgcttcagg sacaatgaga 120 anatotoagg cannatatgg tatttoaggg gannaggatg toagtootga citgioatgt 180 getgatgasa tatcagasig tiatcacasa citgaticit tascitatas gattgatgag 240 tgtgassaga sassagagga agactatgas agtcasagca atcctgtttt taggagatac 300 ttasataaga tittaattga agciggaaag citggactic cigalgaaaa caaaggcgat 360 atgeattatg atgetgagat tateettaaa agagaaaett tgitagaaat acagaagtit 420 ctcaatggag aagactggaa accaggtgcc ttggatgatg cactaagtga tattttaatt 480 aattitaagt ticatgatti tgaaacatgg aagtggcgat tcgaagatic cittggagtg 540 gatecatata atgigitaat ggiacticii igteigelet gealegiggi illagiggei 600 accgagetgt ggacatatgt acgtiggtac actcagtiga gacgtgilli aatcatcage 660 tttetgttea gittgggatg gamtiggatg tatttalatm agelagelli tgemeageat 720 caggetgaag tegeraagat ggagecatta aacaatgigt gigecamana gatggaetgg 780 actggaagta tetgggaatg gittagaagi leatggacet атанддагды ссеатдесаа 840 aaatactatg agetettaet agleaneeel altiggligg teceacenae aaaggeaett 900 geagttacat tenecacatt tgtaaeggag ceattgaage atattggaan aggaaetggg 960 gaattiatta aageaeteat gaaggaaatt eeagegetge tieatettee agtgetgata 1020 attatggcat tagccatcct gagtitetge tatggtgctg gaaaateagt teatgtgctg 1080 agacatatag geggteetga gagegaacet ecceaggeae tteggeeaeg ggatagaaga 1140 eggeaggagg anntigatia tagacetgat ggtggageag gigalgeega tilecattat 1200 aggggccann tgggccccnc tgagcnaggc cettatgech annegtatga gggtaguagn 1260 gagattitga gagagagaga tgttgocttg agatttcaga ctggcuacaa gagccctgaa 1320 gigeteeggg entlighigt accagnegen gaggenegag agealeeeae ggiggiacee 1380 agteataant caucigitti ggulacanag cucaaggaga caggiggani ceigggggan 1440 ggeneacegn angunageng thetgininge agreengtegg comagerigt eletygeean 1500 gacacateag ggaatacaga aggiteacec geageggaan aggeceaget caagletgan 1560 geogeaggen geoengaeen aggeageach tacageeeck cangaggtgt ggetggaeen 1620

55

	cgtggacagg atccggtcag cagcccctgt ggc	1653
į	<210> 81	
	<211> 2000	
	<212> D\A	
10 ·	<213> flomo sapiens	
	<200>	
	<221> CDS	
15	<222> (82)(1734)	
	<220>	
20	<pre>&lt;221&gt; sig peptide</pre>	
	(222) (82)(135)	
2 <b>5</b>	(220)	
	(221) mat peptide	
	<222> (136) (1734)	
	74005 P.I	
<b>30</b>	(400) 81 gcggcggcnn gcigigcgac cicitcigcg gccggccigg gcaggigtet iccicgagag	60
	geaggeagus sateressar structures seessates seessates terressons	111
	Not Leu Cys Sor Leu Leu Leu Cys Glu Cys	
35	-18 -15 -10	
	ctg tig cig gia got ggt tat got cat gat gat gac tgg all gac ccc	159
	Leu Leu Leu Val Ala Gly Tyr Ala His Asp Asp Asp Trp Ile Asp Pro	
40	-5 l 5	
	aca gac ang cit aac tat gat got got toa gga aca ang aga aaa tot	207
	Thr Asp Wet Leu Asn Tyr Asp Ala Ala Ser Gly Thr Het Arg Lys Ser	
	10 15 20	
45	cag gen ann tat ggt att ten ggg gan aag gat gte agt eet gae tig	255
	Gln Ala Lys lyr Gly lie Ser Gly Glu Lys Asp Val Ser Pro Asp Leu	
	25 30 35 40	
50	tea tgt get gat gan ata tea gan tgt tat eac ann ett gat tet tta	303
	Ser Cys Ala Asp Glu He Ser Glu Cys Tyr His Lys Leu Asp Ser Leu	
	45 50 55	

√ 184

											aag						351
	Thr	Tyr	Lys	Ile	Asp	Glu	Cys	Glu	Lys	Lys	Lys	Arg	Glu		lyr	Glu-	
5				60					65					70			
	agt	caa	agc	aat	cct	gtt	ttt	agg	aga	tac	tta	aat	aag	att	tta	att	399
	Ser	Gln	Ser	Asn	Рто	Va)	Phe	Arg	Arg	Tyr	Leu	Asn	Lys	Ile	Leu	lle	
10			75					80					85				
	gaa	gct	gga	aag	ctt	gga	ctt	cct	gat	gaa	aac	888	ggc	gat	atg	cat	447
	Glu	Ala	Gly	Lys	Leu	Gly	Leu	Pro	Asp	Glu	Asn	Lys	Gly	Asp	Met	His	
		90					95					100					
15	tat	gat	gct	gag	att	atc	ctt	888	aga	gaa	act	ttg	tta	gaa	ata	cag	495
	Tyr	Asp	Ala	Glu	Ile	lle	Leu	Lys	Arg	Glú	Thr	Leu	Leu	Glu	lle	Gln	
	105					110					115					120	
00		ttt	ctc	aat	gga	gaa	gac	tgg	888	cca	ggt	gcc	ttg	gat	gat	gca	543
20											Gly						
	-,-				125		•			130					135		
	cta	agt	gat	att	tta	att	aat	ttt	aag	ttt	cat	gat	ttt	gaa	aca	tgg	591
25											His						
				140					145		•	·		150		-	
	220	100	CGB		gaa	gat	tcc	LI L		gtg	gai	cca.	tat	aat	gtg	tta	639
											Asp						
30	LJS	117	155	1116	010	nsp	JC.	160	0.,	••••	11.212		165	****		-	
		~**		~	1 (7)	cia	ete		210	o i o	σιι	112		act	acc	gag	687
		-														Glu	•••
35	<b>39</b> t			Leu	C)S	Leu	1.eu 175	C) S	116	vat	141	180		MIG	****	010	
33		170							~~*	0.10				~· •		910	735
																atc	
			ınr	ıyr	val		ırp	195	inr	GIN			V! R	vai	Leu	11e 200	
40	185					190					195						783
																aag	103
	He	Ser	Phe	l.eu			l.eu	Gly	Trp			Met	ıyr	· I.eu		l.ys	
					205					210					215		001
45		•		-												tta	831
	Leu	Ala	Phe	Ala	Gin	llis	Gln	Ala			λlu	Lys	Met			Leu	
				220					225			*		230			
50																gaa	879
	Asn	Asn	Val	Cys	Ala	Lys	l.ys	Met	λsp	Trp	The	Gly			Tip	Glu	
			201					2.10	1				215	:			

	tgg	ttt	aga	agt	tca	tgg	acc	tat	ang	gat	gac	cca	tgc	caa	888	tac	927
	Trp	Phe	Arg	Ser	Ser	Trp	Thr	Tyr	Lys	Asp	Asp	Pro	Cys	Gln	Lys	Tyr	
5		250					255					260					
	tat	gag	ctc	tta	cta	gtc	aac	cct	att	tgg	ttg	gtc	cca	cca	aca	aag	975
	Tyr	Glu	Leu	Leu	Leu	Val	Asn	Pro	Ile	Trp	Leu	Val	Pro	Pro	Thr	Lys	
10	265					270					275					280	
	gca	ctt	gca	gtt	aca	ťtc	acc	aca	ttt	gta	acg	gag	cca	ttg	aag	cat	1023
	Ala	Leu	Ala	Val	Thr	Phe	Thr	Thr	Phe	Val	Thr	Glu	Pro	Leu	Lys	His	
					285					290					295		
15	att	gga	888	gga	act	ggg	gaa	ttt	att	888	gca	ctc	atg	aag	gaa	att	1071
	Ile	Gly	Lys	Gly	Thr	Gly	Glu	Phe	Ile	Lys	Ala	Leu	Met	Lys	GLu	Ile	
				300					305					310			
20	cca	gcg	ctg	ctt	cat	ctt	сса	gtg	ctg	ata	att	atg	gca	tta	gcc	atc	1119
••	Pro	Ala	Leu	Leu	His	Leu	Pro	Val	Leu	Ile	Ile	₩et	Ala	Leu	Ala	Ile	
			315					320					325				
	ctg	agt	tic	tgc	tat	ggt	gc t	gga	aaa	tca	gtt	cat	gtg	ctg	aga	càt	1167
25	Leu	Ser	Phe	Cys	Tyr	Gly	Ala	Gly	Lys	Ser	<b>Val</b>	His	Val	Leu	Arg	His	
		330					335					340					
	ata	ggc	ggt	cct	gag	agc	gaa	cct	ccc	cag	gca	ctt	cgg	cca	cgg	gat	1215
30	lle	Gly	Gly	Pro	Glu	Ser	Glu	Pro	Pro	Gin	Ala	Leu	Arg	Pro	Arg	Asp	
	345	j				350					355					360	
	aga	aga	cgg	cag	gag	gaa	att	gat	tat	нgа	cct	gaL	ggt	gga	gca	ggt	1263
	Arg	, Arg	Arg	Gln	Glu	Glu	He	Asp	Tyr	Arg	Pro	Asp	Gly	Gly	Ala	Gly	
35					365					370	•				375	•	
	gat	gcc	gat	ttc	cat	tat	agg	ggc	caa	atg	ggc	ccc	act	gag	caa	ggc	1311
	Asp	Ala	Asp	Phe	llis	Tyr	Arg	Gly	Gln	Het	Gly	Pro	Thr	- Glu	Glr	Gly	
40				380					385	i				390	)		
<b>.</b>	cci	tat	gcc	aaa	acg	tat	gag	ggı	aga	aga	gag	att	ttg	aga	gag	gaga	1359
	Pro	) Tyr	٠ Ala	l.ys	Thr	Tyr	Glu	Gly	Arg	Λrg	Glu	He	Lei	Arg	Gli	Arg	
			395	;				400	)				405	5			
45	gai	gut	gac	ttg	aga	ııı	CAR	act	ggc	BAC	ะลล	ago	cct	gai	glg	ctc	1407
	Ası	Val	Λsp	Leu	Arg	Phe	Gln	Thr	Gly	Asn	l.ys	Ser	Pro	Gli	. Val	Leu	
		410	)				415	,				420	)				
50	cg	g gca	itt	gut	gta	CCa	gne	gca	Kith	gca	с с с с	grip	cat	ccc	. ac	gtg	1455
50	Arı	g Ala	Pho	. Asp	Yal	Pro	Asp	Ala	Glu	Ala	Arg	Glu	llis	s Pro	) Thi	r Val	
	-12	5				-130	)				435	5				410	

	gta	ccc	agt	cat,	888	tca	cct	gtt	ιtg	gat	aca	aag	ccc	aag	gag	808	1503
	Val	Pro	Ser	His	Lys	Ser	Рго	Val	Leu	Asp	Thr	Lys	Pr	Lys	Glu	Thr	
5					445					450					455		
	ggt	gga	atc	ctg	ggg	gaa	ggc	aca	ccg	aaa	gaa	agc	agt	act	gaa	agc	1551
	Gly	Gly	Ile	Leu	Gly	Glu	Gly	Thr	Pro	Lys	Glu	Ser	Ser	Thr	Glu	Ser	
10				460					465					470			
	agc.	CAR	tcg	gcc	аая	cct	gtc	lci	KKC	caa	gac	aca	tca	REE	aat	aca	1599
			_	•	-		-				•				Asn		
	J.,	•	475		-,-			480	- •				485				
15	<b>799</b>	pat		ccc	oca	909	gaa		gcc.	CAR	ctc	887		288	gcc	2C8	1647
	-												_		Ala		
	<b>01</b> 0	490	361	110	710	1120	495	<b>L</b> , J		••••		500		42.0	****		
	***		<b></b>	<b>~</b> 0.0		-		909	100	960			969	oot	gtg	get	1695
20		•		•			-								Val	-	1030
	505	Sei	110	ush	0111		Ser	1111	171	361	515	n1a	VT B	GI,	Val	520	
						510						•		•			1741
25			-		_	-	_	-						-	aggaa	aca	1744
	Gly	170	Arg	GIA		ASP	Pro	vai	Ser		-	Cys	Gly				
					525		• •			530				<b>.</b>			1004
		_		-	_		_		_	_					'	gaagtc	
30																tcagga	
	_			-	_		_				-			-	-	agatga	
	gat	gaga	laa	gact	tgtt	ia i	tgac	lagc	c aa	talg	lcat	taa	aatt	aag	gtti	aaaaaa	
35	888	<b>a</b> aaa	888	8888	aa												2000
		0> 8															
		1> 3															٠
40		2> D				•											
	(21)	3> V	rtil	icía	l Se	quen	cc							•			
		••		~													
45	(22)																
***				renc													
		- •		. (-15	•												-
	(22)	3> X	hol-	rand	am 9	acı.	to s	ynth	esiz	e da	hle	stra	nds	cD\/			
50																	
	<10	0> 8	2														
	cga	l tga	all	ctag	acct	gc c	tega	gnan	n n	ពរាព							

.

	<210> 83
	<211> 27
5	<212> DNA
	<213> Artificial Sequence
10	<220>
	<221> modified base
	<222> (1)
15	<223> biotin-conjugated ONO56-F1 primer
13	·
	<400> 83
	aacatgaatc tttcgctcgt cctggct
20	
<i>)</i>	<210> 84
	<211> 28 .
25	<212> DNA .
	<213> Artificial Sequence
•	
30	<220>
•	<pre>&lt;221&gt; modified base -</pre>
	<222> (1)
	<223> biotin-conjugated 0N034-F1 primer
35	<b>(400) 84</b>
	tgaageceat enclacateg centlacg
40	<b>(210)</b> 85
	(211) 27
<b>~</b>	(212> DNA
45	<pre>&lt;213&gt; Artificial Sequence</pre>
	(220)
50	(223) 0X003-F1 primer
	C400> 85

#### caaaacccac aagaaattca ccaaggc

5	<210> 86
	(211) 23
	<212> DNA
10	(213) Artificial Sequence
	<220>
	<223> 0X003-F2 primer
15	
	<400> 86
	tcaccaaggc taacatggtg gcc
20	•
	(210) 87
	<211> 27
25	<212> DNA
	<pre>&lt;213&gt; Artificial Sequence</pre>
	(000)
	(220)
30	<223> 0A052-F1 primer
	<400> 87
	atgcctagaa gaggactgat tcttcac
35	
	<210> 88
•	(211) 27
40	<212> DNA
	<213> Artificial Sequence
	⟨220⟩
45	<223> 0C001-F1 primer
	<400> 88
50	atgagguag ggascottot gotgage
	(210) 89

	<211> 18
	<212> DNA
5	(213) Artificial Sequence
	<220>
10	<223> OC004-F2 primer
	<400> 89
	tgagetteca gagetgte
15	
	<210> 90
	<211> 27
20	(212) DNA
	<pre>&lt;213&gt; Artificial Sequence</pre>
	<220>
25	(223) 0M017-F3 primer
	<400> 90
30	gggaaatgan acatttetgt aacctge
	4010. 04
·	(210) 91
35	<211> 27 <212> DNA
35	(213) Artificial Sequence
	(213) Altilitata Sequence
	(220)
40	<223> 0M017-F1 primer
	<400> 91
45	atgaaacatt tetgtaacet gettigt
	<210> 92
	(211) 27
50	<212> DNA
	<213> Artificial Sequence
	•

	<220>
	<223> OM101-F3 primer
5	
	<400> 92
	tgaagttgca gataatgagg actiacc
10	
	<210> 93
	<211> 27
	<212> DNA
15	<213> Artificial Sequence
	<220>
20	<223> OM101-F1 primer
	<400> 93
25	atgaggactt accattatat accatta
	<210> 94
	<211> 27
30	<212> DNA
•	<213> Artificial Sequence
•	
35	<220>
	<223> 0M126-F3 primer
40	<400> 94
40	aggaaggatg aggaagacca ggctctg
	<210> 95
45 .	<211> 27
	<212> DNA
	<213> Artificial Sequence
50	
	<220>
	<221> modified base

	<b>&lt;222&gt; (1)</b>
5	<223> biotin-conjugated OM160-F1 primer
•	<b>&lt;400&gt;</b> 95
	atgcticagt ggaggagaag acuctgc
10	
	<210> 96
	<211> 27
15	<212> DNA
	<213> Artificial Sequence
	⟨220⟩
20	<223> OMA016-F1 primer
	<400> 96
25	agaaatggtg aatgcctgct ggtgtgg
	<210> 97
	<211> 27
30	(212) DNA
	<pre>&lt;213&gt; Artificial Sequence</pre>
35	<220>
	<223> OMB130-F1 primer
	<400> 97 .
40	tectetgact titelicige aagetee
	<210> 98
45	<211> 27
	(212> DNA ·
	(213) Artificial Sequence
50	⟨220⟩
	<223> OMB142-F2 primer
	—— - · · · · · · · · · · · · · · · · · ·

	<400> 98
	gcccaaggtc aaggagatgg tacggat
5	
•	<210> 99
	<b>(211)</b> 28
10	<212> DNA
•	(213> Artificial Sequence
15	<220>
	<pre>&lt;223&gt; OMB142-F1 primer</pre>
	<400> 99
20	
20	ggagatggta cggatcttaa ggactgtg
	<210> 100
05	(211> 27
25	(212> DNA
	(213) Artificial Sequence
30	(220)
	<223> OTBO33-F1 primer
	2400° 100
35	<400> 100
	igenetatee anaageteea igtaene
	<210> 101
40	<211> 19
	<212> DYA
	<213> Artificial Sequence
45	
	<220>
	<223> 0TB003-F2 primer
50	
	<-1005 101
	centglacae aglygggge

	<b>&lt;210&gt; 102</b>
	<b>(211) 27</b>
5	<212> DNA
	(213> Artificial Sequence
10	⟨220⟩
	<223> OVB100-Fl primer
	<400> 102
15	cactiggigi tigatitace taagcac
	⟨210⟩ 103
20	<b>(211) 27</b>
	<212> DNA
	<213> Artificial Sequence
25	(220)
	<223> OAF062-F2 primer
30	<400> 103
	gagtitegta ageaaaalag aggacag
	(210) 104
35	(211) 27
	<212> DNA
	<213> Artificial Sequence
40 .	<220>
·	<223> OAF062-F3 primer
45	(400) 101
	tagaggacag anatgeagtt catgaac
50	(210) 105
	(211) 28
	<212> DNA

	12137 Altificial Sequence
5	⟨220⟩
	<223> OAF075-F1 primer
10	<400> 105
	gacatgaggt ggatactgtt cattgggg
	⟨210⟩ 106
15	<b>&lt;211&gt; 28</b>
	<212> DNA
	<213> Artificial Sequence
20	⟨220⟩
	<223> OAG119-F1 primer
	(223) Unully fi pilmel
25	<400> 106
	iggogigtaa claigoloal caligilo
	⟨210⟩ 107
30	<211> 28
	<212> DNA
	(213) Artificial Sequence
35	
	<220>
	<223> OAHO-0-F1 primer
40	<400> t07
	ttageceace catgingata gaacaece
45	<210> 108
	<211> 28
•	(212) DNA
	(213) Artificial Sequence
50	
•	⟨220⟩

.

	<223> OAHO58-F1 primer
5	<400> 108
	acaatgitgg cetgicigea ageilgig
10	<210> 109
	<211> 27
	<212> DNA
15	<213> Artificial Sequence
	<220>
	<221> modified base
20	<b>(222)</b> (1)
	<223> biotin-conjugated OMOII-F1 primer
25	<b>&lt;400&gt;</b> 109
	gaagtgactc ttcctctagt ttgccac
	(210> 110
30	<211> 27
	<212> DNA
	(213) Artificial Sequence
35	<220>
•	(221) modified base
	<222> (1)
	(223) biotin-conjugated OMO28-F1 primer
•	<400> 110
45	atgaaggaca tgccactccg nattent
	(210) 111
50	(211) 27
	(212) DNA
	<213> Artificial Sequence

	(220)
	<221> difference
5	<223> OMBO92-F1 primer
	<400> 111
10	acteacting attectaagg geacage
	(210) 112
	(211) 28
15	<212> DNA
	<213> Artificial Sequence
20 .	⟨220⟩
	<223> OMBO92-F2 primer
	4400 100
or.	<400> 112
25 .	agaatgaget attacggcag cagetate
	<210> 113
	<211> 27
30	(212) DM
	<213> Artificial Sequence
	-
35	<220>
	(223) OMB108-F1 primer
40	<400> 113
40	ctctctccat ctgctgtggt tatggcc
	<210> 111
45	(211) 22
	(212) DNA
·	<213> Artificial Sequence
50	
·	(220)
	<223> OMB108-F2 primer

<400> 114	
tggttatggc ctgtcgctgg ag	
5	
⟨210⟩ 115	
(211) 27	
10 C212> DNA	
(213) Artificial Sequence	
<220>	
15 <221> modified base	
<222> (1)	
<pre>&lt; &lt;223&gt; biotin-conjugated 0T007</pre>	7-F1 primer
20	
<400> 115	
aaaatgactc cccagtcgct gctgca	g
25	
<210> 116	
<211> 27	
(212> DNA	
<213> Artificial Sequence	
<220>	
35 <223> OAGO51-F1 primer	
<400> 116	
ggaaatgtit acatttiigi igacgi	g
⟨210⟩ 117	
(211) 27	
,,,	
45 (212) DNA (213) Artificial Sequence	
2137 Militierat Sequence	
50 <220>	
50 (221) modified base	
\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	

#### (223) biotin-conjugated OUB068-F1 primer

5

<400> 117

cactcatgaa ggaaattcca gcgctgc

10 -

#### Claims

15


- 1. A substantially purified form of the polypeptide comprising the amino acid sequence shown in SEQ ID NOS. 1, 4, 7, 10, 13, 16, 19, 22, 25, 28, 31, 34, 37, 40, 43, 46, 49, 52, 55, 58, 61, 64, 67, 70, 73, 76 or 79, homologue thereof, fragment thereof or homologue of the fragment.
- A polypeptide according to claim 1 comprising the amino acid sequence shown in SEQ ID NOS. 1, 4, 7, 10, 13, 16, 19, 22, 25, 28, 31, 34, 37, 40, 43, 46, 49, 52, 55, 58, 61, 64, 67, 70, 73, 76 or 79.
  - 3. A cDNA encoding the polypeptide according to claim 1.
- A cDNA according to daim 3 comprising the nucleotide sequence shown in SEQ ID NOS. 2, 5, 8, 11, 14, 17, 20, 23, 26, 29, 32, 35, 38, 41, 44, 47, 50, 53, 56, 59, 62, 65, 68, 71, 74, 77 or 80, or a fragment cDNA selectively hybridized to the cDNA.
- A cDNA according to claim 3 comprising the nucleotide sequence shown in SEQ ID NOS. 3, 6, 9, 12, 15, 18, 21,
   24, 27, 30, 33, 36, 39, 42, 45, 48, 51, 54, 57, 60, 63, 66, 69, 72, 75, 78 or 81, or a fragment cDNA selectively hybridized to the cDNA.
  - 6. A replication or expression vector carrying the cDNA according to claims 3 to 5.
- 35 7. A host cell transformed with the replication or expression vector according to claim 6.
  - 8. A method for producing the polypeptide according to claim 1 or 2 which comprises culturing a host cell according to claim 7 under a condition effective to express the polypeptide according to claim 1 or 2.
- 40 9. A monoclonal or polyclonal antibody against the polypeptide according to claim 1 or 2.
  - 10. A pharmaceutical composition containing the polypeptide according to claim 1 or 2 or the antibody according to claim 9, in association with pharmaceutically acceptable diluent and/or carrier.

45

50

# FIG. 1

IPTG + 5hr
SUPERNATANT OF LYSATE
PRECIPITATE OF LYSATE\*
RECONSTITUTION ( pH 6.5 )
RECONSTITUTION ( pH 8.0 )



SOLUBILIZED WITH UREA

#### INTERNATIONAL SEARCH REPORT

International application No. PCT/JP98/04514

A. CLASSIFICATION OF SUBJECT MATTER Int.Cl <sup>6</sup> C07K14/47, C12N15/12, C12P21/02, C12P21/08, C07K16/18, A61X39/395, A61X38/17, A61X48/00 According to International Patent Classification (IPC) or to both national classification and IPC			
Minimum d	B. FIELDS SEARCHED  Minimum documentation searched (classification system followed by classification symbols)  Int.Cl* C07K14/47, C12N15/12, C12P21/02, C12P21/08, C07K16/18,  A61K39/395, A61K38/17, A61K48/00		
Documentat	Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched		
Swis	Electronic data base consulted during the international search (name of data base and, where practicable, search terms used) SwissPort/PIR/GeneSeq, Genbank/EMBL/DDBJ/GeneSeq, WPI (DIALOG), BIOSIS (DIALOG)		
C. DOCU	MENTS CONSIDERED TO BE RELEVANT		
Category*	Citation of document, with indication, where ap	propriate, of the relevant passages	Relevant to claim No.
X	Okamura, N. et al., "Direct ev synthesis and secretion of distal caput epididy-mis of i Acta (1995) vol. 1245, No. 2	procathepsin L in the coar", Biochim Biophys	1-10
Parth	ler documents are listed in the continuation of Box C.	Soe patent family ennex.	
* Special enterportex of cited documents:  'A' decement defluing the general state of the art which is not considered to be of particular relevance:  'E' surfer obcument but published on or after the international filing date or which is cited to stabilish the publication date of another citation or other special season (as specified)  'O' decement referring to as oral disclosure, use, exhibition or other states  "P' document published prior to the international filing date but later than the priority date claimed  Date of the actual completion of the international search  27 January, 1999 (27, 01, 99)  Date of the actual completion of the international search  27 January, 1999 (27, 01, 99)		ction but chied to understand weather intend investion cannot be all to involve an inventive step leisted investion cannot be when the document in documents, such combination art analy arch report	
Japa	nailing address of the ISA/ Anese Patent Office	Authorized officer	
Facsimile N	Na.	Telephone No.	

Form PCT/ISA/210 (second sheet) (July 1992)

#### INTERNATIONAL SEARCH REPORT

International application No. PCT/JP98/04514

Box I Observations where certain claims were found unsearchable (Continuation	a of item 1 of flyst sheet)
This international search report has not been established in respect of certain claims und	der Article 17(2)(a) for the following reasons:
1. Claims Nos.:	
because they relate to subject matter not required to be searched by this Author	ority, namely:
	}
<ol> <li>Claims Nos.:</li> <li>because they relate to parts of the international application that do not comply</li> </ol>	which the prescribed manifestate to such as
extent that no meaningful international search can be carried out, specifically:	
3. Claims Nos.:	
because they are dependent claims and are not drafted in accordance with the	second and third sentences of Rule 6.4(a).
Box II Observations where unity of invention is lacking (Continuation of item 2	of first sheet)
This International Searching Authority found multiple inventions in this international a	pplication, as follows:
1. As all required additional search fees were timely paid by the applicant, this	international search report covers all
searchable claims.	inetimeterial sector (short assets as
2. As all searchable claims could be searched without effort justifying an addition	onal fee, this Authority did not invite payment
of any additional fee.	·
3. As only some of the required additional search fees were timely paid by the ap	plicant, this international search report covers
only those claims for which fees were paid, specifically claims Nos.:	
·	1
No security additional accord for the state and bush are the security	mently this international search senset is
<ol> <li>No required additional search fees were timely paid by the applicant. Conseq restricted to the invention first mentioned in the claims; it is covered by claim</li> </ol>	,
Claims 1 to 10, provided the internal search	h report covers, among the
inventions related to these claims, only those is a polypeptide comprising the amino acid sequence	inventions which relate to represented by SEQ ID NO:
Remark on Protest The additional search fees were accompanied by the app	
No protest accompanied the payment of additional searce	th fees.
	·

Form PCT/ISA/210 (continuation of first sheet (1)) (July 1992)

#### INTERNATIONAL SEARCH REPORT

International application No. PCT/JP98/04514

#### Continuation of Box No. II of continuation of first sheet (1)

l and a process for producing the same, a cDNA encoding the same, a replication or expression vector comprising the cDNA, a host cell transformed with the vector, a monoclonal or polyclonal antibody against the polypeptide, and a pharmaceutical composition containing the polypeptide and/or the antibody.

Concerning claims 1 to 10

According to the disclosure in the description of the present invention, "polypeptides respectively comprising the amino acid sequence represented by SEQ ID NO: 1, 4, 7, ... 76 or 79 or polypeptides respectively comprising the homolog, fragment or homolog of the fragment of the above polypeptides as set forth in claim 1 and "the polypeptides as set forth in claim 1 respectively comprising the amino acid sequence represented by SEQ ID NO:1, 4, 7, ... 76 or 79" as set forth in claim 2 are assumed to be polypeptides having 27 kinds of utterly different functions and constitutions, except for the common feature that they are secretory or membrane proteins, and a plurality of such secretory or membrane proteins are well known.

Therefore, the fact of being secretory or membrane proteins is not considered special technical features in common among these 27 kinds of polypeptides.

Such being the case, each of the above claims is considered to describe 27 inventions. When the unity of invention is taken into account concerning the 27 inventions based on the above consideration, these polypeptides are considered neither those attaining common purposes nor those having common principal parts, and thus it does not appear that there is a technical relationship among these 27 inventions involving one or more of the same or corresponding special technical features. As a result, claims 1 and 2 are not considered fulfilling the requirement of unity of invention.

For the same reason, the requirement of unity of invention is not considered fulfilled as regards the cDNA as set forth in claims 3, 4 and 5, the replication or expression vector in claim 6, the host cell in claim 7, the process for producing a polypeptide in claim 8, the monoclonal or polyclonal antibody in claim 9, and the pharmaceutical composition in claim 10.

Form PCT/ISA/210 (extra sheet) (July 1992)